

ISO/IEC 30118-6:2021-10 (E)

Information technology - Open Connectivity Foundation (OCF) Specification - Part 6: Resource to AllJoyn interface mapping specification

Contents	Page
Foreword	vi
Introduction	vii
1 Scope	1
2 Normative references	1
3 Terms and definitions	2
4 Document conventions and organization	2
4.1 Conventions	2
4.2 Notation	3
5 Theory of operation	3
5.1 Interworking approach	3
5.2 Mapping syntax	4
5.2.1 Introduction	4
5.2.2 General	4
5.2.3 Value assignment	4
5.2.4 Property naming	4
5.2.5 Arrays	4
5.2.6 Default mapping	4
5.2.7 Conditional mapping	4
5.2.8 Loops	5
5.2.9 Method invocation	5
6 AllJoyn translation	5
6.1 Operational scenarios	5
6.2 Requirements specific to an AllJoyn bridging function	5
6.2.1 Introduction	5
6.2.2 Use of introspection	5
6.2.3 Stability and loss of data	6
6.2.4 Exposing AllJoyn producer devices to OCF clients	6
6.2.5 Exposing OCF resources to AllJoyn consumer applications	14
6.2.6 Security	21
6.3 On-the-fly translation from d-bus and OCF payloads	21
6.3.1 Introduction	21
6.3.2 Translation without aid of introspection	21
6.3.3 Translation with aid of introspection	27
7 Device type mapping	32
7.1 AllJoyn device types to OCF device types	32
7.2 OCF device types with no AllJoyn equivalent	32
8 Resource to interface equivalence	33
8.1 Introduction	33
8.2 Environment.CurrentAirQuality mapping	34
8.3 Environment.CurrentAirQualityLevel mapping	35
8.4 Operation.ClimateControlMode mapping	35
8.5 Operation.FanSpeedLevel mapping	35
8.6 Operation.HeatingZone mapping	35

8.7	Operation.OnOffStatus, Operation.OnControl, and Operation.OffControl mapping	35
8.8	Operation.OvenCyclePhase	35
9	Detailed mapping APIs	35
9.1	Introduction	35
9.2	Current air quality	36
9.2.1	Derived model	36
9.2.2	Property definition	36
9.2.3	Derived model definition	37
9.3	Current air quality level	38
9.3.1	Derived model	38
9.3.2	Property definition	38
9.3.3	Derived model definition	39
9.4	Current humidity	40
9.4.1	Derived model	40
9.4.2	Property definition	40
9.4.3	Derived model definition	41
9.5	Current temperature	41
9.5.1	Derived model	41
9.5.2	Property definition	41
9.5.3	Derived model definition	42
9.6	Target humidity	43
9.6.1	Derived model	43
9.6.2	Property definition	43
9.6.3	Derived model definition	44
9.7	Target temperature	45
9.7.1	Derived model	45
9.7.2	Property definition	45
9.7.3	Derived model definition	46
9.8	Audio volume	47
9.8.1	Derived model	47
9.8.2	Property definition	47
9.8.3	Derived model definition	48
9.9	Climate control mode	49
9.9.1	Derived model	49
9.9.2	Property definition	49
9.9.3	Derived model definition	49
9.10	Closed status	50
9.10.1	Derived model	50
9.10.2	Property definition	50
9.10.3	Derived model definition	51
9.11	Cycle control	51
9.11.1	Derived model	51
9.11.2	Property definition	51
9.11.3	Derived model definition	52
9.12	Fan speed level	53
9.12.1	Derived model	53
9.12.2	Property definition	53

9.12.3	Derived model definition.....	54
9.13	Heating zone.....	55
9.13.1	Derived model	55
9.13.2	Property definition	55
9.13.3	Derived model definition.....	55
9.14	HVAC fan mode	56
9.14.1	Derived model	56
9.14.2	Property definition	56
9.14.3	Derived model definition.....	57
9.15	On/Off control.....	58
9.15.1	Derived model	58
9.15.2	Property definition	58
9.15.3	Derived model definition.....	59
9.16	On off mapping.....	59
9.16.1	Derived model	59
9.16.2	Property definition	59
9.16.3	Derived model definition.....	60
9.17	Oven cycle phase	60
9.17.1	Derived model	60
9.17.2	Property definition	60
9.17.3	Derived model definition.....	61
10	Resource type definitions	62
10.1	List of resource types	62
10.2	AllJoynObject.....	62
10.2.1	Introduction.....	62
10.2.2	Example URI.....	62
10.2.3	Resource type	62
10.2.4	OpenAPI 2.0 definition	62
10.2.5	Property definition	66
10.2.6	CRUDN behaviour	67
10.3	SecureMode.....	67
10.3.1	Introduction.....	67
10.3.2	Example URI.....	67
10.3.3	Resource type	67
10.3.4	OpenAPI 2.0 definition	67
10.3.5	Property definition	69
10.3.6	CRUDN behaviour	69