

# ISO/IEC 23008-9:2022-03 (E)

## Information technology - High efficiency coding and media delivery in heterogeneous environments - Part 9: 3D Audio conformance testing

---

| <b>Contents</b> |   | <b>Page</b> |
|-----------------|---|-------------|
|                 | <b>Foreword</b> .....                                 | <b>vii</b>  |
|                 | <b>Introduction</b> .....                             | <b>viii</b> |
| <b>1</b>        | <b>Scope</b> .....                                    | <b>1</b>    |
| <b>2</b>        | <b>Normative references</b> .....                     | <b>1</b>    |
| <b>3</b>        | <b>Terms, definitions and abbreviated terms</b> ..... | <b>1</b>    |
|                 | 3.1 Terms and definitions.....                        | 1           |
|                 | 3.2 Abbreviated terms.....                            | 2           |
| <b>4</b>        | <b>MPEG-H 3D audio conformance testing</b> .....      | <b>3</b>    |
|                 | 4.1 General.....                                      | 3           |
|                 | 4.2 Profiles.....                                     | 3           |
|                 | 4.3 Test procedure.....                               | 3           |
|                 | 4.3.1 General.....                                    | 3           |
|                 | 4.3.2 Naming convention.....                          | 4           |
|                 | 4.3.3 Conformance test tools.....                     | 6           |
| <b>5</b>        | <b>MPEG-H 3D audio bitstreams</b> .....               | <b>6</b>    |
|                 | 5.1 Characteristics, test procedure.....              | 6           |
|                 | 5.2 MPEG-H 3D audio general configuration.....        | 7           |
|                 | 5.2.1 mpeg3daConfig().....                            | 7           |
|                 | 5.2.2 FrameworkConfig3d().....                        | 7           |
|                 | 5.2.3 Signals3d().....                                | 7           |
|                 | 5.2.4 SpeakerConfig3d().....                          | 7           |
|                 | 5.2.5 mpeg3daFlexibleSpeakerConfig().....             | 7           |
|                 | 5.2.6 mpeg3daSpeakerDescription().....                | 8           |
|                 | 5.3 MPEG-H 3D core audio configuration.....           | 8           |
|                 | 5.3.1 mpeg3daDecoderConfig().....                     | 8           |
|                 | 5.3.2 mpeg3daSingleChannelElementConfig().....        | 8           |
|                 | 5.3.3 mpeg3daChannelPairElementConfig().....          | 8           |
|                 | 5.3.4 mpeg3daCoreConfig().....                        | 9           |
|                 | 5.3.5 mpeg3daLfeElementConfig().....                  | 9           |
|                 | 5.3.6 mpeg3daExtElementConfig().....                  | 9           |
|                 | 5.3.7 mpeg3daConfigExtension().....                   | 10          |
|                 | 5.3.8 SbrConfig().....                                | 10          |
|                 | 5.3.9 Mps212Config().....                             | 10          |
|                 | 5.4 MPEG-H 3D core audio frame.....                   | 10          |
|                 | 5.4.1 mpeg3daFrame().....                             | 10          |
|                 | 5.4.2 mpeg3daSingleChannelElement().....              | 10          |
|                 | 5.4.3 mpeg3daChannelPairElement().....                | 11          |
|                 | 5.4.4 mpeg3daLfeElement().....                        | 11          |
|                 | 5.4.5 mpeg3daExtElement().....                        | 11          |
|                 | 5.4.6 ics_info().....                                 | 11          |
|                 | 5.4.7 mpeg3daCoreCoderData().....                     | 12          |
|                 | 5.4.8 StereoCoreToolInfo().....                       | 12          |
|                 | 5.4.9 fd_channel_stream().....                        | 12          |
|                 | 5.4.10 lpd_channel_stream().....                      | 13          |
|                 | 5.4.11 acelp_coding().....                            | 14          |
|                 | 5.4.12 tcx_coding().....                              | 14          |
|                 | 5.4.13 lpd_stereo_stream().....                       | 14          |
|                 | 5.4.14 igf_stereo_pred_data().....                    | 15          |

|         |   |    |
|---------|---|----|
| 5.4.15  | igf_data()  | 15 |
| 5.4.16  | tbe_data()  | 15 |
| 5.4.17  | tw_data()   | 16 |
| 5.4.18  | scale_factor_data()                                   | 16 |
| 5.4.19  | tns_data()  | 16 |
| 5.4.20  | ac_spectral_data()                                    | 16 |
| 5.4.21  | arith_data()  | 16 |
| 5.4.22  | fac_data()  | 16 |
| 5.4.23  | code_book_indices()                                   | 16 |
| 5.4.24  | UsacSbrData()   | 16 |
| 5.4.25  | Mps212Data()  | 16 |
| 5.5     | Fill element  | 16 |
| 5.6     | MPEG surround configuration, SpatialSpecificConfig()  | 16 |
| 5.7     | MPEG surround frame, SpatialFrame()                   | 17 |
| 5.8     | SAOC configuration, SAOCSpecificConfig()              | 17 |
| 5.9     | SAOC frame, SAOCFrame()                               | 17 |
| 5.10    | AudioPreRoll  | 17 |
| 5.10.1  | Recursive presence of AudioPreRoll extension payload  | 17 |
| 5.10.2  | AudioPreRoll()  | 17 |
| 5.11    | Dynamic range control configuration                   | 17 |
| 5.11.1  | mpegh3daUniDrcConfig()                                | 17 |
| 5.11.2  | mpegh3daUniDrcChannelLayout()                         | 17 |
| 5.11.3  | drcCoefficientsUniDrc()                               | 18 |
| 5.11.4  | drcInstructionsUniDrc()                               | 18 |
| 5.11.5  | uniDrcConfigExtension()                               | 18 |
| 5.12    | Dynamic range control frame, uniDrcGain()             | 18 |
| 5.13    | Object metadata configuration, ObjectMetadataConfig() | 18 |
| 5.14    | Object metadata frame                                 | 18 |
| 5.14.1  | object_metadata_efficient()                           | 18 |
| 5.14.2  | object_metadata()                                     | 18 |
| 5.14.3  | object_metadata_efficient()                           | 18 |
| 5.14.4  | intracoded_object_metadata_efficient()                | 18 |
| 5.14.5  | differential_object_metadata()                        | 19 |
| 5.14.6  | offset_data()   | 21 |
| 5.14.7  | object_metadata_low_delay()                           | 21 |
| 5.14.8  | intracoded_object_metadata_low_delay()                | 21 |
| 5.14.9  | dynamic_object_metadata()                             | 22 |
| 5.14.10 | single_dynamic_object_metadata()                      | 22 |
| 5.15    | EnhancedObjectMetadataConfig()                        | 23 |
| 5.16    | EnhancedObjectMetadataFrame()                         | 23 |
| 5.17    | SAOC 3D Config  | 24 |
| 5.17.1  | SAOC3DSpecificConfig()                                | 24 |
| 5.17.2  | SAOC3DgetNumChannels()                                | 25 |
| 5.17.3  | SAOC3DExtensionConfig()                               | 25 |
| 5.17.4  | SAOC3DExtensionConfigData()                           | 25 |
| 5.17.5  | SAOCExtensionConfig()                                 | 25 |
| 5.18    | SAOC 3D frame   | 25 |
| 5.18.1  | Saoc3DFrame()   | 25 |
| 5.18.2  | SAOC3DFramingInfo()                                   | 26 |
| 5.18.3  | EcDataSaoc()  | 26 |
| 5.18.4  | ByteAlign()   | 26 |
| 5.18.5  | SAOC3DExtensionFrame()                                | 26 |
| 5.18.6  | SAOC3DExtensionFrameData()                            | 26 |
| 5.18.7  | SAOCExtensionFrame()                                  | 26 |
| 5.18.8  | HOAConfig()   | 26 |
| 5.18.9  | HOADecoderConfig()                                    | 26 |
| 5.18.10 | HOAEnhConfig()  | 27 |
| 5.18.11 | HOADecoderEnhConfig ()                                | 27 |
| 5.18.12 | getSubbandWidths ()                                   | 27 |
| 5.19    | HOA frame   | 27 |
| 5.19.1  | HOAFrame()  | 27 |
| 5.19.2  | HOAEnhFrame ()  | 27 |

|          |  |           |
|----------|--|-----------|
| 5.19.3   | ChannelSideInfoData()  | 28        |
| 5.19.4   | AddAmbHoaInfoChannel()   | 28        |
| 5.19.5   | HOAGainCorrectionData()  | 28        |
| 5.19.6   | VVectorData()  | 28        |
| 5.19.7   | HOAPredictionInfo()  | 29        |
| 5.19.8   | HOADirectionalPredictionInfo()                                   | 29        |
| 5.19.9   | readDirPredDiffValues()  | 29        |
| 5.19.10  | HOAParInfo ()  | 29        |
| 5.19.11  | readParDiffValues ()   | 30        |
| 5.20     | FMT converter frame, FormatConverterFrame()                      | 30        |
| 5.21     | Multi-channel coding tool config, MCTConfig ()                   | 30        |
| 5.22     | Multi-channel coding tool frame                                  | 30        |
| 5.22.1   | MultichannelCodingBoxRotation ()                                 | 30        |
| 5.22.2   | MultichannelCodingBoxPrediction ()                               | 31        |
| 5.22.3   | MultichannelCodingFrame()  | 31        |
| 5.23     | Tonal component coding configuration, TccConfig ()               | 31        |
| 5.24     | Tonal component coding frame                                     | 31        |
| 5.24.1   | General  | 31        |
| 5.24.2   | TccGroupOfSegments()   | 31        |
| 5.25     | HREP config, HREPConfig()  | 32        |
| 5.26     | HREP frame, HREPFrame()  | 32        |
| 5.27     | ICG config, ICGConfig ()   | 33        |
| 5.28     | SignalGroupInformation Config, SignalGroupInformation ()         | 33        |
| 5.29     | DownmixMatrix  | 33        |
| 5.29.1   | downmixConfig()  | 33        |
| 5.29.2   | DownmixMatrixSet()   | 33        |
| 5.29.3   | DownmixMatrix()  | 33        |
| 5.29.4   | DecoderGainValue()   | 34        |
| 5.29.5   | ReadRange()  | 34        |
| 5.29.6   | EqualizerConfig()  | 34        |
| 5.30     | Loudness info  | 35        |
| 5.30.1   | mpegh3daLoudnessInfoSet()  | 35        |
| 5.30.2   | loudnessInfo()   | 35        |
| 5.30.3   | loudnessInfoSetExtension()                                       | 35        |
| 5.31     | Audioscene info  | 35        |
| 5.31.1   | mae_AudioSceneInfo   | 35        |
| 5.31.2   | mae_Data()   | 35        |
| 5.31.3   | mae_GroupDefinition()  | 36        |
| 5.31.4   | mae_SwitchGroupDefinition()                                      | 36        |
| 5.31.5   | mae_Description()  | 37        |
| 5.31.6   | mae_ContentData()  | 37        |
| 5.31.7   | mae_CompositePair()  | 37        |
| 5.31.8   | mae_GroupPresetDefinition()                                      | 37        |
| 5.31.9   | mae_ProductionScreenSizeData()                                   | 38        |
| 5.31.10  | mae_LoudnessCompensationData ()                                  | 38        |
| 5.31.11  | mae_ProductionScreenSizeDataExtension()                          | 39        |
| 5.31.12  | mae_GroupPresetDefinitionExtension()                             | 39        |
| 5.31.13  | mae_DrcUserInterfaceInfo()                                       | 40        |
| 5.32     | HOA matrix   | 40        |
| 5.32.1   | HoaRenderingMatrixSet()  | 40        |
| 5.32.2   | HoaRenderingMatrix()   | 41        |
| 5.32.3   | DecoderHoaMatrixData()   | 41        |
| 5.32.4   | DecoderHoaGainValue()  | 41        |
| 5.33     | CompatibleProfileLevelSet()                                      | 41        |
| 5.34     | Restrictions depending on profiles and levels                    | 42        |
| 5.34.1   | General  | 42        |
| 5.34.2   | Low complexity profile   | 42        |
| <b>6</b> | <b>MPEG-H 3D audio interfaces to the MPEG-H 3D audio decoder</b> | <b>46</b> |

|          |   |           |
|----------|---|-----------|
| 6.1      | Characteristics and test procedure .....  | 46        |
| 6.2      | Interface for local setup information .....   | 46        |
| 6.2.1    | mpegh3daLocalSetupInformation() .....   | 46        |
| 6.2.2    | LoudspeakerRendering() .....  | 46        |
| 6.2.3    | BinauralRendering() .....   | 47        |
| 6.2.4    | LocalScreenSizeInformation() .....  | 47        |
| 6.3      | Interface for user interaction .....  | 47        |
| 6.3.1    | mpegh3daElementInteraction() .....  | 47        |
| 6.3.2    | ElementInteractionData () .....   | 47        |
| 6.3.3    | ei_GroupInteractivityStatus () .....  | 47        |
| 6.3.4    | LocalZoomAreaSize() .....   | 48        |
| 6.4      | Interface for loudness normalization and dynamic range control .....                              | 48        |
| 6.5      | Interface for scene displacement data, mpegh3daSceneDisplacementData() .....                      | 48        |
| 6.6      | Interface for positional scene displacement data, mpegh3daPositionalSceneDisplacementData() ..... | 48        |
| <b>7</b> | <b>MPEG-H 3D audio decoders .....</b>   | <b>48</b> |
| 7.1      | General .....   | 48        |
| 7.2      | Basic conformance test conditions .....   | 49        |
| 7.2.1    | Element configuration test condition .....  | 49        |
| 7.2.2    | Sampling rate .....   | 51        |
| 7.2.3    | Core mode tests [Fd Lpd Cct] .....  | 52        |
| 7.3      | Additional test conditions .....  | 52        |
| 7.3.1    | 3D audio core (FD) .....  | 52        |
| 7.3.2    | 3D audio core (LPD) .....   | 60        |
| 7.3.3    | 3D audio core (FD and LPD) .....  | 64        |
| 7.3.4    | Object rendering .....  | 71        |
| 7.3.5    | Higher order ambisonics (HOA) .....   | 74        |
| 7.3.6    | Signalling of HOA rendering matrix [Hmx] .....  | 78        |
| 7.3.7    | Downmix matrix test condition (dwx) .....   | 78        |
| 7.3.8    | Dynamic range and loudness control .....  | 80        |
| 7.3.9    | AudioPreRoll() condition, immediate playout frame (IPF) .....                                     | 84        |
| 7.4      | Decoder settings .....  | 85        |
| 7.4.1    | Target layout (Lay-<x>) .....   | 85        |
| 7.4.2    | Target loudness (Lou-<x>) .....   | 86        |
| 7.4.3    | DRC effect type request (Eff-<x>) .....   | 87        |
| 7.4.4    | Group preset request (Pr-<x>) .....   | 87        |
| 7.4.5    | Conformance point (Cpo-<x>) .....   | 88        |
|          | <b>Bibliography .....</b>   | <b>89</b> |