ISO/IEC 19540-2:2022-03 (E)

Information technology - Object Management Group Unified Architecture Framework (OMG UAF) - Part 2: Unified Architecture Framework Profile (UAFP)

Contents

Page

FOREWORD ..... **X**

PREFACE ..... **XI**

1 SCOPE **1**

1.1 INTRODUCTION 1
1.1.1 Overview *1*

2 ADDITIONAL INFORMATION **1**

2.1 LANGUAGE ARCHITECTURE 1
2.2 CORE PRINCIPLES 1
2.3 REPRESENTING STEREOTYPE CONSTRAINTS 2
2.3.1 Metaconstraint dependency *2*
2.3.2 Metarelationship dependency *3*
2.3.3 Stereotyped relationship dependency *4*

3 UAF STEREOTYPES **5**

3.1 UAF 5
3.1.1 UAF::Dictionary *5*
3.1.2 UAF::Parameters *6*
3.1.3 UAF::Metadata *19*
3.1.4 UAF::Strategic *31*
3.1.5 UAF::Operational *43*
3.1.6 UAF::Services *61*
3.1.7 UAF::Personnel *69*
3.1.8 UAF::Resources *76*
3.1.9 UAF::Security *99*
3.1.10 UAF::Projects *113*
3.1.11 UAF::Standards *122*
3.1.12 UAF::Actual Resources *125*
3.1.13 UAF::Summary and Overview *134*

4 UAF VIEW SPECIFICATIONS **141**

4.1 VIEW SPECIFICATIONS 141
4.1.1 View Specifications::Strategic *141*
4.1.2 View Specifications::Operational *147*
4.1.3 View Specifications::Services *155*
4.1.4 View Specifications::Personnel *162*
4.1.5 View Specifications::Resources *174*
4.1.6 View Specifications::Security *182*
4.1.7 View Specifications::Projects *189*
4.1.8 View Specifications::Standards *194*
4.1.9 View Specifications::Actual Resources *197*
4.1.10 View Specifications::Dictionary *199*
4.1.11 View Specifications::Requirements *200*
4.1.12 View Specifications::Sumary & Overview *201*
4.1.13 View Specifications::Information *202*
4.1.14 View Specifications::Parameters *203*

5 MEASUREMENT LIBRARY **207**

TABLE OF FIGURES

Figure 2:1 – MapsToCapability Stereotype 2
Figure 2:2 – Connector Extension 2
Figure 2:3 – Capabilities Generalization 3
Figure 2:4 – Visualizing «metarelationship» 3
Figure 2:5 – Use of the AchievedEffect «stereotyped relationship» dependency 4
Figure 3:1 - Alias 5
Figure 3:2 - Definition 6
Figure 3:3 - SameAs 6
Figure 3:4 - ActualCondition 7
Figure 3:5 - ActualEnvironment 7
Figure 3:6 - ActualLocation 8
Figure 3:7 - ActualMeasurement 9
Figure 3:8 - ActualMeasurementSet 10
Figure 3:9 - ActualPropertySet 10
Figure 3:10 - Condition 11
Figure 3:11 - Environment 11
Figure 3:12 - EnvironmentProperty 12
Figure 3:13 - GeoPoliticalExtentType 13
Figure 3:14 - Location 14
Figure 3:15 - LocationHolder 15
Figure 3:16 - MeasurableElement 17
Figure 3:17 - Measurement 18
Figure 3:18 - MeasurementSet 18
Figure 3:19 - PropertySet 19
Figure 3:20 - ActualState 20
Figure 3:21 - ISO8601DateTime 20
Figure 3:22 - Exchange 21
Figure 3:23 - Resource 21
Figure 3:24 - Activity 22
Figure 3:25 - CapableElement 22
Figure 3:26 - IsCapableToPerform 23
Figure 3:27 - PerformsInContext 24
Figure 3:28 - ArchitectureMetadata 25
Figure 3:29 - DataModel 25
Figure 3:30 - Information 26
Figure 3:31 - Metadata 27
Figure 3:32 - Rule 28
Figure 3:33 - ArchitecturalReference 29
Figure 3:34 - Implements 30
Figure 3:35 - ActualEnterprisePhase 32
Figure 3:36 - Capability 33
Figure 3:37 - EnterpriseGoal 33
Figure 3:38 - EnterprisePhase 34
Figure 3:39 - EnterpriseVision 35
Figure 3:40 - VisionStatement 35
Figure 3:41 - WholeLifeEnterprise 36
Figure 3:42 - CapabilityRole 36
Figure 3:43 - StructuralPart 37
Figure 3:44 - TemporalPart 37

Figure 3:45 - ActualEnduringTask....38
Figure 3:46 - CapabilityForTask....38
Figure 3:47 - EnduringTask....39
Figure 3:48 - AchievedEffect....39
Figure 3:49 - Achiever....40
Figure 3:50 - DesiredEffect....40
Figure 3:51 - Desirer....41
Figure 3:52 - Exhibits....41
Figure 3:53 - MapsToCapability....42
Figure 3:54 - OrganizationInEnterprise....42
Figure 3:55 - ArbitraryConnector....43
Figure 3:56 - ConceptItem....44
Figure 3:57 - ConceptRole....44
Figure 3:58 - HighLevelOperationalConcept....45
Figure 3:59 - KnownResource....45
Figure 3:60 - OperationalAgent....46
Figure 3:61 - OperationalArchitecture....47
Figure 3:62 - OperationalMethod....47
Figure 3:63 - OperationalParameter....48
Figure 3:64 - OperationalPerformer....48
Figure 3:65 - OperationalPort....49
Figure 3:66 - OperationalRole....50
Figure 3:67 - ProblemDomain....50
Figure 3:68 - OperationalConnector....51
Figure 3:69 - OperationalExchange....52
Figure 3:70 - OperationalExchangeItem....53
Figure 3:71 - OperationalInterface....54
Figure 3:72 - OperationalSignal....54
Figure 3:73 - OperationalSignalProperty....55
Figure 3:74 - OperationalActivity....55
Figure 3:75 - OperationalActivityAction....56
Figure 3:76 - OperationalActivityEdge....56
Figure 3:77 - OperationalControlFlow....57
Figure 3:78 - OperationalObjectFlow....57
Figure 3:79 - StandardOperationalActivity....58
Figure 3:80 - OperationalStateDescription....58
Figure 3:81 - OperationalMessage....59
Figure 3:82 - InformationElement....59
Figure 3:83 - OperationalConstraint....60
Figure 3:84 - SubjectOfOperationalConstraint....60
Figure 3:85 - ServiceSpecification....61
Figure 3:86 - ServiceMethod....62
Figure 3:87 - ServiceParameter....62
Figure 3:88 - ServicePort....63
Figure 3:89 - ServiceSpecificationRole....64
Figure 3:90 - ServiceConnector....65
Figure 3:91 - ServiceInterface....65
Figure 3:92 - ServiceFunction....66
Figure 3:93 - ServiceFunctionAction....66
Figure 3:94 - ServiceStateDescription....67

Figure 3:95 - ServiceMessage 67
Figure 3:96 - ServicePolicy 68
Figure 3:97 - Consumes 68
Figure 3:98 - Organization 69
Figure 3:99 - OrganizationalResource 70
Figure 3:100 - Person 70
Figure 3:101 - Post 71
Figure 3:102 - Responsibility 71
Figure 3:103 - Command 72
Figure 3:104 - Control 72
Figure 3:105 - CompetenceToConduct 73
Figure 3:106 - Competence 74
Figure 3:107 - CompetenceForRole 74
Figure 3:108 - RequiresCompetence 75
Figure 3:109 - ResponsibleFor 76
Figure 3:110 - CapabilityConfiguration 77
Figure 3:111 - NaturalResource 77
Figure 3:112 - PhysicalResource 78
Figure 3:113 - ResourceArchitecture 78
Figure 3:114 - ResourceArtifact 79
Figure 3:115 - ResourcePerformer 79
Figure 3:116 - Software 80
Figure 3:117 - System 80
Figure 3:118 - ResourceMethod 81
Figure 3:119 - ResourceParameter 81
Figure 3:120 - ResourcePort 82
Figure 3:121 - ResourceRole 83
Figure 3:122 - ResourceConnector 85
Figure 3:123 - ResourceExchange 86
Figure 3:124 - ResourceExchangeItem 87
Figure 3:125 - ResourceInterface 88
Figure 3:126 - ResourceSignal 88
Figure 3:127 - ResourceSignalProperty 89
Figure 3:128 - Function 89
Figure 3:129 - FunctionAction 90
Figure 3:130 - FunctionControlFlow 91
Figure 3:131 - FunctionEdge 91
Figure 3:132 - FunctionObjectFlow 92
Figure 3:133 - ResourceStateDescription 92
Figure 3:134 - ResourceMessage 93
Figure 3:135 - DataElement 93
Figure 3:136 - ResourceConstraint 94
Figure 3:137 - SubjectOfResourceConstraint 94
Figure 3:138 - Forecast 95
Figure 3:139 - SubjectOfForecast 95
Figure 3:140 - Technology 96
Figure 3:141 - VersionedElement 96
Figure 3:142 - VersionOfConfiguration 97
Figure 3:143 - VersionSuccession 97
Figure 3:144 - WholeLifeConfiguration 98

Figure 3:145 - ProtocolImplementation 99
Figure 3:146 - Asset 100
Figure 3:147 - OperationalAsset 100
Figure 3:148 - OperationalMitigation 101
Figure 3:149 - ResourceAsset 101
Figure 3:150 - ResourceMitigation 102
Figure 3:151 - SecurityEnclave 102
Figure 3:152 - AssetRole 103
Figure 3:153 - DataRole 103
Figure 3:154 - InformationRole 104
Figure 3:155 - EnhancedSecurityControl 104
Figure 3:156 - Enhances 105
Figure 3:157 - Protects 105
Figure 3:158 - ProtectsInContext 106
Figure 3:159 - SecurityProcess 106
Figure 3:160 - SecurityProcessAction 107
Figure 3:161 - ActualRisk 107
Figure 3:162 - Risk 108
Figure 3:163 - SecurityConstraint 108
Figure 3:164 - SecurityControl 109
Figure 3:165 - SecurityControlFamily 110
Figure 3:166 - SubjectOfSecurityConstraint 110
Figure 3:167 - Affects 111
Figure 3:168 - AffectsInContext 111
Figure 3:169 - Mitigates 112
Figure 3:170 - OwnsRisk 112
Figure 3:171 - OwnsRiskInContext 113
Figure 3:172 - Project 114
Figure 3:173 - ProjectMilestone 115
Figure 3:174 - ProjectMilestoneRole 115
Figure 3:175 - ProjectRole 116
Figure 3:176 - ProjectStatus 116
Figure 3:177 - ProjectTheme 117
Figure 3:178 - StatusIndicators 117
Figure 3:179 - MilestoneDependency 118
Figure 3:180 - ProjectSequence 118
Figure 3:181 - ProjectActivity 119
Figure 3:182 - ProjectActivityAction 119
Figure 3:183 - ActualProject 120
Figure 3:184 - ActualProjectMilestone 121
Figure 3:185 - ActualProjectMilestoneRole 121
Figure 3:186 - ActualProjectRole 122
Figure 3:187 - Protocol 123
Figure 3:188 - ProtocolStack 123
Figure 3:189 - Standard 124
Figure 3:190 - ProtocolLayer 124
Figure 3:191 - ActualOrganization 125
Figure 3:192 - ActualOrganizationalResource 126
Figure 3:193 - ActualPerson 126
Figure 3:194 - ActualPost 127

Figure 3:195 - ActualResource 127
Figure 3:196 - ActualResponsibility 128
Figure 3:197 - ActualResponsibleResource 129
Figure 3:198 - FieldedCapability 129
Figure 3:199 - ActualOrganizationRole 130
Figure 3:200 - ActualResourceRole 130
Figure 3:201 - ActualResourceRelationship 131
Figure 3:202 - FillsPost 131
Figure 3:203 - ActualService 132
Figure 3:204 - ProvidedServiceLevel 133
Figure 3:205 - ProvidesCompetence 133
Figure 3:206 - RequiredServiceLevel 133
Figure 3:207 - OwnsProcess 134
Figure 3:208 - ArchitecturalDescription 135
Figure 3:209 - Architecture 136
Figure 3:210 - Concern 136
Figure 3:211 - Stakeholder 137
Figure 3:212 - UAFElement 138
Figure 3:213 - View 139
Figure 3:214 - Viewpoint 139
Figure 4:1 - Strategic Taxonomy 141
Figure 4:2 - Strategic Structure 142
Figure 4:3 - Strategic Connectivity 142
Figure 4:4 - Strategic States 143
Figure 4:5 - Strategic Constraints 144
Figure 4:6 - Strategic Roadmap: Deployment 145
Figure 4:7 - Strategic Roadmap: Phasing 146
Figure 4:8 - Strategic Traceability 147
Figure 4:9 - Operational Taxonomy 148
Figure 4:10 - Operational Structure 149
Figure 4:11 - Operational Connectivity 150
Figure 4:12 - Operational Processes 151
Figure 4:13 - Operational States 152
Figure 4:14 - Operational Interaction Scenarios 153
Figure 4:15 - Operational Constraints 154
Figure 4:16 - Operational Traceability 155
Figure 4:17 - Services Taxonomy 156
Figure 4:18 - Services Structure 157
Figure 4:19 - Services Connectivity 158
Figure 4:20 - Services Processes 159
Figure 4:21 - Services States 159
Figure 4:22 - Services Interaction Scenarios 160
Figure 4:23 - Services Constraints 160
Figure 4:24 - Services Roadmap 161
Figure 4:25 - Services Traceability 162
Figure 4:26 - Personnel Taxonomy 162
Figure 4:27 - Personnel Sructure 163
Figure 4:28 - Personnel Connectivity 164
Figure 4:29 - Personnel Processes 165
Figure 4:30 - Personnel States 166

Figure 4:31 - Personnel Interaction Scenarios 167
Figure 4:32 - Personnel Constraints: Competence 168
Figure 4:33 - Personnel Constraints: Drivers 169
Figure 4:34 - Personnel Constraints: Performance 170
Figure 4:35 - Personnel Roadmap: Availability 171
Figure 4:36 - Personnel Roadmap: Evolution 172
Figure 4:37 - Personnel Roadmap: Forecast 173
Figure 4:38 - Personnel Traceability 173
Figure 4:39 - Resources Taxonomy 174
Figure 4:40 - Resources Structure 175
Figure 4:41 - Resources Connectivity 176
Figure 4:42 - Resources Processes 177
Figure 4:43 - Resources States 178
Figure 4:44 - Resources Interaction Scenarios 178
Figure 4:45 - Resources Constraints 179
Figure 4:46 - Resources Roadmap: Evolution 180
Figure 4:47 - Resources Roadmap: Forecast 181
Figure 4:48 - Resources Traceability 182
Figure 4:49 - Security Taxonomy 183
Figure 4:50 - Security Structure 184
Figure 4:51 - Security Connectivity 185
Figure 4:52 - Security Processes 186
Figure 4:53 - Security Constraints 187
Figure 4:54 - Security Traceability 188
Figure 4:55 - Project Taxonomy 189
Figure 4:56 - Project Structure 190
Figure 4:57 - Project Connectivity 191
Figure 4:58 - Project Processes 192
Figure 4:59 - Project Roadmap 193
Figure 4:60 - Project Traceability 194
Figure 4:61 - Standards Taxonomy 195
Figure 4:62 - Standards Structure 196
Figure 4:63 - Standards Roadmap 196
Figure 4:64 - Standards Traceability 197
Figure 4:65 - Actual Resources Structure 198
Figure 4:66 - Actual Resources Connectivity 199
Figure 4:67 - Actual Resources Traceability 199
Figure 4:68 - Dictionary 200
Figure 4:69 - Requirements 201
Figure 4:70 - Summary & Overview 201
Figure 4:71 - Information Model 202
Figure 4:72 - Parameters: Environment 203
Figure 4:73 - Parameters: Measurements 204