ISO/IEC 30171-1:2022-03 (E)

Internet of Things (IoT) - Base-station based underwater wireless acoustic network (B-UWAN) - Part 1: Overview and requirements

Contents

Page

FOREWORD 4
INTRODUCTION 5
1 Scope 6
2 Normative references 6
3 Terms and definitions 6
4 Abbreviated terms 6
5 B-UWAN overview 7
5.1 General 7
5.2 Layered architecture of B-UWAN 8
5.3 Installation methods of B-UWAN 8
5.4 UWA-BSC communication system 10
5.5 UWA-BS communication system 11
5.6 UWA-SNode communication system 12
6 Requirements of B-UWAN 13
6.1 General requirements 13
6.1.1 General 13
6.1.2 Scalability 13
6.1.3 Device management 13
6.1.4 Low latency 13
6.1.5 Carrier frequency 14
6.1.6 Reliability 14
6.1.7 Availability 14
6.1.8 Safety 14
6.1.9 Security 14
6.1.10 Compatibility 14
6.1.11 Network monitoring and management 14
6.1.12 Support for other communication methods 14
6.2 Specific requirements of B-UWAN 14
6.2.1 General 14
6.2.2 Communication with terrestrial network 14
6.2.3 Centralized power management 14
6.2.4 Adaptive link management 15
6.2.5 Frequency and time resource management 15
6.2.6 Handover 15
6.2.7 Frequency reuse management 15
6.2.8 Multiple access 15
6.2.9 Inter-cell interference management 15
6.2.10 Sensor control and data management 15
Bibliography 16

Figure 1 – Overview of B-UWAN 7
Figure 2 – Layered architecture of B-UWAN 8
Figure 3 – B-UWAN installation with acoustic communication 9
Figure 4 – B-UWAN installation with wired and acoustic communication 9
Figure 5 – B-UWAN installation without UWA-BSC 10
Figure 6 – Overview of UWA-BSC communication system 11
Figure 7 – Overview of UWA-BS communication system 12
Figure 8 – Overview of UWA-SNode communication system 13