ISO/IEC 23941:2022-05 (E)

Information technology - Automatic identification and data capture techniques - Rectangular Micro QR Code (rMQR) bar code symbology specification

Contents

Page

Foreword v

Introduction vi

1 Scope 1

2 Normative references 1

3 Terms and definitions 1

4 Mathematical and logical symbols, abbreviated terms and conventions 3
4.1 Mathematical and logical symbols 3
4.2 Abbreviated terms 3
4.3 Conventions 3
4.3.1 Module positions 3
4.3.2 Byte notation 3
4.3.3 Version references 3

5 Conformance 4

6 rMQR specifications 4
6.1 Basic characteristics 4
6.2 Summary of additional features 5
6.3 Symbol structure 5
6.3.1 General 5
6.3.2 Symbol Versions and sizes 8
6.3.3 Finder pattern 10
6.3.4 Separator 10
6.3.5 Timing pattern 10
6.3.6 Alignment patterns 11
6.3.7 Finder sub pattern 11
6.3.8 Corner finder pattern 12
6.3.9 Encoding region 12
6.3.10 Quiet zone 13

7 Requirements 13
7.1 Encode procedure overview 13
7.2 Data analysis 14
7.3 Modes 15
7.3.1 General 15
7.3.2 Extended channel interpretation (ECI) mode 15
7.3.3 Numeric mode 15
7.3.4 Alphanumeric mode 15
7.3.5 Byte mode 15
7.3.6 Kanji mode 16
7.3.7 Mixing modes 16
7.3.8 FNC1 mode 16
7.4 Data encoding 16
7.4.1 Sequence of data 16
7.4.2 Extended channel interpretation (ECI) mode 18
7.4.3 Numeric mode 20

7.4.4 Alphanumeric mode 21
7.4.5 Byte mode 22
7.4.6 Kanji mode 22
7.4.7 Mixing modes 23
7.4.8 FNC1 modes 24
7.4.9 Terminator 25
7.4.10 Bit stream to codeword conversion 25
7.5 Error correction 28
7.5.1 Error correction capacity 28
7.5.2 Generating the error correction codewords 31
7.6 Constructing the final message codeword sequence 32
7.7 Codeword placement in matrix 33
7.7.1 Symbol character representation 33
7.7.2 Function pattern placement 33
7.7.3 Symbol character placement 33
7.8 Data masking 37
7.8.1 General 37
7.8.2 Data mask patterns 37
7.9 Format information 37

8 Symbol printing and marking 39
8.1 Dimensions 39
8.2 Human-readable interpretation 39
8.3 Marking guidelines 40

9 Symbol quality 40
9.1 Methodology 40
9.2 Symbol quality parameters 40
9.2.1 Fixed pattern damage 40
9.2.2 Scan grade and overall symbol grade 40
9.2.3 Grid non-uniformity 40
9.3 Process control measurements 40

10 Decoding procedure overview 40

11 Reference decode algorithm 41

12 Auto-discrimination capability 52

13 Transmitted data 52
13.1 General principles 52
13.2 Symbology identifier 52
13.3 Extended channel interpretations 52
13.4 FNC1 53

Annex A (normative) Error detection and correction generator polynomials 54

Annex B (normative) Error correction decoding steps 56

Annex C (normative) Format information 58

Annex D (normative) Position of alignment patterns 61

Annex E (normative) Symbology identifier 62

Annex F (normative) rMQR print quality - symbology - specific aspects 63

Annex G (normative) Byte mode character sets 69

Annex H (informative) JIS8 and Shift JIS character sets 70

Annex I (informative) Symbol encoding examples 72

Annex J (informative) User guidelines for printing and scanning of rMQR symbols 74

Annex K (informative) Autodiscrimination 76

Annex L (informative) Process control techniques 77

Bibliography 79