

# ISO/IEC 23941:2022-05 (E)

## Information technology - Automatic identification and data capture techniques - Rectangular Micro QR Code (rMQR) bar code symbology specification

---

<b>Contents</b>		<b>Page</b>
Foreword .....		v
Introduction .....		vi
1	Scope .....	1
2	Normative references .....	1
3	Terms and definitions .....	1
4	Mathematical and logical symbols, abbreviated terms and conventions .....	3
4.1	Mathematical and logical symbols .....	3
4.2	Abbreviated terms .....	3
4.3	Conventions .....	3
4.3.1	Module positions .....	3
4.3.2	Byte notation .....	3
4.3.3	Version references .....	3
5	Conformance .....	4
6	rMQR specifications .....	4
6.1	Basic characteristics .....	4
6.2	Summary of additional features .....	5
6.3	Symbol structure .....	5
6.3.1	General .....	5
6.3.2	Symbol Versions and sizes .....	8
6.3.3	Finder pattern .....	10
6.3.4	Separator .....	10
6.3.5	Timing pattern .....	10
6.3.6	Alignment patterns .....	11
6.3.7	Finder sub pattern .....	11
6.3.8	Corner finder pattern .....	12
6.3.9	Encoding region .....	12
6.3.10	Quiet zone .....	13
7	Requirements .....	13
7.1	Encode procedure overview .....	13
7.2	Data analysis .....	14
7.3	Modes .....	15
7.3.1	General .....	15
7.3.2	Extended channel interpretation (ECI) mode .....	15
7.3.3	Numeric mode .....	15
7.3.4	Alphanumeric mode .....	15
7.3.5	Byte mode .....	15
7.3.6	Kanji mode .....	16
7.3.7	Mixing modes .....	16
7.3.8	FNC1 mode .....	16
7.4	Data encoding .....	16
7.4.1	Sequence of data .....	16
7.4.2	Extended channel interpretation (ECI) mode .....	18
7.4.3	Numeric mode .....	20

7.4.4	Alphanumeric mode .....	21
7.4.5	Byte mode .....	22
7.4.6	Kanji mode .....	22
7.4.7	Mixing modes .....	23
7.4.8	FNC1 modes .....	24
7.4.9	Terminator .....	25
7.4.10	Bit stream to codeword conversion .....	25
7.5	Error correction .....	28
7.5.1	Error correction capacity .....	28
7.5.2	Generating the error correction codewords .....	31
7.6	Constructing the final message codeword sequence .....	32
7.7	Codeword placement in matrix .....	33
7.7.1	Symbol character representation .....	33
7.7.2	Function pattern placement .....	33
7.7.3	Symbol character placement .....	33
7.8	Data masking .....	37
7.8.1	General .....	37
7.8.2	Data mask patterns .....	37
7.9	Format information .....	37
8	Symbol printing and marking .....	39
8.1	Dimensions .....	39
8.2	Human-readable interpretation .....	39
8.3	Marking guidelines .....	40
9	Symbol quality .....	40
9.1	Methodology .....	40
9.2	Symbol quality parameters .....	40
9.2.1	Fixed pattern damage .....	40
9.2.2	Scan grade and overall symbol grade .....	40
9.2.3	Grid non-uniformity .....	40
9.3	Process control measurements .....	40
10	Decoding procedure overview .....	40
11	Reference decode algorithm .....	41
12	Auto-discrimination capability .....	52
13	Transmitted data .....	52
13.1	General principles .....	52
13.2	Symbology identifier .....	52
13.3	Extended channel interpretations .....	52
13.4	FNC1 .....	53
Annex A (normative) Error detection and correction generator polynomials .....		54
Annex B (normative) Error correction decoding steps .....		56
Annex C (normative) Format information .....		58
Annex D (normative) Position of alignment patterns .....		61
Annex E (normative) Symbology identifier .....		62
Annex F (normative) rMQR print quality - symbology - specific aspects .....		63
Annex G (normative) Byte mode character sets .....		69
Annex H (informative) JIS8 and Shift JIS character sets .....		70

**Annex I (informative) Symbol encoding examples .....72**  
**Annex J (informative) User guidelines for printing and scanning of rMQR symbols ..... 74**  
**Annex K (informative) Autodiscrimination ..... 76**  
**Annex L (informative) Process control techniques .....77**  
**Bibliography .....79**