

# ISO/IEC 23090-10:2022-05 (E)

## Information technology - Coded representation of immersive media - Part 10: Carriage of visual volumetric video-based coding data

---

<b>Contents</b>		<b>Page</b>
Foreword .....		vi
Introduction .....		vii
1	Scope .....	1
2	Normative references .....	1
3	Terms and definitions .....	1
4	Abbreviated terms .....	2
5	Overview .....	3
5.1	General .....	3
5.2	Overall architecture for carriage of V3C data .....	3
5.3	Summary of referenceable code points .....	4
5.3.1	Brands .....	4
5.3.2	Uniform resource names .....	4
5.3.3	Restricted scheme types .....	4
5.3.4	Sample entry types .....	4
5.3.5	Box types .....	5
5.3.6	Track reference types .....	6
5.3.7	Track grouping types .....	6
5.3.8	Entity grouping types .....	6
5.3.9	Sample grouping types .....	7
6	Volumetric media .....	7
6.1	General .....	7
6.2	Volumetric visual media .....	7
6.3	Volumetric visual media header .....	7
6.3.1	Definition .....	7
6.3.2	Syntax .....	7
6.3.3	Semantics .....	7
6.4	Volumetric visual sample entry .....	7
6.4.1	Definition .....	7
6.4.2	Syntax .....	7
6.4.3	Semantics .....	8
6.5	Volumetric visual sample group entry .....	8
6.6	Volumetric visual samples .....	8
7	Carriage of visual volumetric video-based coding data .....	8
7.1	General .....	8
7.2	Common boxes and data structures .....	8
7.2.1	V3C decoder configuration record .....	8
7.2.2	V3C decoder configuration box .....	10
7.2.3	V3C unit header box .....	10
7.2.4	V3C atlas parameter set sample group .....	10
7.2.5	Object switch alternatives box .....	11
7.3	Single track encapsulation of V3C data .....	11
7.3.1	General .....	11
7.3.2	V3C bitstream sample entry .....	12

7.3.3	V3C bitstream track sample format .....	12
7.4	Multi-track encapsulation of V3C data .....	13
7.4.1	General .....	13
7.4.2	V3C atlas sample entry .....	14
7.4.3	V3C atlas tile sample entry .....	16
7.4.4	V3C atlas sample format .....	17
7.4.5	V3C video component track .....	18
7.4.6	Track references .....	19
7.4.7	Track alternatives and track grouping .....	19
7.4.8	Playout groups .....	20
7.4.9	Summary .....	20
8	Carriage of non-timed visual volumetric video-based coding data .....	21
8.1	General .....	21
8.2	V3C atlas item .....	22
8.3	V3C atlas tile item .....	22
8.4	V3C component item .....	22
8.5	V3C-related item properties .....	23
8.5.1	General .....	23
8.5.2	V3C configuration item property .....	23
8.5.3	V3C unit header item property .....	23
8.5.4	V3C atlas tile configuration item property .....	24
8.5.5	Playout groups .....	24
9	Partial access of volumetric visual data .....	25
9.1	General .....	25
9.2	Common data structures .....	25
9.2.1	3D vector .....	25
9.2.2	Spatial region bounding box .....	25
9.2.3	Tile mapping .....	26
9.2.4	Object collection .....	27
9.3	Spatial region information structure .....	29
9.3.1	Definition .....	29
9.3.2	Syntax .....	29
9.3.3	Semantics .....	29
9.4	V3C tile video component track grouping .....	29
9.4.1	Definition .....	29
9.4.2	Syntax .....	30
9.4.3	Semantics .....	30
9.5	Volumetric media bounding box .....	30
9.5.1	Definition .....	30
9.5.2	Syntax .....	31
9.6	Static spatial region collection box .....	31
9.6.1	Definition .....	31
9.6.2	Syntax .....	31
9.6.3	Semantics .....	31
9.7	Dynamic spatial region information .....	31
9.7.1	General .....	31
9.7.2	Sample entry .....	32
9.7.3	Sample format .....	32
9.7.4	Sync samples .....	32
9.8	Storage of atlas tiles using NALUMapEntry .....	32
10	Viewport information .....	33
10.1	General .....	33
10.2	Structures .....	33
10.2.1	Extrinsic camera information .....	33
10.2.2	Intrinsic camera information .....	34
10.2.3	Viewport information .....	35
10.3	Viewport information timed-metadata track .....	35
10.3.1	General .....	35

10.3.2	Viewport information sample entry .....	35
10.3.3	Viewport information sample format .....	37
11	Encapsulation and signalling in MPEG-DASH .....	38
11.1	Single track mode .....	38
11.2	Multi-track mode .....	38
11.2.1	General .....	38
11.2.2	V3C preselections .....	39
11.2.3	V3C atlas tile preselections .....	40
11.3	DASH MPD descriptors for V3C content .....	40
11.3.1	XML namespace and schema .....	40
11.3.2	V3C video component descriptor .....	40
11.3.3	V3C descriptor .....	43
11.4	Supporting multiple versions of a V3C media .....	44
11.5	Switching codecs for V3C video components .....	44
11.6	Signalling spatial regions for partial access .....	44
11.6.1	Static spatial regions .....	44
11.6.2	Dynamic spatial regions .....	47
11.7	Signalling recommended viewports .....	47
11.7.1	Static viewports .....	47
11.7.2	Dynamic viewports .....	49
12	Encapsulation and signalling MMT .....	49
12.1	Introduction .....	49
12.2	MMT signalling descriptors for V3C content .....	50
12.2.1	Asset reference descriptor .....	50
12.2.2	V3C Asset descriptor .....	51
12.3	MMT signalling messages for V3C Content .....	52
12.3.1	General .....	52
12.3.2	V3C Asset Group message .....	52
12.3.3	V3C Selection message .....	54
12.3.4	V3C View Change Feedback message .....	55
	Annex A (normative) File format toolsets and brands .....	58
	Annex B (normative) V3C DASH schema .....	59
	Annex C (normative) MIME types and sub-parameters .....	61
	Annex D (informative) DASH MPD examples .....	62
	Annex E (informative) Partial access utilizing V3C volumetric annotation SEI message family .....	77
	Annex F (informative) Partial access using volumetric information timed-metadata tracks .....	80
	Annex G (informative) Partial access for overlapping spatial subdivisions .....	82
	Annex H (informative) Examples of using alternate groups .....	83
	Bibliography .....	85