

# ISO/IEC 30115-1:2022-08 (E)

## Information technology - Redfish scalable platforms management API specification - Part 1: Redfish Specification v1.13.0

---

| Contents   | Page |
|--|------|
| 1 Foreword {-}                                       | 11   |
| 1.1 Acknowledgments {-}                              | 11   |
| 2 Introduction {-}                                   | 13   |
| 3 Scope  | 14   |
| 4 Normative references                               | 15   |
| 5 Terms, definitions, symbols, and abbreviated terms | 17   |
| 5.1 Hardware terms                                   | 17   |
| 5.1.1 baseboard management controller (BMC)          | 17   |
| 5.1.2 IPMI   | 17   |
| 5.1.3 KVM-IP   | 18   |
| 5.1.4 NIC  | 18   |
| 5.1.5 PCI  | 18   |
| 5.1.6 PCIe   | 18   |
| 5.2 Web development terms                            | 18   |
| 5.2.1 CORS   | 18   |
| 5.2.2 CRUD   | 18   |
| 5.2.3 CSRF   | 18   |
| 5.2.4 event  | 18   |
| 5.2.5 excerpt  | 18   |
| 5.2.6 HTTP   | 19   |
| 5.2.7 HTTPS  | 19   |
| 5.2.8 hypermedia API                                 | 19   |
| 5.2.9 IP   | 19   |
| 5.2.10 JSON  | 19   |
| 5.2.11 member  | 19   |
| 5.2.12 message                                       | 19   |
| 5.2.13 OData   | 19   |
| 5.2.14 OData service document                        | 19   |
| 5.2.15 operation                                     | 20   |
| 5.2.16 parent resource                               | 20   |
| 5.2.17 property                                      | 20   |
| 5.2.18 request                                       | 20   |
| 5.2.19 response                                      | 20   |
| 5.2.20 subscription                                  | 20   |
| 5.2.21 task  | 20   |
| 5.2.22 task monitor                                  | 20   |
| 5.2.23 TCP   | 20   |
| 5.2.24 TLS   | 21   |
| 5.2.25 XSS   | 21   |
| 5.3 Redfish terms                                    | 21   |
| 5.3.1 collection                                     | 21   |

|   |    |
|---|----|
| 5.3.2 Redfish client                                  | 21 |
| 5.3.3 Redfish protocol                                | 21 |
| 5.3.4 Redfish schema                                  | 21 |
| 5.3.5 Redfish service                                 | 21 |
| 5.3.6 resource  | 21 |
| 5.3.7 resource collection                             | 22 |
| 5.3.8 resource tree                                   | 22 |
| 5.3.9 resource type                                   | 22 |
| 5.3.10 service root                                   | 22 |
| 5.3.11 subordinate resource                           | 22 |
| 6 Typographical conventions                           | 23 |
| 7 Overview  | 24 |
| 7.1 Goals   | 24 |
| 7.2 Design tenets                                     | 25 |
| 7.3 Limitations                                       | 25 |
| 7.4 Additional design background and rationale        | 26 |
| 7.4.1 REST-based interface                            | 26 |
| 7.4.2 Data-oriented                                   | 26 |
| 7.4.3 Separation of protocol from data model          | 26 |
| 7.4.4 Hypermedia API service root                     | 26 |
| 7.4.5 OpenAPI v3.0 support                            | 26 |
| 7.4.6 OData conventions                               | 27 |
| 7.5 Service elements                                  | 27 |
| 7.5.1 Synchronous and asynchronous operation support  | 27 |
| 7.5.2 Eventing mechanism                              | 27 |
| 7.5.3 Actions   | 28 |
| 7.5.4 Service discovery                               | 28 |
| 7.5.5 Remote access support                           | 28 |
| 7.6 Security  | 28 |
| 8 Protocol details                                    | 29 |
| 8.1 Universal Resource Identifiers                    | 29 |
| 8.2 HTTP methods                                      | 31 |
| 8.3 HTTP redirect                                     | 32 |
| 8.4 Media types                                       | 32 |
| 8.5 ETags   | 32 |
| 8.6 Protocol version                                  | 33 |
| 8.7 Redfish-defined URIs and relative reference rules | 34 |
| 9 Service requests                                    | 36 |
| 9.1 Request headers                                   | 36 |
| 9.2 GET (read requests)                               | 39 |
| 9.2.1 GET (read requests) overview                    | 39 |
| 9.2.2 Resource collection requests                    | 39 |
| 9.2.3 Service root request                            | 40 |

|  |    |
|--|----|
| 9.2.4 OData service and metadata document requests . . . . . | 40 |
| 9.3 Query parameters . . . . .                               | 41 |
| 9.3.1 Query parameter overview . . . . .                     | 41 |
| 9.3.2 The \$expand query parameter . . . . .                 | 43 |
| 9.3.3 The \$select query parameter . . . . .                 | 45 |
| 9.3.4 The \$filter query parameter . . . . .                 | 46 |
| 9.4 HEAD . . . . .   | 47 |
| 9.5 Data modification requests . . . . .                     | 48 |
| 9.5.1 Data modification requests overview . . . . .          | 48 |
| 9.5.2 Modification success responses . . . . .               | 48 |
| 9.5.3 Modification error responses . . . . .                 | 49 |
| 9.6 PATCH (update) . . . . .                                 | 49 |
| 9.7 PATCH on array properties . . . . .                      | 50 |
| 9.8 PUT (replace) . . . . .                                  | 51 |
| 9.9 POST (create) . . . . .                                  | 51 |
| 9.10 DELETE (delete) . . . . .                               | 52 |
| 9.11 POST (action) . . . . .                                 | 52 |
| 9.12 Operation apply time . . . . .                          | 54 |
| 9.13 Deep operations . . . . .                               | 57 |
| 10 Service responses . . . . .                               | 61 |
| 10.1 Response headers . . . . .                              | 61 |
| 10.2 Link header . . . . .                                   | 63 |
| 10.3 Status codes . . . . .                                  | 63 |
| 10.4 OData metadata responses . . . . .                      | 66 |
| 10.4.1 OData metadata responses overview . . . . .           | 66 |
| 10.4.2 OData \$metadata . . . . .                            | 66 |
| 10.4.2.1 Referencing other schemas . . . . .                 | 67 |
| 10.4.2.2 Referencing OEM extensions . . . . .                | 67 |
| 10.4.3 OData service document . . . . .                      | 68 |
| 10.5 Resource responses . . . . .                            | 68 |
| 10.6 Error responses . . . . .                               | 69 |
| 11 Data model . . . . .                                      | 71 |
| 11.1 Resources . . . . .                                     | 71 |
| 11.2 Resource types . . . . .                                | 71 |
| 11.3 Resource collections . . . . .                          | 72 |
| 11.4 OEM resources . . . . .                                 | 72 |
| 11.5 Common data types . . . . .                             | 73 |
| 11.5.1 Primitive types . . . . .                             | 73 |
| 11.5.2 Empty string values . . . . .                         | 73 |
| 11.5.3 GUID and UUID values . . . . .                        | 74 |
| 11.5.4 Date-Time values . . . . .                            | 74 |
| 11.5.5 Duration values . . . . .                             | 74 |
| 11.5.6 Reference properties . . . . .                        | 75 |

|   |    |
|---|----|
| 11.5.7 Non-resource reference properties . . . . .            | 75 |
| 11.5.8 Array properties . . . . .                             | 76 |
| 11.5.9 Structured properties . . . . .                        | 76 |
| 11.5.10 Message object . . . . .                              | 77 |
| 11.5.10.1 Overview . . . . .                                  | 77 |
| 11.5.10.2 Messageld format . . . . .                          | 78 |
| 11.6 Properties . . . . .                                     | 79 |
| 11.6.1 Properties overview . . . . .                          | 79 |
| 11.6.2 Resource identifier (@odata.id) property . . . . .     | 79 |
| 11.6.3 Resource type (@odata.type) property . . . . .         | 79 |
| 11.6.4 Resource ETag (@odata.etag) property . . . . .         | 80 |
| 11.6.5 Resource context (@odata.context) property . . . . .   | 80 |
| 11.6.6 Id . . . . .   | 81 |
| 11.6.7 Name . . . . .   | 81 |
| 11.6.8 Description . . . . .                                  | 81 |
| 11.6.9 MemberId . . . . .                                     | 81 |
| 11.6.10 Count (Members@odata.count) property . . . . .        | 81 |
| 11.6.11 Members . . . . .                                     | 82 |
| 11.6.12 Next link (Members@odata.nextLink) property . . . . . | 82 |
| 11.6.13 Links . . . . .                                       | 82 |
| 11.6.13.1 Reference to a related resource . . . . .           | 82 |
| 11.6.13.2 References to multiple related resources . . . . .  | 83 |
| 11.6.14 Actions property . . . . .                            | 83 |
| 11.6.14.1 Action representation . . . . .                     | 83 |
| 11.6.14.2 Action responses . . . . .                          | 84 |
| 11.6.15 Oem . . . . .   | 84 |
| 11.6.16 Status . . . . .                                      | 85 |
| 11.7 Naming conventions . . . . .                             | 85 |
| 11.7.1 Naming rules . . . . .                                 | 85 |
| 11.7.2 URI naming rules . . . . .                             | 86 |
| 11.8 Extending standard resources . . . . .                   | 87 |
| 11.8.1 Extending standard resources overview . . . . .        | 87 |
| 11.8.2 OEM property format and content . . . . .              | 87 |
| 11.8.3 OEM-specified object naming . . . . .                  | 87 |
| 11.8.4 OEM resource types . . . . .                           | 88 |
| 11.8.5 OEM registries . . . . .                               | 88 |
| 11.8.6 OEM URIs . . . . .                                     | 89 |
| 11.8.7 OEM property examples . . . . .                        | 89 |
| 11.8.8 OEM actions . . . . .                                  | 90 |
| 11.9 Payload annotations . . . . .                            | 91 |
| 11.9.1 Payload annotations overview . . . . .                 | 91 |
| 11.9.2 Allowable values . . . . .                             | 91 |
| 11.9.3 Extended information . . . . .                         | 92 |

|          |   |     |
|----------|---|-----|
| 11.9.3.1 | Extended object information                                       | 92  |
| 11.9.3.2 | Extended property information                                     | 93  |
| 11.9.4   | Action info annotation  | 93  |
| 11.9.5   | Settings and settings apply time annotations                      | 94  |
| 11.9.6   | Operation apply time and operation apply time support annotations | 94  |
| 11.9.7   | Maintenance window annotation                                     | 94  |
| 11.9.8   | Collection capabilities annotation                                | 95  |
| 11.9.9   | Requested count and allow over-provisioning annotations           | 97  |
| 11.9.10  | Zone affinity annotation  | 97  |
| 11.9.11  | Supported certificates annotation                                 | 98  |
| 11.9.12  | Deprecated annotation   | 98  |
| 11.10    | Settings resource   | 98  |
| 11.11    | Special resource situations                                       | 101 |
| 11.11.1  | Overview  | 101 |
| 11.11.2  | Absent resources  | 101 |
| 11.12    | Registries  | 101 |
| 11.13    | Schema annotations  | 102 |
| 11.13.1  | Schema annotations overview                                       | 102 |
| 11.13.2  | Description annotation  | 102 |
| 11.13.3  | Long description annotation                                       | 103 |
| 11.13.4  | Resource capabilities annotation                                  | 103 |
| 11.13.5  | Resource URI patterns annotation                                  | 103 |
| 11.13.6  | Additional properties annotation                                  | 104 |
| 11.13.7  | Permissions annotation  | 105 |
| 11.13.8  | Required annotation   | 105 |
| 11.13.9  | Required on create annotation                                     | 105 |
| 11.13.10 | Units of measure annotation                                       | 105 |
| 11.13.11 | Expanded resource annotation                                      | 105 |
| 11.13.12 | Owning entity annotation  | 106 |
| 11.13.13 | Deprecated annotation   | 106 |
| 11.14    | Versioning  | 106 |
| 11.15    | Localization  | 107 |
| 12       | File naming and publication                                       | 108 |
| 12.1     | Registry file naming  | 108 |
| 12.2     | Profile file naming   | 108 |
| 12.3     | Dictionary file naming  | 108 |
| 12.4     | Localized file naming   | 108 |
| 12.5     | DMTF Redfish file repository                                      | 109 |
| 13       | Schema definition languages                                       | 111 |
| 13.1     | OData Common Schema Definition Language                           | 111 |
| 13.1.1   | OData Common Schema Definition Language overview                  | 111 |
| 13.1.2   | File naming conventions for CSDL                                  | 111 |
| 13.1.3   | Core CSDL files   | 111 |

|   |     |
|---|-----|
| 13.1.4 CSDL format                                | 112 |
| 13.1.4.1 Referencing other CSDL files             | 112 |
| 13.1.4.2 CSDL data services                       | 113 |
| 13.1.5 Elements of CSDL namespaces                | 113 |
| 13.1.5.1 Qualified names                          | 114 |
| 13.1.5.2 Entity type and complex type elements    | 114 |
| 13.1.5.3 Action element                           | 115 |
| 13.1.5.4 Action element for OEM actions           | 116 |
| 13.1.5.5 Action with a response body              | 116 |
| 13.1.5.6 Property element                         | 117 |
| 13.1.5.7 Navigation property element              | 118 |
| 13.1.5.8 Enum type element                        | 118 |
| 13.1.5.9 Annotation element                       | 119 |
| 13.2 JSON Schema                                  | 122 |
| 13.2.1 JSON Schema overview                       | 122 |
| 13.2.2 File naming conventions for JSON Schema    | 122 |
| 13.2.3 Core JSON Schema files                     | 122 |
| 13.2.4 JSON Schema format                         | 123 |
| 13.2.5 JSON Schema definitions body               | 123 |
| 13.2.5.1 Resource definitions in JSON Schema      | 123 |
| 13.2.5.2 Enumerations in JSON Schema              | 124 |
| 13.2.5.3 Actions in JSON Schema                   | 125 |
| 13.2.5.4 OEM actions in JSON Schema               | 126 |
| 13.2.5.5 Action with a response body              | 127 |
| 13.2.6 JSON Schema terms                          | 128 |
| 13.3 OpenAPI                                      | 129 |
| 13.3.1 OpenAPI overview                           | 129 |
| 13.3.2 File naming conventions for OpenAPI schema | 129 |
| 13.3.3 Core OpenAPI schema files                  | 129 |
| 13.3.4 openapi.yaml                               | 130 |
| 13.3.5 OpenAPI file format                        | 132 |
| 13.3.6 OpenAPI components body                    | 132 |
| 13.3.6.1 Resource definitions in OpenAPI          | 132 |
| 13.3.6.2 Enumerations in OpenAPI                  | 133 |
| 13.3.6.3 Actions in OpenAPI                       | 133 |
| 13.3.6.4 OEM actions in OpenAPI                   | 135 |
| 13.3.7 OpenAPI terms used by Redfish              | 135 |
| 13.4 Schema modification rules                    | 136 |
| 14 Service details                                | 138 |
| 14.1 Eventing                                     | 138 |
| 14.1.1 Eventing overview                          | 138 |
| 14.1.2 POST to subscription collection            | 138 |
| 14.1.3 Open an SSE connection                     | 139 |

|          |  |     |
|----------|--|-----|
| 14.1.4   | EventType-based eventing                           | 140 |
| 14.1.5   | Subscribing to events                              | 140 |
| 14.1.6   | Event formats                                      | 141 |
| 14.1.7   | OEM extensions                                     | 142 |
| 14.2     | Asynchronous operations                            | 142 |
| 14.3     | Resource tree stability                            | 144 |
| 14.4     | Discovery  | 144 |
| 14.4.1   | Discovery overview                                 | 144 |
| 14.4.2   | UPnP compatibility                                 | 145 |
| 14.4.3   | USN format   | 145 |
| 14.4.4   | M-SEARCH response                                  | 145 |
| 14.4.5   | Notify, alive, and shutdown messages               | 146 |
| 14.5     | Server-sent events                                 | 146 |
| 14.5.1   | General  | 146 |
| 14.5.2   | Event service                                      | 147 |
| 14.5.2.1 | Event message SSE stream                           | 149 |
| 14.5.2.2 | Metric report SSE stream                           | 150 |
| 14.6     | Update service                                     | 151 |
| 14.6.1   | Overview   | 151 |
| 14.6.2   | Software update types                              | 151 |
| 14.6.2.1 | Simple updates                                     | 151 |
| 14.6.2.2 | Multipart HTTP push updates                        | 151 |
| 15       | Security details                                   | 154 |
| 15.1     | Transport Layer Security (TLS) protocol            | 154 |
| 15.1.1   | Transport Layer Security (TLS) protocol overview   | 154 |
| 15.1.2   | Cipher suites                                      | 154 |
| 15.1.3   | Certificates                                       | 155 |
| 15.2     | Sensitive data                                     | 155 |
| 15.3     | Authentication                                     | 155 |
| 15.3.1   | Authentication overview                            | 155 |
| 15.3.2   | Authentication requirements                        | 156 |
| 15.3.2.1 | Resource and operation authentication requirements | 156 |
| 15.3.2.2 | HTTP header authentication requirements            | 156 |
| 15.3.2.3 | Authentication failure requirements                | 156 |
| 15.3.3   | HTTP Basic authentication                          | 157 |
| 15.3.4   | Redfish session login authentication               | 157 |
| 15.3.4.1 | Redfish login sessions                             | 157 |
| 15.3.4.2 | Session login                                      | 158 |
| 15.3.4.3 | Session lifetime                                   | 159 |
| 15.3.4.4 | Session termination or logout                      | 159 |
| 15.4     | Authorization                                      | 159 |
| 15.4.1   | Authorization overview                             | 159 |
| 15.4.2   | Privilege model                                    | 160 |

|   |     |
|---|-----|
| 15.4.2.1 Roles . . . . .  | 160 |
| 15.4.2.2 Restricted roles and restricted privileges . . . . .   | 161 |
| 15.4.2.3 OEM privileges . . . . .                               | 162 |
| 15.4.3 Redfish service operation-to-privilege mapping . . . . . | 162 |
| 15.4.3.1 Why specify operation-to-privilege mapping? . . . . .  | 162 |
| 15.4.3.2 Representing operation-to-privilege mappings . . . . . | 162 |
| 15.4.3.3 Operation map syntax . . . . .                         | 163 |
| 15.4.3.4 Mapping overrides syntax . . . . .                     | 164 |
| 15.4.3.5 Property override example . . . . .                    | 164 |
| 15.4.3.6 Subordinate override . . . . .                         | 165 |
| 15.4.3.7 Resource URI override . . . . .                        | 166 |
| 15.4.3.8 Privilege AND and OR syntax . . . . .                  | 167 |
| 15.5 Account service . . . . .                                  | 168 |
| 15.5.1 Account service overview . . . . .                       | 168 |
| 15.5.2 Password management . . . . .                            | 168 |
| 15.5.3 Password change required handling . . . . .              | 169 |
| 15.6 Asynchronous tasks . . . . .                               | 169 |
| 15.7 Event subscriptions . . . . .                              | 169 |
| 16 Redfish Host Interface . . . . .                             | 170 |
| 17 Redfish composability . . . . .                              | 171 |
| 17.1 Composition requests . . . . .                             | 172 |
| 17.1.1 Composition requests overview . . . . .                  | 172 |
| 17.1.2 Specific composition . . . . .                           | 172 |
| 17.1.3 Constrained composition . . . . .                        | 173 |
| 17.1.4 Expandable resources . . . . .                           | 174 |
| 17.2 Updating a composed resource . . . . .                     | 174 |
| 18 Aggregation . . . . .  | 175 |
| 18.1 Classes of aggregators . . . . .                           | 175 |
| 18.1.1 Implicit and complex aggregators . . . . .               | 175 |
| 18.1.2 Use cases . . . . .                                      | 176 |
| 18.2 Aggregation service . . . . .                              | 176 |
| 18.2.1 Aggregation service overview . . . . .                   | 176 |
| 18.2.2 Aggregator requirements . . . . .                        | 176 |
| 18.2.3 Aggregates . . . . .                                     | 177 |
| 18.2.4 Aggregation sources and connection methods . . . . .     | 177 |
| 19 ANNEX A (informative) Change log . . . . .                   | 179 |
| 20 Bibliography . . . . .                                       | 192 |