ISO/IEC TR 18053:2000-07 (E)

Information technology_- Telecommunications and information exchange between systems_- Glossary of definitions and terminology for Computer Supported Telecommunications Applications (CSTA) phase_III

Contents

Foreword		**x**
Introduction		**xi**
1	Scope	**1**
2	Normative references	**1**
3	Definitions and Acronyms	**1**
3.1	Account Code	**1**
3.2	ACD	**1**
3.3	ACD Group	**1**
3.4	ACD Group Device	**1**
3.5	Acknowledgement	**1**
3.6	Acknowledgement Model	**1**
3.7	ACSE	**1**
3.8	Active Call	**1**
3.9	Active Participation	**1**
3.10	Addressibility	**1**
3.11	Addressable Appearance	**1**
3.12	Addressable Device	**2**
3.13	Agent	**2**
3.14	Agent Group Association	**2**
3.15	Agent Identifier	**2**
3.16	Agent Logging State	**2**
3.17	Agent Password	**2**
3.18	Agent State	**2**
3.19	Agent State Model	**2**
3.20	Alerting	**2**
3.21	Alerting Call	**2**
3.22	Alerting Connection State	**2**
3.23	Allocation Condition	**2**
3.24	Analogue	**2**
3.25	Analogue Line	**2**
3.26	ANI	**2**
3.27	API	**2**
3.28	Appearance	**2**
3.29	Appearance Type	**3**
3.30	Application Association	**3**
3.31	Application Context	**3**
3.32	Application Domain	**3**
3.33	Application Entity	**3**
3.34	Application Entity Type	**3**
3.35	Application Service Element	**3**
3.36	Application Working Domain	**3**
3.37	ASE	**3**
3.38	ASN	**3**
3.39	Association Control Service Element	**3**
3.40	Asynchronous	**3**
3.41	ATM	**3**
3.42	Atomic Acknowledgement Model	**3**
3.43	Auditory Apparatus	**3**
3.44	Auditory Apparatus Identifier	**3**
3.45	Auditory Apparatus Type	**4**
3.46	Authorisation Code	**4**
3.47	Auto-Answer	**4**
3.48	Auto Work Mode	**4**

3.49 Automatic Call Distributor**4**
3.50 Automatic Number Identification **4**
3.51 B Channel **4**
3.52 Bandwidth **4**
3.53 Bearer Mode **4**
3.54 Bearer Services **4**
3.55 Bit Rate **4**
3.56 BRI **4**
3.57 Bridging **4**
3.58 BRI-ISDN **4**
3.59 Button **5**
3.60 Button Associated Number **5**
3.61 Button Association **5**
3.62 Button Function **5**
3.63 Button Identifier **5**
3.64 Button Label **5**
3.65 Call **5**
3.66 Call Appearance **5**
3.67 Call Associated Event **5**
3.68 Call Associated Feature **5**
3.69 Call Control Event **5**
3.70 Call Control Information Element **5**
3.71 Call Detail Record **5**
3.72 Call Event Report **5**
3.73 Call Identifier **5**
3.74 Call Linkage **5**
3.75 Call Qualification Data **5**
3.76 Call Related Information **6**
3.77 Call State **6**
3.78 Call Thread **6**
3.79 Callback **6**
3.80 CallBack Call **6**
3.81 Called Line Identity **6**
3.82 CallID Only Connection ID **6**
3.83 Calling Line Identification **6**
3.84 Call-Type Monitor **6**
3.85 Capabilities Exchange **6**
3.86 CCIE **6**
3.87 CDR **6**
3.88 Central Office (CO) Line **6**
3.89 Central Office (CO) Switch **6**
3.90 Channel **6**
3.91 Character Set **7**
3.92 Classifier **7**
3.93 CODEC **7**
3.94 Complete Connection ID **7**
3.95 Compound Call State **7**
3.96 Computing Domain **7**
3.97 Computing Function **7**
3.98 Computing Sub-Domain **7**
3.99 Conference Call **7**
3.100 Connected State **7**
3.101 Connection **7**
3.102 Connection Identifier **7**
3.103 Connection Mode **7**
3.104 Connection Rate **7**
3.105 Connection State **7**
3.106 Connection State Transition **7**

3.107 Connection State Transition Graph **8**
3.108 Consultation Call **8**
3.109 Correlator Data **8**
3.110 CSTA **8**
3.111 CSTA Application **8**
3.112 CSTA Client **8**
3.113 CSTA Device **8**
3.114 CSTA Domain **8**
3.115 CSTA Object **8**
3.116 CTI **8**
3.117 D Channel **8**
3.118 Data Call **8**
3.119 Data Connection **8**
3.120 Data Path **8**
3.121 Data Path State **8**
3.122 Data Rate **8**
3.123 DD **8**
3.124 Default Value **8**
3.125 Defined Parameter Type **9**
3.126 Delay Tolerance **9**
3.127 Device **9**
3.128 Device Capabilities **9**
3.129 Device Category **9**
3.130 Device Configuration **9**
3.131 Device Element **9**
3.132 Device Element Combination **9**
3.133 Device Feature **9**
3.134 Device Identifier **9**
3.135 Device Identifier Format **9**
3.136 Device Identifier Status **9**
3.137 Device Media Characteristics **9**
3.138 Device Only Connection ID **9**
3.139 Device State **9**
3.140 Device Type **10**
3.141 Device-Type Monitor **10**
3.142 Dialled Number Identification Service **10**
3.143 Digital Line **10**
3.144 Directory Number **10**
3.145 Display **10**
3.146 Display ID **10**
3.147 DND **10**
3.148 DNIS **10**
3.149 Do Not Disturb **10**
3.150 Domain **10**
3.151 DTMF **10**
3.152 Dual Tone Multiple Frequency **10**
3.153 Dynamic Device Identifier **10**
3.154 Dynamic Feature Availability **10**
3.155 Encoding Algorithm **11**
3.156 End-to-End **11**
3.157 Entering Distribution **11**
3.158 Error Value **11**
3.159 Event **11**
3.160 Event Cause **11**
3.161 Event Report **11**
3.162 Event Template **11**
3.163 Extension **11**
3.164 Flow Direction **11**

3.165 Forwarding **11**
3.166 Forwarding Condition **11**
3.167 Gain **11**
3.168 Global Call **11**
3.169 Global Call ID **11**
3.170 Group Device **12**
3.171 Held Call **12**
3.172 Hold **12**
3.173 Hold Connection State **12**
3.174 Holding Device **12**
3.175 Hookswitch **12**
3.176 Hookswitch Association **12**
3.177 Hunt Group **12**
3.178 ID **12**
3.179 Identifier Parameter Type **12**
3.180 Inband **12**
3.181 Inbound Call **12**
3.182 Incoming Call **12**
3.183 Integrated Services Digital Network **12**
3.184 Intrude **13**
3.185 I/O Cross Reference Identifier **13**
3.186 I/O Services **13**
3.187 ISDN **13**
3.188 ISO **13**
3.189 ITU-T **13**
3.190 Join **13**
3.191 KBPS **13**
3.192 Lamp **13**
3.193 Lamp Colour **13**
3.194 Lamp Identifier **13**
3.195 Lamp Label **13**
3.196 Lamp Mode **13**
3.197 LAN **13**
3.198 Last Redirection Device **13**
3.199 Line **13**
3.200 Logical Device Event **13**
3.201 Logical Device Features **14**
3.202 Logical Display **14**
3.203 Logical Element **14**
3.204 MAD **14**
3.205 Maintenance Event **14**
3.206 Manual Mode **14**
3.207 Media **14**
3.208 Media Access Device **14**
3.209 Media Call Characteristics **14**
3.210 Media Class **14**
3.211 Media Service **14**
3.212 Media Service Instance **14**
3.213 Media Service Type **14**
3.214 Media Stream **14**
3.215 Media Stream Channel **14**
3.216 Media Stream Event **14**
3.217 Media Stream ID **14**
3.218 Media Stream Information **14**
3.219 Media Type **14**
3.220 Message **15**
3.221 Message Identifier **15**
3.222 Meta Parameter Type **15**

3.223 Microphone **15**
3.224 Monitor Type **15**
3.225 Monitoring Services **15**
3.226 Multi-Stage Dialling **15**
3.227 Multi-Step Acknowledgement Model **15**
3.228 Mute **15**
3.229 Named Device Type **15**
3.230 Network Interface Device **15**
3.231 NID **15**
3.232 Null Connection State **15**
3.233 Null Correlator Data **15**
3.234 ODP **15**
3.235 Offered Mode **16**
3.236 Off-Hook **16**
3.237 On-Hook **16**
3.238 Operator Device **16**
3.239 Operator Group Device **16**
3.240 OSI **16**
3.241 Other Device **16**
3.242 Other Group Device **16**
3.243 Outband (Out of Band) **16**
3.244 Outbound Call **16**
3.245 Outgoing Call **16**
3.246 PAC **16**
3.247 Parameter Type **16**
3.248 Parameter Type Template **16**
3.249 Park **16**
3.250 Park Device **16**
3.251 Party **17**
3.252 PBX **17**
3.253 PDU **17**
3.254 Physical Base **17**
3.255 Physical Component **17**
3.256 Physical Device Event **17**
3.257 Physical Device Features **17**
3.258 Physical Display **17**
3.259 Physical Element **17**
3.260 Pick **17**
3.261 Pick Group **17**
3.262 PICS **17**
3.263 PICS Proforma **17**
3.264 PISN **17**
3.265 Plain Old Telephone Service **17**
3.266 Position Pointer **17**
3.267 POTS **18**
3.268 Pre-Delivery **18**
3.269 Predictive Dial Call **18**
3.270 Predictive Dialling **18**
3.271 PRI-ISDN **18**
3.272 Primary Call **18**
3.273 Private Event **18**
3.274 Profile **18**
3.275 Prompting **18**
3.276 Protocol Information Conformance Statement **18**
3.277 Protocol Specific Information **18**
3.278 PSTN **18**
3.279 PTN **18**
3.280 Queue **18**

3.281 Queued Call **18**
3.282 Recall **18**
3.283 Redirection Device **18**
3.284 Remote Operations **19**
3.285 Reorder Condition **19**
3.286 Reporting Criteria **19**
3.287 Request **19**
3.288 Response **19**
3.289 Ring Count **19**
3.290 Ring Cycle **19**
3.291 Ring Mode **19**
3.292 Ring Pattern **19**
3.293 Ringback Tone **19**
3.294 Ringer **19**
3.295 Ringer Identifier **19**
3.296 Ringing Mode **19**
3.297 ROSE **19**
3.298 Routeing Cross Reference Identifier **19**
3.299 Routeing Device **19**
3.300 Routeing Dialogue **19**
3.301 Routeing Registration Identifier **20**
3.302 Routeing Server **20**
3.303 RSVP **20**
3.304 Secondary Call **20**
3.305 Service **20**
3.306 Service Boundary **20**
3.307 Service Request **20**
3.308 Service Response **20**
3.309 Service Template **20**
3.310 Signalling Capability **20**
3.311 Silent Intrusion **20**
3.312 Silent Monitoring **20**
3.313 Silent Participation **20**
3.314 Simple Call State **20**
3.315 Snapshot Services **20**
3.316 Speaker **20**
3.317 Special Resource **21**
3.318 Special Resource Domain **21**
3.319 Special Resource Function **21**
3.320 Special Resource Sub-Domain **21**
3.321 Speech **21**
3.322 SRF **21**
3.323 State **21**
3.324 Static Device Identifier **21**
3.325 Station **21**
3.326 Status Filter **21**
3.327 Status Reporting Services **21**
3.328 Switching Domain **21**
3.329 Switching Function **21**
3.330 Switching Function Capabilities **21**
3.331 Switching Function Service **21**
3.332 Switching Sub-Domain **21**
3.333 Switching Sub-Domain Name **21**
3.334 System Status Registration Identifier **22**
3.335 System Status Services **22**
3.336 TE **22**
3.337 Telephony Process **22**
3.338 Telephony Service **22**

3.339 Telephony Tone **22**
3.340 Template **22**
3.341 TON **22**
3.342 Trunk **22**
3.343 User **22**
3.344 User Data **22**
3.345 User-User Information Element **22**
3.346 UUIE **22**
3.347 Voice **22**
3.348 Voice Attribute **22**
3.349 Voice Call **22**
3.350 Voice Response Unit **23**
3.351 Voice Stream Data **23**
3.352 Voice Unit **23**
3.353 Voice Unit State **23**
3.354 VRU **23**

4 Terms defined elsewhere **23**