

ISO/IEC 9660:2023-01 (E)

Information processing - Volume and file structure of CD-ROM for information interchange

| Contents | Page |
|-------------------------------------------------------------------------|-------------|
| Foreword | viii |
| Introduction | x |
| 1 Scope | 1 |
| 2 Normative references | 1 |
| 3 Terms and definitions | 1 |
| 4 Notation | 3 |
| 4.1 Decimal and hexadecimal notations..... | 3 |
| 4.2 Other notations..... | 3 |
| 5 Conformance | 3 |
| 5.1 Conformance of a CD-ROM..... | 3 |
| 5.2 Conformance of an information processing system..... | 3 |
| 6 Requirements for a medium | 4 |
| 7 Volume structure | 4 |
| 7.1 Arrangement of data on a CD-ROM..... | 4 |
| 7.1.1 Physical addresses..... | 4 |
| 7.1.2 Logical sector..... | 4 |
| 7.1.3 Volume space..... | 4 |
| 7.2 Arrangement of the volume space..... | 4 |
| 7.2.1 System area and data area..... | 4 |
| 7.2.2 Logical block..... | 5 |
| 7.3 Arrangement of the data area..... | 5 |
| 7.4 Arrangement of an extent..... | 5 |
| 7.4.1 Extent..... | 5 |
| 7.4.2 Mode of recording a file section..... | 5 |
| 7.4.3 Interleaved mode..... | 6 |
| 7.4.4 Non-interleaved mode..... | 7 |
| 7.4.5 Data length of a file section..... | 8 |
| 7.4.6 Relation of extended attribute record to file section..... | 8 |
| 7.4.7 Recording of a volume partition..... | 8 |
| 7.5 File structure..... | 8 |
| 7.5.1 Relation to file sections..... | 8 |
| 7.5.2 Numbering of bytes in a file..... | 8 |
| 7.5.3 Contents of a file..... | 9 |
| 7.5.4 Associated file..... | 9 |
| 7.6 Volume set..... | 9 |
| 7.7 Volume descriptors..... | 9 |
| 7.7.1 General..... | 9 |
| 7.7.2 Volume descriptor set..... | 9 |
| 7.8 Directory structure..... | 10 |
| 7.8.1 Directory..... | 10 |
| 7.8.2 Directory hierarchy..... | 11 |
| 7.8.3 Relation of directory hierarchies..... | 12 |
| 7.9 Path table..... | 13 |
| 7.9.1 General..... | 13 |
| 7.9.2 Order of path table records..... | 13 |
| 7.9.3 Path table group..... | 13 |
| 7.9.4 Recorded occurrences of the path table..... | 13 |
| 7.9.5 Consistency of path tables between volumes of a volume group..... | 14 |
| 7.10 Record structure..... | 14 |
| 7.10.1 General..... | 14 |

| | | | |
|----------|--------|----------------------------------------------------------------|-----------|
| | 7.10.2 | Characteristics..... | 14 |
| | 7.10.3 | Measured data units (MDU)..... | 14 |
| | 7.10.4 | Fixed-length records..... | 15 |
| | 7.10.5 | Variable-length records..... | 15 |
| 8 | | Recording of descriptor fields..... | 15 |
| | 8.1 | 8-bit numerical values..... | 15 |
| | | 8.1.1 General..... | 15 |
| | | 8.1.2 8-bit unsigned numerical values..... | 15 |
| | | 8.1.3 8-bit signed numerical values..... | 15 |
| | 8.2 | 16-bit numerical value..... | 16 |
| | | 8.2.1 General..... | 16 |
| | | 8.2.2 Least significant byte first..... | 16 |
| | | 8.2.3 Most significant byte first..... | 16 |
| | | 8.2.4 Both-byte orders..... | 16 |
| | 8.3 | 32-bit numerical value..... | 16 |
| | | 8.3.1 General..... | 16 |
| | | 8.3.2 Least significant byte first..... | 16 |
| | | 8.3.3 Most significant byte first..... | 16 |
| | | 8.3.4 Both-byte orders..... | 17 |
| | 8.4 | Character sets and coding..... | 17 |
| | | 8.4.1 d-characters and a-characters..... | 17 |
| | | 8.4.2 c-characters..... | 17 |
| | | 8.4.3 Separators and filler..... | 18 |
| | | 8.4.4 Use of characters in descriptor fields..... | 18 |
| | | 8.4.5 Justification of characters..... | 19 |
| | 8.5 | File identifier..... | 19 |
| | | 8.5.1 File identifier format..... | 19 |
| | | 8.5.2 File identifier length..... | 19 |
| | 8.6 | Directory identifier..... | 20 |
| | | 8.6.1 Directory identifier format..... | 20 |
| | | 8.6.2 Reserved directory identifiers..... | 20 |
| | | 8.6.3 Directory identifier length..... | 20 |
| 9 | | Volume descriptors..... | 20 |
| | 9.1 | Format of a volume descriptor..... | 20 |
| | | 9.1.1 General..... | 20 |
| | | 9.1.2 Volume descriptor type (BP 1)..... | 20 |
| | | 9.1.3 Standard identifier (BP 2 to 6)..... | 21 |
| | | 9.1.4 Volume descriptor version (BP 7)..... | 21 |
| | | 9.1.5 Depends on volume descriptor type (BP 8 to 2 048)..... | 21 |
| | 9.2 | Boot record..... | 21 |
| | | 9.2.1 General..... | 21 |
| | | 9.2.2 Volume descriptor type (BP 1)..... | 21 |
| | | 9.2.3 Standard identifier (BP 2 to 6)..... | 22 |
| | | 9.2.4 Volume descriptor version (BP 7)..... | 22 |
| | | 9.2.5 Boot system identifier (BP 8 to 39)..... | 22 |
| | | 9.2.6 Boot identifier (BP 40 to 71)..... | 22 |
| | | 9.2.7 Boot system use (BP 72 to 2 048)..... | 22 |
| | 9.3 | Volume descriptor set terminator..... | 22 |
| | | 9.3.1 General..... | 22 |
| | | 9.3.2 Volume descriptor type (BP 1)..... | 22 |
| | | 9.3.3 Standard identifier (BP 2 to 6)..... | 23 |
| | | 9.3.4 Volume descriptor version (BP 7)..... | 23 |
| | | 9.3.5 Reserved for future standardization (BP 8 to 2 048)..... | 23 |
| | 9.4 | Primary volume descriptor..... | 23 |
| | | 9.4.1 General..... | 23 |
| | | 9.4.2 Volume descriptor type (BP 1)..... | 24 |
| | | 9.4.3 Standard identifier (BP 2 to 6)..... | 24 |
| | | 9.4.4 Volume descriptor version (BP 7)..... | 24 |
| | | 9.4.5 Unused field (BP 8)..... | 24 |

| | | |
|--------|----------------------------------------------------------------------|----|
| 9.4.6 | System identifier (BP 9 to 40) | 24 |
| 9.4.7 | Volume identifier (BP 41 to 72) | 25 |
| 9.4.8 | Unused field (BP 73 to 80) | 25 |
| 9.4.9 | Volume space size (BP 81 to 88) | 25 |
| 9.4.10 | Unused field (BP 89 to 120) | 25 |
| 9.4.11 | Volume set size (BP 121 to 124) | 25 |
| 9.4.12 | Volume sequence number (BP 125 to 128) | 25 |
| 9.4.13 | Logical block size (BP 129 to 132) | 25 |
| 9.4.14 | Path table size (BP 133 to 140) | 25 |
| 9.4.15 | Location of occurrence of type L path table (BP 141 to 144) | 25 |
| 9.4.16 | Location of optional occurrence of type L path table (BP 145 to 148) | 26 |
| 9.4.17 | Location of occurrence of type M path table (BP 149 to 152) | 26 |
| 9.4.18 | Location of optional occurrence of type M path table (BP 153 to 156) | 26 |
| 9.4.19 | Directory record for root directory (BP 157 to 190) | 26 |
| 9.4.20 | Volume set identifier (BP 191 to 318) | 26 |
| 9.4.21 | Publisher identifier (BP 319 to 446) | 26 |
| 9.4.22 | Data preparer identifier (BP 447 to 574) | 26 |
| 9.4.23 | Application identifier (BP 575 to 702) | 27 |
| 9.4.24 | Copyright file identifier (BP 703 to 739) | 27 |
| 9.4.25 | Abstract file identifier (BP 740 to 776) | 27 |
| 9.4.26 | Bibliographic file identifier (BP 777 to 813) | 27 |
| 9.4.27 | Volume creation date and time (BP 814 to 830) | 28 |
| 9.4.28 | Volume modification date and time (BP 831 to 847) | 28 |
| 9.4.29 | Volume expiration date and time (BP 848 to 864) | 28 |
| 9.4.30 | Volume effective date and time (BP 865 to 881) | 28 |
| 9.4.31 | File structure version (BP 882) | 28 |
| 9.4.32 | Reserved for future standardization (BP 883) | 29 |
| 9.4.33 | Application use (BP 884 to 1 395) | 29 |
| 9.4.34 | Reserved for future standardization (BP 1 396 to 2 048) | 29 |
| 9.5 | Supplementary volume descriptor and enhanced volume descriptor | 29 |
| 9.5.1 | General | 29 |
| 9.5.2 | Volume descriptor type (BP 1) | 30 |
| 9.5.3 | Volume descriptor version (BP 7) | 30 |
| 9.5.4 | Volume flags (BP 8) | 31 |
| 9.5.5 | System identifier (BP 9 to 40) | 31 |
| 9.5.6 | Volume identifier (BP 41 to 72) | 31 |
| 9.5.7 | Escape sequences (BP 89 to 120) | 31 |
| 9.5.8 | Path table size (BP 133 to 140) | 31 |
| 9.5.9 | Location of occurrence of type L path table (BP 141 to 144) | 32 |
| 9.5.10 | Location of optional occurrence of type L path table (BP 145 to 148) | 32 |
| 9.5.11 | Location of occurrence of type M path table (BP 149 to 152) | 32 |
| 9.5.12 | Location of optional occurrence of type M path table (BP 153 to 156) | 32 |
| 9.5.13 | Directory record for root directory (BP 157 to 190) | 32 |
| 9.5.14 | Volume set identifier (BP 191 to 318) | 32 |
| 9.5.15 | Publisher identifier (BP 319 to 446) | 32 |
| 9.5.16 | Data preparer identifier (BP 447 to 574) | 33 |
| 9.5.17 | Application identifier (BP 575 to 702) | 33 |
| 9.5.18 | Copyright file identifier (BP 703 to 739) | 33 |
| 9.5.19 | Abstract file identifier (BP 740 to 776) | 33 |
| 9.5.20 | Bibliographic file identifier (BP 777 to 813) | 34 |
| 9.5.21 | Application use (BP 884 to 1 395) | 34 |
| 9.6 | Volume partition descriptor | 34 |
| 9.6.1 | General | 34 |
| 9.6.2 | Volume descriptor type (BP 1) | 34 |
| 9.6.3 | Standard identifier (BP 2 to 6) | 34 |
| 9.6.4 | Volume descriptor version (BP 7) | 35 |
| 9.6.5 | Unused field (BP 8) | 35 |
| 9.6.6 | System identifier (BP 9 to 40) | 35 |

| | | |
|-----------|-----------------------------------------------------------------------------|-----------|
| 9.6.7 | Volume partition identifier (BP 41 to 72) | 35 |
| 9.6.8 | Volume partition location (BP 73 to 80) | 35 |
| 9.6.9 | Volume partition size (BP 81 to 88) | 35 |
| 9.6.10 | System use (BP 89 to 2 048) | 35 |
| 10 | File and directory descriptors | 35 |
| 10.1 | Format of a directory record | 35 |
| 10.1.1 | General | 35 |
| 10.1.2 | Length of directory record (LEN_DR) (BP 1) | 36 |
| 10.1.3 | Extended attribute record length (BP 2) | 36 |
| 10.1.4 | Location of extent (BP 3 to 10) | 36 |
| 10.1.5 | Data length (BP 11 to 18) | 36 |
| 10.1.6 | Recording date and time (BP 19 to 25) | 36 |
| 10.1.7 | File flags (BP 26) | 37 |
| 10.1.8 | File unit size (BP 27) | 38 |
| 10.1.9 | Interleave gap size (BP 28) | 38 |
| 10.1.10 | Volume sequence number (BP 29 to 32) | 38 |
| 10.1.11 | Length of file identifier (LEN_FI) (BP 33) | 38 |
| 10.1.12 | File identifier [BP 34 to (33 + LEN_FI)] | 38 |
| 10.1.13 | Padding field [BP (34 + LEN_FI)] | 39 |
| 10.1.14 | System use [BP (LEN_DR - LEN_SU + 1) to LEN_DR] | 39 |
| 10.2 | Consistency of file attributes between directory records of a file | 39 |
| 10.3 | Order of directory records | 39 |
| 10.4 | Format of a path table record | 40 |
| 10.4.1 | General | 40 |
| 10.4.2 | Length of directory identifier (LEN_DI) (BP 1) | 41 |
| 10.4.3 | Extended attribute record length (BP 2) | 41 |
| 10.4.4 | Location of extent (BP 3 to 6) | 41 |
| 10.4.5 | Parent directory number (BP 7 to 8) | 41 |
| 10.4.6 | Directory identifier [BP 9 to (8 + LEN_DI)] | 41 |
| 10.4.7 | Padding field [BP (9 + LEN_DI)] | 41 |
| 10.5 | Format of an extended attribute record | 42 |
| 10.5.1 | General | 42 |
| 10.5.2 | Owner identification (BP 1 to 4) | 42 |
| 10.5.3 | Group identification (BP 5 to 8) | 42 |
| 10.5.4 | Permissions (BP 9 to 10) | 43 |
| 10.5.5 | File creation date and time (BP 11 to 27) | 44 |
| 10.5.6 | File modification date and time (BP 28 to 44) | 44 |
| 10.5.7 | File expiration date and time (BP 45 to 61) | 44 |
| 10.5.8 | File effective date and time (BP 62 to 78) | 44 |
| 10.5.9 | Record format (BP 79) | 44 |
| 10.5.10 | Record attributes (BP 80) | 44 |
| 10.5.11 | Record length (BP 81 to 84) | 45 |
| 10.5.12 | System identifier (BP 85 to 116) | 45 |
| 10.5.13 | System use (BP 117 to 180) | 45 |
| 10.5.14 | Extended attribute record version (BP 181) | 45 |
| 10.5.15 | Length of escape sequences (BP 182) | 45 |
| 10.5.16 | Reserved for future standardization (BP 183 to 246) | 45 |
| 10.5.17 | Length of application use (BP 247 to 250) | 45 |
| 10.5.18 | Application use [BP 251 to (250 + LEN_AU)] | 46 |
| 10.5.19 | Escape sequences [BP (251 + LEN_AU) to (250 + LEN_ESC + LEN_AU)] | 46 |
| 10.6 | Consistency of file attributes between extended attribute records of a file | 46 |
| 11 | Levels of interchange | 46 |
| 11.1 | General | 46 |
| 11.2 | Level 1 | 46 |
| 11.3 | Level 2 | 46 |
| 11.4 | Level 3 | 46 |
| 12 | Requirements for systems | 47 |

| | | |
|-----------|------------------------------------------------------------------------------------------|-----------|
| 13 | Description of systems | 47 |
| 14 | Requirements for an originating system | 47 |
| 14.1 | General..... | 47 |
| 14.2 | Files..... | 47 |
| 14.3 | Descriptors..... | 47 |
| 14.3.1 | Primary volume descriptor, path table record and directory record..... | 47 |
| 14.3.2 | Supplementary volume descriptor and enhanced volume descriptor | 49 |
| 14.3.3 | Volume partition descriptor..... | 49 |
| 14.3.4 | Boot record..... | 50 |
| 14.3.5 | Extended attribute record..... | 50 |
| 14.4 | System area | 50 |
| 15 | Requirements for a receiving system | 51 |
| 15.1 | General..... | 51 |
| 15.2 | Files..... | 51 |
| 15.3 | Descriptors..... | 51 |
| 15.3.1 | Implementation | 51 |
| 15.3.2 | Descriptor information..... | 51 |
| 15.4 | Restrictions | 52 |
| 15.5 | Levels of implementation..... | 52 |
| 15.5.1 | General | 52 |
| 15.5.2 | Level 1 | 52 |
| 15.5.3 | Level 2 | 52 |
| | Annex A (informative) ISO/IEC 646: International reference version (IRV) | 53 |
| | Annex B (informative) ISO 9660:1988 and Joliet Specification: Modifications | 55 |
| | Bibliography | 58 |