ISO/IEC 23090-9:2023-03 (E)

Information technology - Coded representation of immersive media - Part 9: Geometry-b ased point cloud compression

Contents

Page

Foreword vii

Introduction viii

1 Scope 1

2 Normative references 1

3 Termsanddefinitions 1
3.1 General terms 1
3.2 Terms related to high-level syntax and entropy coding 3
3.3 Terms related to tree structure 6
3.4 Terms related to geometry coding 7
3.5 Terms related to attribute coding 7

4 Abbreviated terms 8

5 Conventions 9
5.1 General 9
5.2 Symbolic names 9
5.3 Numerical representation 10
5.4 Arithmetic operators 10
5.5 Logical operators 10
5.6 Relational operators 10
5.7 Bit-wise operators 11
5.8 Assignment operators 11
5.9 Range notation 11
5.10 Mathematical functions 12
5.10.1 General 12
5.10.2 IntAtan2 13
5.10.3 IntCos and IntSin 13
5.10.4 IntSqrt 14
5.10.5 IntRecipSqrt 14
5.10.6 Div 15
5.10.7 Morton 15
5.10.8 FromMorton 16
5.11 Order of operation precedence 16
5.12 Named expressions 17
5.12.1 General 17
5.12.2 Scope of a named expression 18
5.12.3 Arguments of named expressions 18
5.12.4 Sub-expressions 19
5.12.5 Definitions with multiple statements 19
5.12.6 Textual definitions 19
5.13 Variables, syntax elements and tables 19

6 Point cloud format and relationship to coded and output representations 20
6.1 General format 20
6.2 Attributes 20
6.2.1 General 20
6.2.2 Colour 20

6.2.3 Opacity 21
6.2.4 Reflectance 21
6.2.5 Normal vector 21
6.2.6 Material identifier 21
6.2.7 Frame number/index 21
6.2.8 User defined attributes 22
6.3 Codec-derived attributes 22
6.3.1 General 22
6.3.2 Slice identifier 22
6.3.3 Slice tag 22
6.3.4 Canonical point order 22
6.3.5 Point Morton order 23
6.4 Coded point cloud format 23
6.4.1 Sequence coordinate system 23
6.4.2 Coding coordinate system 24
6.4.3 Coded point cloud sequence 25
6.4.4 Coded point cloud frame 25
6.4.5 Slice of a coded point cloud frame 25
6.4.6 Repetition of slices 26
6.4.7 Relationship between tiles and slices 26
6.4.8 Parameter sets 27
6.5 Output point cloud format 28
6.5.1 General 28
6.5.2 Coordinate system 28
6.5.3 Fixed-point conformance output 28
6.5.4 Attributes 28
6.5.5 Output point cloud sequence 28
6.5.6 Output point cloud frame 28

7 Syntax and semantics 29
7.1 Method of specifying syntax in tabular form 29
7.2 Specification of syntax functions and descriptors 30
7.3 Syntax in tabular form 30
7.3.1 General 30
7.3.2 Parameter sets, ancillary data and byte alignment 31
7.3.3 Geometry data unit 37
7.3.4 Attribute data unit 42
7.3.5 Defaulted attribute data unit syntax 44
7.4 Semantics 44
7.4.1 General 44
7.4.2 Parameter sets, ancillary data and byte alignment 45
7.4.3 Geometry data unit 58
7.4.4 Attribute data unit 59
7.4.5 Defaulted attribute data unit semantics 59

8 Decoding process 60
8.1 General decoding process 60
8.2 Frame decoding processes 60
8.2.1 General 60
8.2.2 Frame counter 60
8.3 Slice decoding processes 60
8.3.1 General 60
8.3.2 State variables 61
8.3.3 Geometry decoding process 61
8.3.4 Default attribute values 61
8.3.5 Attribute decoding process 61
8.3.6 At the end of a slice 61

9 Slice geometry 62
9.1 General 62
9.2 Occupancy tree 62
9.2.1 General 62
9.2.2 Coded occupancy tree 62

9.2.3 Occupancy tree syntax element semantics 64
9.2.4 Node dimensions per tree level 65
9.2.5 State representation 65
9.2.6 Occupancy tree node coding 66
9.2.7 Occupied neighbourhood patterns 70
9.2.8 Neighbourhood-permuted node occupancy bitmap 72
9.2.9 Dictionary coding of occupancy_byte 73
9.2.10 Bitwise occupancy coding 78
9.2.11 Planar occupancy coding 84
9.2.12 Direct nodes 90
9.2.13 Angular coding 95
9.2.14 Subtree scaling 104
9.3 Predictive tree 109
9.3.1 General 109
9.3.2 Syntax element semantics 109
9.3.3 Tree traversal for reconstruction of point positions 110
9.3.4 Reconstruction of point coordinates 111

10 Slice attributes 113
10.1 General 113
10.2 Point coordinates 113
10.2.1 General 113
10.2.2 Conversion to scaled angular coordinates 114
10.3 Syntax element semantics 114
10.3.1 Attribute data unit coefficients 114
10.3.2 Attribute coefficient tuples 114
10.3.3 Raw attribute values 115
10.4 Raw attribute decoding 115
10.5 Attribute decoding using the region-adaptive hierarchical transform 115
10.5.1 General 115
10.5.2 Transform tree 115
10.5.3 Coefficient order 118
10.5.4 Coefficient scaling 119
10.5.5 Transform domain prediction 121
10.5.6 Inverse transform 125
10.5.7 Reconstructed attribute values 127
10.6 Attribute decoding using levels of detail 127
10.6.1 General 127
10.6.2 Syntax element semantics 128
10.6.3 Reconstruction process 128
10.6.4 State variables 128
10.6.5 Levels of detail 129
10.6.6 Predictor search 135
10.6.7 Reconstruction of attribute values 141
10.6.8 Prediction mode coding 142
10.6.9 Scaling 144
10.6.10 Coefficient prediction 144
10.6.11 Transform coefficient weights 145
10.6.12 Transform 146
10.7 Attribute quantization parameters 147
10.7.1 Syntax element semantics 147
10.7.2 Per-point regional QP offset 148
10.7.3 Attribute coefficient QP 148
10.7.4 Definition of AttrQstep 148

11 Parsing process 149
11.1 General 149
11.2 Data unit buffer 151
11.2.1 General 151
11.2.2 State 151
11.2.3 Initialization at the start of parsing a data unit 151
11.2.4 Initialization at the start of parsing a geometry data unit footer 151

11.2.5 Definition of DuNextBit 152
11.3 Chunked bytestream parsing 152
11.3.1 General 152
11.3.2 Chunk syntax 152
11.3.3 Chunk semantics 153
11.3.4 State 153
11.3.5 Span of chunked bytestream data within a data unit 153
11.3.6 The chunk buffer 153
11.3.7 State update at the start of every CBS 154
11.3.8 Unpacking a single chunk 154
11.3.9 Definition of ChunkNextAeBit 154
11.3.10 Definition of ChunkNextBpBit 154
11.3.11 Boundary between spliced chunked bytestreams 155
11.3.12 Location of chunked bytestream boundaries 156
11.4 General inverse binarization processes 156
11.4.1 Parsing unsigned fixed-length codes (FL) 156
11.4.2 Parsing signed fixed-length codes (FL+S) 156
11.4.3 Parsing k-th order exp-Golomb codes (EGk) 156
11.4.4 Parsing concatenated truncated unary and k-th order exp-Golomb codes (TU+EGk) 157
11.4.5 Parsing truncated unary codes (TU) 157
11.4.6 Mapping process for signed codes 157
11.4.7 Parsing ASN.1 object identifiers 158
11.5 CABAC parsing processes 158
11.5.1 Initialization 158
11.5.2 Definition of AeReadBin 158
11.5.3 Contextual probability models 159
11.5.4 Arithmetic decoding engine 162
11.6 Parsing state memorization and restoration 164
11.6.1 General 164
11.6.2 Geometry data units 164
11.6.3 Attribute data units 165
11.6.4 Defaulted attribute data units 165

Annex A (normative)Profilesandlevels 166

Annex B (normative) Type-length-value encapsulated bytestream format 172

Annex C (informative) Arithmetic encoding engine 174

Annex D (normative) Partial decoding and spatial scalability 177

Annex E (informative) Index of named expressions and variables 179

Bibliography 185