

ISO/IEC 23090-9:2023-03 (E)

Information technology - Coded representation of immersive media - Part 9: Geometry-based point cloud compression

Contents		Page
Foreword		vii
Introduction		viii
1	Scope	1
2	Normative references	1
3	Terms and definitions	1
3.1	General terms	1
3.2	Terms related to high-level syntax and entropy coding	3
3.3	Terms related to tree structure	6
3.4	Terms related to geometry coding	7
3.5	Terms related to attribute coding	7
4	Abbreviated terms	8
5	Conventions	9
5.1	General	9
5.2	Symbolic names	9
5.3	Numerical representation	10
5.4	Arithmetic operators	10
5.5	Logical operators	10
5.6	Relational operators	10
5.7	Bit-wise operators	11
5.8	Assignment operators	11
5.9	Range notation	11
5.10	Mathematical functions	12
5.10.1	General	12
5.10.2	IntAtan2	13
5.10.3	IntCos and IntSin	13
5.10.4	IntSqrt	14
5.10.5	IntRecipSqrt	14
5.10.6	Div	15
5.10.7	Morton	15
5.10.8	FromMorton	16
5.11	Order of operation precedence	16
5.12	Named expressions	17
5.12.1	General	17
5.12.2	Scope of a named expression	18
5.12.3	Arguments of named expressions	18
5.12.4	Sub-expressions	19
5.12.5	Definitions with multiple statements	19
5.12.6	Textual definitions	19
5.13	Variables, syntax elements and tables	19
6	Point cloud format and relationship to coded and output representations	20
6.1	General format	20
6.2	Attributes	20
6.2.1	General	20
6.2.2	Colour	20

6.2.3	Opacity	21
6.2.4	Reflectance	21
6.2.5	Normal vector	21
6.2.6	Material identifier	21
6.2.7	Frame number/index	21
6.2.8	User defined attributes	22
6.3	Codec-derived attributes	22
6.3.1	General	22
6.3.2	Slice identifier	22
6.3.3	Slice tag	22
6.3.4	Canonical point order	22
6.3.5	Point Morton order	23
6.4	Coded point cloud format	23
6.4.1	Sequence coordinate system	23
6.4.2	Coding coordinate system	24
6.4.3	Coded point cloud sequence	25
6.4.4	Coded point cloud frame	25
6.4.5	Slice of a coded point cloud frame	25
6.4.6	Repetition of slices	26
6.4.7	Relationship between tiles and slices	26
6.4.8	Parameter sets	27
6.5	Output point cloud format	28
6.5.1	General	28
6.5.2	Coordinate system	28
6.5.3	Fixed-point conformance output	28
6.5.4	Attributes	28
6.5.5	Output point cloud sequence	28
6.5.6	Output point cloud frame	28
7	Syntax and semantics	29
7.1	Method of specifying syntax in tabular form	29
7.2	Specification of syntax functions and descriptors	30
7.3	Syntax in tabular form	30
7.3.1	General	30
7.3.2	Parameter sets, ancillary data and byte alignment	31
7.3.3	Geometry data unit	37
7.3.4	Attribute data unit	42
7.3.5	Defaulted attribute data unit syntax	44
7.4	Semantics	44
7.4.1	General	44
7.4.2	Parameter sets, ancillary data and byte alignment	45
7.4.3	Geometry data unit	58
7.4.4	Attribute data unit	59
7.4.5	Defaulted attribute data unit semantics	59
8	Decoding process	60
8.1	General decoding process	60
8.2	Frame decoding processes	60
8.2.1	General	60
8.2.2	Frame counter	60
8.3	Slice decoding processes	60
8.3.1	General	60
8.3.2	State variables	61
8.3.3	Geometry decoding process	61
8.3.4	Default attribute values	61
8.3.5	Attribute decoding process	61
8.3.6	At the end of a slice	61
9	Slice geometry	62
9.1	General	62
9.2	Occupancy tree	62
9.2.1	General	62
9.2.2	Coded occupancy tree	62

9.2.3	Occupancy tree syntax element semantics	64
9.2.4	Node dimensions per tree level	65
9.2.5	State representation	65
9.2.6	Occupancy tree node coding	66
9.2.7	Occupied neighbourhood patterns	70
9.2.8	Neighbourhood-permuted node occupancy bitmap	72
9.2.9	Dictionary coding of occupancy_byte	73
9.2.10	Bitwise occupancy coding	78
9.2.11	Planar occupancy coding	84
9.2.12	Direct nodes	90
9.2.13	Angular coding	95
9.2.14	Subtree scaling	104
9.3	Predictive tree	109
9.3.1	General	109
9.3.2	Syntax element semantics	109
9.3.3	Tree traversal for reconstruction of point positions	110
9.3.4	Reconstruction of point coordinates	111
10	Slice attributes	113
10.1	General	113
10.2	Point coordinates	113
10.2.1	General	113
10.2.2	Conversion to scaled angular coordinates	114
10.3	Syntax element semantics	114
10.3.1	Attribute data unit coefficients	114
10.3.2	Attribute coefficient tuples	114
10.3.3	Raw attribute values	115
10.4	Raw attribute decoding	115
10.5	Attribute decoding using the region-adaptive hierarchical transform	115
10.5.1	General	115
10.5.2	Transform tree	115
10.5.3	Coefficient order	118
10.5.4	Coefficient scaling	119
10.5.5	Transform domain prediction	121
10.5.6	Inverse transform	125
10.5.7	Reconstructed attribute values	127
10.6	Attribute decoding using levels of detail	127
10.6.1	General	127
10.6.2	Syntax element semantics	128
10.6.3	Reconstruction process	128
10.6.4	State variables	128
10.6.5	Levels of detail	129
10.6.6	Predictor search	135
10.6.7	Reconstruction of attribute values	141
10.6.8	Prediction mode coding	142
10.6.9	Scaling	144
10.6.10	Coefficient prediction	144
10.6.11	Transform coefficient weights	145
10.6.12	Transform	146
10.7	Attribute quantization parameters	147
10.7.1	Syntax element semantics	147
10.7.2	Per-point regional QP offset	148
10.7.3	Attribute coefficient QP	148
10.7.4	Definition of AttrQstep	148
11	Parsing process	149
11.1	General	149
11.2	Data unit buffer	151
11.2.1	General	151
11.2.2	State	151
11.2.3	Initialization at the start of parsing a data unit	151
11.2.4	Initialization at the start of parsing a geometry data unit footer	151

11.2.5	Definition of DuNextBit	152
11.3	Chunked bytestream parsing	152
11.3.1	General	152
11.3.2	Chunk syntax	152
11.3.3	Chunk semantics	153
11.3.4	State	153
11.3.5	Span of chunked bytestream data within a data unit	153
11.3.6	The chunk buffer	153
11.3.7	State update at the start of every CBS	154
11.3.8	Unpacking a single chunk	154
11.3.9	Definition of ChunkNextAeBit	154
11.3.10	Definition of ChunkNextBpBit	154
11.3.11	Boundary between spliced chunked bytestreams	155
11.3.12	Location of chunked bytestream boundaries	156
11.4	General inverse binarization processes	156
11.4.1	Parsing unsigned fixed-length codes (FL)	156
11.4.2	Parsing signed fixed-length codes (FL+S)	156
11.4.3	Parsing k-th order exp-Golomb codes (EGk)	156
11.4.4	Parsing concatenated truncated unary and k-th order exp-Golomb codes (TU+EGk)	157
11.4.5	Parsing truncated unary codes (TU)	157
11.4.6	Mapping process for signed codes	157
11.4.7	Parsing ASN.1 object identifiers	158
11.5	CABAC parsing processes	158
11.5.1	Initialization	158
11.5.2	Definition of AeReadBin	158
11.5.3	Contextual probability models	159
11.5.4	Arithmetic decoding engine	162
11.6	Parsing state memorization and restoration	164
11.6.1	General	164
11.6.2	Geometry data units	164
11.6.3	Attribute data units	165
11.6.4	Defaulted attribute data units	165
Annex A (normative) Profiles and levels		166
Annex B (normative) Type-length-value encapsulated bytestream format		172
Annex C (informative) Arithmetic encoding engine		174
Annex D (normative) Partial decoding and spatial scalability		177
Annex E (informative) Index of named expressions and variables		179
Bibliography		185