ISO/IEC 15944-10:2023-06 (E)

Information technology - Business operational view - Part 10: IT-enabled coded domains as semantic components in business transactions

Contents

Page

Foreword v

Introduction vi

1 Scope 1

2 Normative references 1

3 Termsanddefinitions 1

4 Abbreviated terms 27

5 Fundamental principles governing coded domains 28
5.1 General 28
5.2 Need to be able to use coded domains in support of commitment exchange 30
5.3 Coded domains based on clear, predefined rules, i.e. "rule-based" 31
5.3.1 Requirements of rule-based coded domains as a whole 31
5.3.2 Rule-base for IT enablement of a coded domain 33
5.3.3 Rule-base for structuring a coded domain 33
5.4 Separation of the IT interface from human interface requirements 34
5.5 Specification and representation of coded domains in an IT-platform neutral manner 35

6 Businessoperationalviewidentificationanddescriptionofcodeddomains 36
6.1 Construct of coded domain 36
6.1.1 Identification of coded domains 36
6.1.2 Levels of semantic unambiguity 38
6.1.3 Rule-base of a coded domain 38
6.1.4 Table of ID codes and HIEs 39
6.2 Characteristics of coded domains 39
6.2.1 "for free" or "for a fee" coded domains 39
6.2.2 Exhaustiveness of coded domains 39
6.2.3 Semantic granularity 40
6.2.4 Openness of coded domains 41

7 Rules governing rule-base of coded domains 41
7.1 General 41
7.2 Specification of a boundary of a coded domain and inclusion of its members 43
7.3 Specification of exclusionary rules for a coded domain 44
7.4 Source(s) of rule-base governing a coded domain 44

8 Rules for management of ID codes in coded domains 44
8.1 Overview 44
8.2 Generic rules for the management of a coded domain 45
8.3 Rules governing assignment of ID codes 45
8.4 Rules governing the change management of entries in the coded domain 46
8.4.1 Change management of ID codes 46
8.4.2 Change management of HIEs 47
8.5 Registration of user extensions 47

9 Rules for specifying Human Interface Equivalents (HIEs) to an ID Code in a coded domain 47

9.1 Multiple Human Interface Equivalents (HIEs) for an ID code in a coded domain 47
9.2 Standard structure for semantics of a Human Interface Equivalent (HIE) 48
9.3 Rules governing linguistic (written) representations as Human Interface Equivalents (HIEs) of ID codes as required values in coded domains 49
9.4 Individual accessibility of HIEs of coded domains 49
9.5 Rules governing composite semantics 50

10 Coded domains and controlled vocabularies 50
10.1 Purpose 50

10.2 Rules common to controlled vocabularies and coded domains 51
10.3 Rules governing a controlled vocabulary 51
10.4 Rules governing a coded domain 52

11 Rules governing the registration of coded domains as re-usable business objects 53
11.1 Principles of registration 53
11.2 Process of registration 54
11.3 Coded Domain Registration schema 54

12 IT-enablement of coded domains 55
12.1 Purpose 55
12.2 Templates for IT-enabled coded domains -- Attributes for Scoping an Open-edi scenario (OeS) 55
12.2.1 Purpose 55
12.2.2 Template structure and content 55
12.3 Template for Scoping Open-edi scenarios 56
12.4 Specification and consolidated template of attributes of Open-edi scenarios, roles, information bundles (IBs) and semantic components (SCs) 59

Annex A (normative) Coded domain registration administration attributes 64

Annex B (normative) Use of IT-enabled coded domains to ensure semantic interoperability in support of the "UN Convention on the Rights of Persons with Disabilities" 68

Annex C (informative)Conceptanddefinitionof"codeddomain" 70

Annex D (informative) Case Study: Example of "e-potato" 75

Annex E (informative) Case study: Example of a coded domain with two writing systems for Human Interface Equivalents (HIEs) of a set of ID codes - in Russian use of the Cyrillic alphabet and the romanized form 77

Annex F (informative) Case study: Example of coded domain in Matrix form and XML format as found in Table 2 in ISO/IEC 5218 "Codes representing the human sexes" 78

Annex G (informative) Determining whether the membership in a coded domain is exhaustive or non-exhaustive 90

Annex H (informative)Examplesofidentificationofdifferentobjectclasseswithinacoded domainthroughtheuseofsemanticqualifiers 95

Annex I (informative) Exclusions and aspects not currently addressed to the scope 102

Bibliography 104