

ISO/IEC 15444-2:2023-11 (E)

Information technology - JPEG 2000 image coding system - Part 2: Extensions

Contents		Page
1	Scope	1
2	Normative references	1
3	Definitions	2
4	Abbreviations	4
5	Conventions	4
6	General description	4
6.1	Extensions specified by this Recommendation International Standard	5
6.2	Relation between extensions	6
Annex A	Compressed data syntax, extension	8
A.1	Extended capabilities	8
A.2	Extensions to Rec. ITU-T T.800 ISO/IEC 15444-1 marker segment parameters	8
A.3	Extended marker segments	16
Annex B	Variable DC offset, extension	35
B.1	Variable DC offset flow	35
B.2	Inverse DC offset	35
B.3	Forward DC offset (informative)	35
Annex C	Variable scalar quantization, extension	37
C.1	Variable scalar quantization	37
C.2	Variable scalar dequantization for irreversible filters	37
C.3	Variable scalar quantization for irreversible filters (informative)	37
Annex D	Trellis coded quantization extensions	39
D.1	Introduction to TCQ	39
D.2	Sequence definition	40
D.3	Forward TCQ quantization (informative)	41
D.4	Inverse quantization (normative)	42
D.5	Lagrangian rate allocation (informative)	45
Annex E	Visual masking, extensions	50
E.1	Introduction to visual masking (informative)	50
E.2	Point-wise extended non-linearity (informative)	50
E.3	Decoding with visual masking	52
E.4	Encoding with visual masking (informative)	53
E.5	Setting parameters (informative)	53
E.6	Compatibility with other technologies (informative)	53
Annex F	Arbitrary decomposition of tile-components, extensions	54
F.1	Wavelet sub-bands	54
F.2	Equation, text and decomposition updates	55
F.3	Inverse discrete wavelet transformation for general decompositions	64
F.4	Forward discrete wavelet transformation for general decompositions (informative)	71
Annex G	Whole-sample symmetric transformation of images, extensions	78
G.1	Wavelet transformation parameters, definitions and normalizations	78
G.2	Whole-sample symmetric (WS) wavelet transformations reconstruction	78
G.3	Whole-sample symmetric (WS) wavelet transformation decomposition (informative)	81
G.4	Examples of WS wavelet transformations (informative)	82
Annex H	Transformation of images using arbitrary wavelet transformations	85
H.1	Wavelet transformation parameters and normalizations	85
H.2	Arbitrary (ARB) wavelet transformation reconstruction procedures	85
H.3	Arbitrary (ARB) wavelet transformation decomposition procedures (informative)	91
H.4	Examples of ARB wavelet transformations (informative)	94

Annex I – Single sample overlap discrete wavelet transform, code-block anchor point and progression order extensions	98
I.1 Introduction to single sample overlapping	98
I.2 The code-block anchor points (CBAP) extension	98
I.3 The SSO extension	102
I.4 The TSSO extension	110
I.5 Combining the SSO and TSSO extensions (informative)	111
Annex J – Multiple component transformations, extension.....	112
J.1 Introduction to multiple component transformation concepts.....	112
J.2 Overview of inverse processing	112
J.3 Transformations	118
Annex K – Non-linear transformation	128
K.1 Signalling the use of the non-linear transformations.....	128
K.2 Non-linear transformation specifications	129
Annex L – Region of interest coding and extraction, extensions.....	133
L.1 Decoding of ROI.....	133
L.2 Description of the Scaling based method	133
L.3 Region of interest mask generation	134
L.4 Remarks on region of interest coding.....	138
Annex M – JPX extended file format syntax.....	139
M.1 File format scope.....	139
M.2 Introduction to JPX	139
M.3 Greyscale/Colour/Palette/multi-component specification architecture	142
M.4 Fragmenting the codestream between one or more files	143
M.5 Combining multiple codestreams	145
M.6 Using reader requirements masks to determine how a file can be used	149
M.7 Extensions to the JPX file format.....	156
M.8 Differences from the JP2 binary definition	157
M.9 Conformance	157
M.10 Key to graphical descriptions (informative).....	161
M.11 Defined boxes	161
M.12 Dealing with unknown boxes.....	210
M.13 Using the JPX file format in conjunction with other multi-media standards (informative)	210
M.14 Decomposing an XML document into multiple boxes.....	211
Annex N – JPX file format extended metadata definition and syntax	213
N.1 Introduction to extended metadata	213
N.2 Additional references for extended metadata	213
N.3 Scope of metadata definitions	213
N.4 Metadata syntax	214
N.5 Defined boxes	215
N.6 Metadata definitions.....	217
N.7 Fundamental type and element definitions.....	258
N.8 JPX extended metadata document type definition	284
N.9 JPX extended metadata XML Schema.....	304
Annex O – Examples and guidelines, extensions	347
O.1 Arbitrary decomposition examples	347
O.2 Odd Tile Low Pass First (OTLPPF) convention	368
O.3 Multiple component collection example	369
O.4 Background to enhancement of quantization	379
O.5 Wrapping JPEG XR (Rec. ITU-T T.832 ISO/IEC 29199-2) Codestreams by the JPX file format ...	379
O.6 Representing floating point numbers within JPEG 2000	382
O.7 Working with ROI Description boxes.....	383

Annex P – Block coder extensions	384
P.1 Selective arithmetic coding bypass (lazy mode)	384
P.2 Enhancement of selective arithmetic coding bypass (fast mode).....	384
Bibliography	386

List of Tables

Table A.1 – Syntax support for extensions	8
Table A.2 – Capability Rsiz parameter, extended	9
Table A.3 – Start of tile-part parameter values, extended.....	9
Table A.4 – Number of tile-parts, TNsot, parameter value, extended	9
Table A.5 – Coding style parameter values for the Scod parameter.....	10
Table A.6 – Coding style parameter values of the SGcod parameter	11
Table A.7 – Coding style parameter values of the SPcod and SPcoc parameters, extended	11
Table A.7bis – Progression order for the SGcod and Ppoc parameters	11
Table A.8 – Multiple component transformation for the SGcod parameters	11
Table A.9 – Decomposition for the SPcod and SPcoc parameters, extended	12
Table A.10 – Transformation for the SPcod and SPcoc parameters, extended.....	12
Table A.11 – SSO parameters, extended	12
Table A.11bis – SXcod parameter.....	12
Table A.11ter – Progression order change, tile parameter values.....	13
Table A.12 – Quantization default values for the Sqcd, Sqcc, Sqpd, and Sqpc parameters, extended	14
Table A.13 – Quantization values (irreversible transformation only), extended	14
Table A.14 – SPqcd, SPqcc, SPqpd, and SPqpc parameters (irreversible transformation only), extended	14
Table A.15 – SPqcd, SPqcc, SPqpd, and SPqpc parameters (irreversible transformation only), extended	15
Table A.16 – Region-of-interest parameter values for the Srgn parameter	15
Table A.17 – Component index parameter value for the Crgn parameter	15
Table A.18 – Region-of-interest values from SPRgn parameter (Srgn = 1 or Srgn = 2)	15
Table A.19 – List of markers and marker segments	16
Table A.20 – Variable DC offset parameter values	17
Table A.21 – Variable DC offset parameter values for the Sdco parameter.....	17
Table A.22 – Visual masking parameter values	18
Table A.23 – Component parameter value for the Cvms parameter.....	18
Table A.24 – Visual masking for the Svms parameters.....	18
Table A.25 – Downsampling factor styles parameter values.....	19
Table A.26 – Arbitrary decomposition styles parameter values	20
Table A.27 – Arbitrary transformation parameter values	21
Table A.28 – Arbitrary transformation values for the Satk parameter.....	22
Table A.29 –Component bit depth definition parameter values	23
Table A.30 – Component bit depth definition values for the Ncbd parameter	23
Table A.31 – Component bit depth definition values for the BDcbdi parameter.....	23
Table A.32 – Multiple component transformation definition parameter values	24
Table A.33 – Multiple component transformation definition values for the Imct parameter	24
Table A.34 – Multiple component collection parameter values	26
Table A.35 – Multiple component collection values for the Xmcci parameter	26

Table A.36 – Multiple component collection values for the Nmcci parameter	26
Table A.37 – Multiple component collection values for the Mmcci parameter.....	27
Table A.38 – Multiple component collection values for the Tmcci parameter (array-based).....	27
Table A.39 – Multiple component collection values for the Tmcci parameter (wavelet-based)	27
Table A.40 – Multiple component intermediate collection parameter values	28
Table A.41 – Non-linearity transformation parameter values	29
Table A.42 – Non-linearity transformation parameter values for the Cnlt parameter	29
Table A.43 – Decoded image component bit depth parameter values for the BDnlt parameter.....	29
Table A.44 – Non-linearity transformation parameter values of the Tnlt parameter.....	30
Table A.45 – Non-linearity transformation parameter values of the STnlt parameter (Tnlt = 1)	30
Table A.46 – Non-linearity transformation parameter values of the STnlt parameter (Tnlt = 2)	30
Table A.47 – Quantization default, precinct parameter values	32
Table A.48 – Quantization precinct component parameter values	33
Table A.49 – Ccap2 syntax and semantics	33
Table A.50 – Precinct length, tile-part header parameter values	34
Table A.51 – Srlt values and semantics	34
Table A.52 – Semantics of JrItI values when Srlt is in the range [0, 231 – 1]	34
Table D.1 – Parent LUTs for $k > 0$ in the trellis of Figure D.3.....	42
Table D.2 – Description of functional blocks in Figure D.4.....	42
Table D.3 – Description of functional blocks in Figure D.5.....	43
Table D.4 – Look-up table for A(s)	44
Table D.5 – Look-up table for S(s,qk).....	44
Table D.6 – Description of functional blocks for Figure D.6.....	45
Table D.7 – Sub-band statistics required for LRA.....	46
Table D.8 – ρ_b parameters for TCQ	46
Table D.9 – Δ_b parameters for TCQ	46
Table D.10 – ρ_b parameters for SQ	47
Table D.11 – Δ_b parameters for SQ	47
Table D.12 – Description of functional blocks in Figure D.7.....	49
Table F.1 – Updates to contexts for significance propagation and cleanup coding passes.....	56
Table F.2 – Quantities for sub-band info calculation.....	60
Table F.3 – S(ab) and J(ab) as a function of dS(i)	64
Table F.4 – S(ab) and J(ab) as a function of dR(i).....	64
Table F.5 – Characteristics for sample wavelet decomposition in Figure F.14	65
Table G.1 – Parameters for wavelet transformations.....	78
Table G.2 – Parameters of the 5-3 reversible wavelet transformation.....	83
Table G.3 – Parameters of the 13-7 reversible wavelet transformation	83
Table G.4 – Parameters of the 5-3 irreversible wavelet transformation	84
Table G.5 – Parameters of the irreversible 7-5 wavelet transformation	84
Table G.6 – Parameters of the irreversible 9-7 wavelet transformation	84
Table H.1 – Additional parameters for arbitrary wavelet transformations	85
Table H.2 – Minimum left extension length.....	89
Table H.3 – Minimum right extension length.....	89
Table H.4 – Parameters of the reversible Haar 2-2 wavelet transformation	95

Table H.5 – Parameters of the reversible 2-6 wavelet transformation.....	95
Table H.6 – Parameters of the reversible 2-10 wavelet transformation.....	95
Table H.7 – Parameters of the irreversible 6-10 wavelet transformation	96
Table H.8 – Parameters of the irreversible 10-18 wavelet transformation	96
Table M.1bis – Brand Values for JPEG XR Codestreams.....	142
Table M.1 – Example expression	151
Table M.2 – Expanded expression.....	151
Table M.3 – Example factored expression	151
Table M.4 – Example of a Reader Requirements expressions for Equations M-6 and M-7.....	153
Table M.5 – Example of a Reader Requirements box for Equations M-6 and M-7	153
Table M.6 – Reader Requirements table for Equations M-10 and M-11.....	154
Table M.7 – Reader Requirements box data for Equations M-10 and M-11	154
Table M.8 – Reader Requirements box data for Equations M-16 and M-17.....	155
Table M.9 – Example Reader Requirements box to test.....	155
Table M.10 – Table intentionally left blank	156
Table M.11 – Items which can be extended through Recommendations International Standards.....	156
Table M.12 – Items which can be extended by registration	157
Table M.13 – Boxes defined within this Recommendation International Standard.....	163
Table M.14 – Legal values of the SFi field	165
Table M.15 – Format of the contents of the Reader Requirements box	167
Table M.16 – Format of the contents of the Data Reference box	168
Table M.17 – Format of the contents of the Fragment List box	169
Table M.18 – Format of the contents of the Cross-Reference box	170
Table M.19 – Legal C values.....	171
Table M.20 – BPC and BPCi parameters	172
Table M.21 – Format of the contents of the Image Header box	172
Table M.22 – Legal METH values	176
Table M.23 – Legal APPROX values.....	177
Table M.24 – Format of the contents of the Colour Specification box.....	177
Table M.24bis – Nominal maximum sample values.....	177
Table M.25 – Additional legal EnumCS values	178
Table M.26 – Format of the contents of the METHDAT field for the Enumerated method	179
Table M.27 – Format of the contents of the METHDAT field for the Any ICC method	180
Table M.28 – Format of the contents of the METHDAT field for the Vendor Colour method.....	180
Table M.28bis – Format of the METHDAT field for the Parameterized method.....	181
Table M.29 – Standard illuminant values for CIELab.....	182
Table M.29bis – Default Offset Values and Encoding of Offsets for the CIELab Colourspace.....	182
Table M.30 – Format of the contents of the EP field for CIELab (EnumCS = 14)	183
Table M.30bis – Default Offset Values and Encoding of Offsets for the CIEJab Colourspace	184
Table M.31 – Format of the contents of the EP field for CIEJab (EnumCS = 19)	184
Table M.32 – Colours indicated by the Asoci field	185
Table M.33 – Otyp field values	186
Table M.34 – Format of the contents of the Opacity box	186
Table M.35 – Format of the contents of the Codestream Registration box	188

Table M.35bis – Allowed values for the pixel format	189
Table M.35ter – Common floating point formats (informative).....	189
Table M.36 – Format of the contents of the Composition box	190
Table M.37 – Format of the contents of the Composition Options box.....	191
Table M.38 – Ityp field values.....	192
Table M.39 – Format of the contents of the Instruction Set box	192
Table M.40 – Format of the contents of the INSTi parameter in the Instruction Set box.....	194
Table M.40bis – Encoding of the ROT field	194
Table M.41 – Format of the contents of the Association box	196
Table M.42 – ANi field values	196
Table M.43 – Format of the contents of the Number List box	196
Table M.44 – Legal Filter types.....	197
Table M.45 – Format of the contents of the Binary Filter box	198
Table M.46 – Format of the contents of the Graphics Technology Standard Output box	199
Table M.47 – Legal Ri values.....	199
Table M.48 – Allowed Rtypi values.....	200
Table M.49 – Format of the contents of the ROI Description box	200
Table M.49bis – Interpreting the 2 bit D field of Rtypi for quadrilateral refinements.....	201
Table M.50 – Legal Styp values	202
Table M.51 – Legal Ptyp values	203
Table M.52 – Format of the contents of the Digital Signature box	203
Table M.53 – Format of the contents of the Multiple Codestream box	208
Table M.54 – Format of the contents of the Multiple Codestream Info box	209
Table N.1 – Format of the contents of the Image Creation box.....	215
Table N.2 – Format of the contents of the Content Description box	216
Table N.3 – Format of the contents of the History box	216
Table N.4 – Format of the contents of the Intellectual Property Rights box	217
Table N.5 – Format of the contents of the Image Identifier box.....	217
Table N.6 – Image Source values	219
Table N.7 – Scene type values.....	219
Table N.8 – Sensor technology values.....	222
Table N.9 – Exposure program values.....	228
Table N.10 – Metering mode values.....	228
Table N.11 – Scene illuminant values	229
Table N.12 – Back light values.....	229
Table N.13 – Auto focus values.....	230
Table N.14 – Name description values	252
Table N.15 – Date description values	254
Table N.16 – Additional name description values.....	258
Table N.17 – Address component type values.....	264
Table N.18 – Address type values	264
Table N.19 – Phone number type values	265
Table N.20 – Name component type values	268
Table N.21 – Latitude reference values	276

Table N.22 – Latitude values.....	276
Table N.23 – Longitude reference values.....	276
Table N.24 – Longitude values.....	277
Table N.25 – GPS Status values.....	277
Table N.26 – GPS Measure mode values.....	277
Table N.27 – GPS Speed reference unit values.....	277
Table N.28 – Direction reference values.....	278
Table N.29 – GPS Destination distance reference unit values.....	278
Table O.1 – Sub-band labels for Figure O.15.....	352
Table O.2 – Mapping between ROT and SPATIAL_XFRM_SUBORDINATE.....	381
Table P.1 – Selective arithmetic coding bypass (default); (the same as Table D.9 of ITU-T T.800 ISO/IEC 15444-1)...	384
Table P.2 – Example of two bit planes (fast mode).....	385

List of Figures

Figure 6-1 – Decoder block diagram.....	7
Figure A.1bis – Coding style default syntax.....	10
Figure A.1 – Variable DC offset syntax.....	16
Figure A.2 – Visual masking syntax.....	17
Figure A.3 – Downsampling factor styles syntax.....	18
Figure A.4 – Arbitrary decomposition styles syntax.....	19
Figure A.5 – Arbitrary transformation default syntax.....	20
Figure A.6 – Component bit depth definition syntax.....	22
Figure A.7 – Multiple component transformation definition syntax.....	23
Figure A.8 – Multiple component collection syntax.....	25
Figure A.9 – Multiple component transformation ordering syntax.....	28
Figure A.10 – Non-linearity point transformation syntax.....	28
Figure A.11 – Quantization default, precinct syntax.....	31
Figure A.12 – Quantization precinct component syntax.....	32
Figure A.13 – Precinct length, tile-part header syntax.....	34
Figure B.1 – Placement of the DC offset with multiple component transformation.....	35
Figure B.2 – Placement of the DC offset without multiple component transformation.....	35
Figure D.1 – Scalar quantizers used for TCQ.....	39
Figure D.2 – Union quantizers for TCQ.....	40
Figure D.3 – Trellis showing node indices.....	40
Figure D.4 – Forward TCQ processing.....	41
Figure D.5 – Full inverse processing for TCQ indices.....	43
Figure D.6 – Approximate dequantization of TCQ indices.....	45
Figure D.7 – Lagrangian rate allocation.....	48
Figure E.1 – System diagram for point-wise extended masking extension.....	50
Figure E.2 – Non-uniform quantization for self-contrast masking.....	51
Figure E.3 – Causal neighbourhood.....	52
Figure F.1 – Possible splits of sub-bands.....	55
Figure F.2 – Parameters for the GET_HOR_DEPTH and GET_VER_DEPTH procedures.....	56
Figure F.3 – The GET_HOR_DEPTH and GET_VER_DEPTH procedures.....	57

Figure F.4 – Parameters for the SET_SUBBAND_INFO procedure	58
Figure F.5 – The SET_SUBBAND_INFO procedure	58
Figure F.6 – Parameters for the RECUR_INFO procedure	59
Figure F.7 – The RECUR_INFO procedure	59
Figure F.8 – Parameters for the INIT_□ procedure.....	60
Figure F.9 – Procedure for setting maximum number of sub-levels, □(lev)	61
Figure F.10 – Parameters for the INIT_S_R procedure	61
Figure F.11 – Upper level procedure for defining S(ab) and R(lev).....	62
Figure F.12 – Parameters for the LEV_S procedure.....	63
Figure F.13 – Procedure for defining S(ab)	63
Figure F.14 – Sample wavelet decomposition with labelled sub-bands	64
Figure F.15 – Parameters for the MOD_IDWT procedure	65
Figure F.16 – The MOD_IDWT procedure	66
Figure F.17 – Parameters for the MOD_2D_SR procedure.....	66
Figure F.18 – The MOD_2D_SR procedure.....	67
Figure F.19 – Parameters for the MOD_2D_INTERLEAVE procedure.....	67
Figure F.20 – The MOD_2D_INTERLEAVE procedure	68
Figure F.21 – Parameters for the 2D_HV_INTERLEAVE procedure	68
Figure F.22 – The 2D_HV_INTERLEAVE procedure	69
Figure F.23 – Parameters for the 2D_H_INTERLEAVE procedure	70
Figure F.24 – The 2D_H_INTERLEAVE procedure	70
Figure F.25 – Parameters for the 2D_V_INTERLEAVE procedure	71
Figure F.26 – The 2D_V_INTERLEAVE procedure	71
Figure F.27 – Parameters for the MOD_FDWT procedure	71
Figure F.28 – The MOD_FDWT procedure	72
Figure F.29 – Parameters for the MOD_2D_SD procedure	72
Figure F.30 – The MOD_2D_SD procedure	73
Figure F.31 – Parameters for the MOD_2D_DEINTERLEAVE procedure.....	73
Figure F.32 – The MOD_2D_DEINTERLEAVE procedure	74
Figure F.33 – Parameters for the 2D_HV_DEINTERLEAVE procedure	74
Figure F.34 – The 2D_HV_DEINTERLEAVE procedure	75
Figure F.35 – Parameters for the 2D_H_DEINTERLEAVE procedure.....	76
Figure F.36 – The 2D_H_DEINTERLEAVE procedure	76
Figure F.37 – Parameters for the 2D_V_DEINTERLEAVE procedure.....	76
Figure F.38 – The 2D_V_DEINTERLEAVE procedure.....	77
Figure G.1 – Parameters of the 1D_SR_WS procedures	79
Figure G.2 – The 1D_SR_WS procedure	79
Figure G.3 – Parameters of the 1D_FILTR_WS procedure	80
Figure G.4 – Parameters of the 1D_FILTR_WS procedure	80
Figure G.5 – Parameters of the 1D_SD_WS procedure	81
Figure G.6 – The 1D_SD_WS procedure	81
Figure G.7 – Parameters of the 1D_FILTD_WS procedure	82
Figure G.8 – Parameters of the 1D_FILTD_WS procedure	82
Figure H.1 – Parameters of the extended 1D_SR_ARB procedure	86

Figure H.2 – Extended procedure 1D_SR_ARB	87
Figure H.3 – Parameters of the 1D_SCALER procedure	87
Figure H.4 – Parameters of the 1D_STEPR procedure.....	88
Figure H.5 – Procedure 1D_STEPR.....	88
Figure H.6 – Parameters of the 1D_EXT_WS procedure.....	89
Figure H.7 – Parameters of the 1D_EXT_CON procedure	89
Figure H.8 – Parameters of the 1D_UPDATER_REV procedure	90
Figure H.9 – Parameters of the 1D_UPDATER_IRR procedure.....	90
Figure H.10 – Parameters of the extended 1D_SD_ARB procedure	91
Figure H.11 – Extended procedure 1D_SD_ARB	92
Figure H.12 – Parameters of the 1D_STEPD procedure	92
Figure H.13 – Procedure 1D_STEPD.....	93
Figure H.14 – Parameters of the 1D_UPDATED_REV procedure.....	93
Figure H.15 – Parameters of the 1D_UPDATED_IRR procedure	94
Figure H.16 – Parameters of the 1D_SCALED procedure	94
Figure H.17 – Lifting implementation for forward half-sample symmetric wavelet transformations	97
Figure I.1 – Precincts of one reduced resolution (modified Figure B.8 of Rec. ITU-T T.800 ISO/IEC 15444-1) ..	99
Figure I.2 – Codeblocks and precincts in sub-band b from four different tiles	100
Figure I.3 – The IDWT_SSO Procedure.....	103
Figure I.4 – The 2D_SR_SSO procedure	104
Figure I.5 – Parameters of the 1D_FILTR_SSO procedure.....	104
Figure I.6 – The FDWT_SSO procedure.....	106
Figure I.7 – The 2D_SD_SSO procedure	107
Figure I.8 – Parameters of the 1D_FILTD_SSO procedure	108
Figure I.9 – Position of SSO blocks	109
Figure I.10 – Tiling of the reference grid diagram	111
Figure J.1 – Inverse multiple component transformation processing	113
Figure J.2 – Procedure MCO_TRANSFORM.....	114
Figure J.3 – A single multiple component collection transformation (MCC_TRANS) stage	115
Figure J.4 – Procedure MCC_TRANS	116
Figure J.5 – A single component collection transformation (CC_TRANS) stage	117
Figure J.6 – Procedure CC_TRANS.....	117
Figure J.7 – SERM implementation of reversible decorrelation transformation	121
Figure J.8 – SERM implementation of forward reversible decorrelation transformation.....	122
Figure J.9 – Irreversible dependency transformation.....	123
Figure J.10 – Forward irreversible dependency transformation	124
Figure J.11 – Reversible dependency transformation.....	125
Figure J.12 – Forward reversible dependency transformation.....	126
Figure K.1 – Non-linear transformation application during decoding.....	128
Figure K.2 – Example gamma-type forward non-linear transformation.....	130
Figure L.1 – Rectangular mask on the reference grid.....	135
Figure L.2 – Elliptic mask on the reference grid	135
Figure M.1 – Example fragmented JPX file where all fragments are in the same file	144
Figure M.2 – Example fragmented JPX file where some fragments are stored in other files or resources	145

Figure M.3 – Example combination of two codestreams into a single compositing layer.....	146
Figure M.4 – Example of the box description figures	161
Figure M.5 – Example of the superbox description figures.....	161
Figure M.6 – Boxes defined within a JPX file.....	162
Figure M.7 – Organization of the contents of the Reader Requirements box.....	165
Figure M.8 – Organization of the contents of a Data Reference box.....	168
Figure M.9 – Organization of the contents of a Fragment Table box.....	168
Figure M.10 – Organization of the contents of a Fragment List box.....	169
Figure M.11 – Organization of the contents of a Fragment table box	170
Figure M.12 – Organization of the contents of an Image Header box.....	171
Figure M.13 – Organization of the contents of a Codestream Header box.....	173
Figure M.14 – Organization of the contents of a Compositing Layer Header box.....	174
Figure M.15 – Organization of the contents of a Colour Group box	175
Figure M.16 – Organization of the contents of a Colour Specification box	176
Figure M.17 – Organization of the contents of the METHDAT field for the Enumerated method.....	178
Figure M.18 – Organization of the contents of the METHDAT field for the Any ICC method.....	180
Figure M.19 – Organization of the contents of the METHDAT field for the Vendor Colour method.....	180
Figure M.19bis – Organization of the METHDAT field for the Parameterized method.....	181
Figure M.20 – Organization of the contents of the EP field for the CIELab (EnumCS = 14).....	181
Figure M.21 – Organization of the contents of the EP field for the CIEJab (EnumCS = 19).....	183
Figure M.22 – Organization of the contents of an Opacity box.....	185
Figure M.23 – Organization of the contents of a Codestream Registration box.....	187
Figure M.23bis – Layout of the Pixel Format Box.....	188
Figure M.24 – Organization of the contents of a Composition box.....	190
Figure M.25 – Organization of the contents of a Composition Options box	191
Figure M.26 – Organization of the contents of an Instruction Set box.....	191
Figure M.27 – Organization of the contents of an INST field within an Instruction Set box.....	192
Figure M.28 – Example of ROI specific metadata associated with one or more images.....	195
Figure M.29 – Example of Multiple XML documents associated with one or more images	195
Figure M.30 – Example of a Labelled XML document.....	195
Figure M.31 – Example of a labelled image.....	195
Figure M.32 – Organization of the contents of an Association box	196
Figure M.33 – Organization of the contents of a Number List box.....	196
Figure M.34 – Organization of the contents of a Label box	197
Figure M.35 – Organization of the contents of a Binary Filter box.....	197
Figure M.36 – Organization of the contents of the Desired Reproductions box.....	198
Figure M.37 – Organization of the contents of the Graphics Technology Standard Output box.....	198
Figure M.38 – Organization of the contents of the ROI Description box.....	199
Figure M.39 – Organization of the contents of a Digital Signature box.....	202
Figure M.40 – Organization of the contents of a MPEG-7 Binary box	204
Figure M.41 – Organization of the contents of a Compositing Layer Extensions box.....	205
Figure M.42 – Organization of the Compositing Layer Extensions Info box.....	207
Figure M.43 – Organization of the contents of a Multiple Codestream box.....	208
Figure M.44 – Organization of the contents of a Multiple Codestream Offsets box	208

Figure M.45 – Organization of the contents of a Grouping box	209
Figure M.46 – Organization of the contents of a decomposed XML box	210
Figure M.47 – Organization of the contents of a XML header box.....	210
Figure M.48 – Example Box layout for a Decomposed XML box.....	212
Figure N.1 – Organization of the contents of Image Creation box	215
Figure N.2 – Organization of the contents of Content Description box	216
Figure N.3 – Organization of the contents of History box.....	216
Figure N.4 – Organization of the contents of Intellectual Property Rights box.....	216
Figure N.5 – Organization of the contents of Image Identifier box.....	217
Figure N.6 – Schema of the Image Creation metadata	217
Figure N.7 – Schema of the General Creation Information metadata.....	218
Figure N.8 – Schema of the Camera Capture metadata.....	220
Figure N.9 – Schema of the Device Characterization metadata	221
Figure N.10 – Schema of the Spatial Frequency Response metadata.....	223
Figure N.11 – Schema of the Colour Filter Array Pattern metadata.....	224
Figure N.12 – Schema of the Opto-electronic Conversion Function metadata.....	225
Figure N.13 – Schema of the Camera Capture Settings metadata	227
Figure N.14 – Schema of the Scanner Capture metadata.....	230
Figure N.15 – Schema of the Scanner Settings metadata	231
Figure N.16 – Schema of the Software Creation metadata.....	231
Figure N.17 – Schema of the Captured Item metadata	232
Figure N.18 – Schema of the Reflection Print metadata.....	233
Figure N.19 – Schema of the Film metadata	234
Figure N.20 – Schema of the Content Description metadata.....	235
Figure N.21 – Schema of the Person Description metadata.....	236
Figure N.22 – Schema of the Thing Description metadata.....	237
Figure N.23 – Schema of the Organization Description metadata.....	238
Figure N.24 – Schema of the Event Description metadata.....	239
Figure N.25 – Schema of the Participant metadata.....	240
Figure N.26 – Schema of the Event Relationship metadata.....	241
Figure N.27 – Schema of the Audio metadata.....	241
Figure N.28 – Schema of the Property metadata	242
Figure N.29 – Schema of the Dictionary Definition metadata.....	243
Figure N.30 – Schema of the History metadata	243
Figure N.31 – Schema of the Processing Summary metadata	244
Figure N.32 – Schema of the Image Processing Hints metadata	246
Figure N.33 – Schema of the Previous metadata	247
Figure N.34 – Schema of the Image Reference metadata.....	248
Figure N.35 – Schema of the Intellectual Property Rights metadata	249
Figure N.36 – Schema of the IPR Names metadata.....	252
Figure N.37 – Schema of the IPR Description metadata	252
Figure N.38 – Schema of the IPR Dates metadata.....	253
Figure N.39 – Schema of the IPR Exploitation metadata	254
Figure N.40 – Schema of the IPR Management Systems metadata.....	255

Figure N.41 – Schema of the IPR Identification metadata	256
Figure N.42 – Schema of the IPR Identifier metadata	256
Figure N.43 – Schema of the License Plate metadata.....	257
Figure N.44 – Schema of the IPR Contact Point metadata.....	257
Figure N.45 – Schema of the Image Identifier metadata	258
Figure N.46 – Schema of the non-negative double type.....	259
Figure N.47 – Schema of the rational type	259
Figure N.48 – Schema of the string including language attribute type.....	259
Figure N.49 – Schema of the degree type.....	260
Figure N.50 – Schema of the half degree type.....	260
Figure N.51 – Schema of the double size type	260
Figure N.52 – Schema of the integer size type	261
Figure N.53 – Schema of the DateTime type	262
Figure N.54 – Schema of the Address type	263
Figure N.55 – Schema of the Phone number type	264
Figure N.56 – Schema of the Email address type.....	265
Figure N.57 – Schema of the Web address type.....	266
Figure N.58 – Schema of the Person type.....	268
Figure N.59 – Schema of the Organization type.....	269
Figure N.60 – Schema of the Location type	270
Figure N.61 – Schema of the Coordinate location element	271
Figure N.62 – Schema of the Raw GPS Information element	273
Figure N.63 – Schema of the Raw GPS Information element (continued).....	275
Figure N.64 – Schema of the Raw GPS Information element (concluded).....	276
Figure N.65 – Schema of the Direction type	279
Figure N.66 – Schema of the Position type	280
Figure N.67 – Schema of the Point type.....	280
Figure N.68 – Schema of the Rect type	281
Figure N.69 – Schema of the Region type.....	282
Figure N.70 – Schema of the Product Details type.....	283
Figure N.71 – Schema of the Language attribute	283
Figure N.72 – Schema of the Timestamp attribute.....	283
Figure N.73 – Schema of the Comment element.....	284
Figure O.1 – Sample wavelet decomposition: $N_L = 3; I_R = 3; d_R() = 123; I_0 = 2, d_0() = 31; I_S = 9, d_S() = 320300203$	347
Figure O.2 – Sample wavelet decomposition: $N_L = 3; I_R = 3; d_R() = \underline{1}23; I_0 = 2, d_0() = 31; I_S = 9, d_S() = 320300203$	347
Figure O.3 – Sample wavelet decomposition: $N_L = 3; I_R = 3; d_R() = 1\underline{2}3; I_0 = 2, d_0() = 31; I_S = 9, d_S() = 320300203$	348
Figure O.4 – Sample wavelet decomposition: $N_L = 3; I_R = 3; d_R() = 12\underline{3}; I_0 = 2, d_0() = 31; I_S = 9, d_S() = 320300203$	348
Figure O.5 – Sample wavelet decomposition: $N_L = 3; I_R = 3; d_R() = 123; I_0 = 2, d_0() = \underline{3}1; I_S = 9, d_S() = \underline{3}20300203$	348
Figure O.6 – Sample wavelet decomposition: $N_L = 3; I_R = 3; d_R() = 123; I_0 = 2, d_0() = 3\underline{1}; I_S = 9, d_S() = 3\underline{2}0300203$	348
Figure O.7 – Sample wavelet decomposition: $N_L = 3; I_R = 3; d_R() = 123; I_0 = 2, d_0() = 3\underline{1}; I_S = 9, d_S() = 32\underline{0}300203$	349
Figure O.8 – Sample wavelet decomposition: $N_L = 3; I_R = 3; d_R() = 123; I_0 = 2, d_0() = 3\underline{1}; I_S = 9, d_S() = 320\underline{3}00203$	349
Figure O.9 – Sample wavelet decomposition: $N_L = 3; I_R = 3; d_R() = 123; I_0 = 2, d_0() = 3\underline{1}; I_S = 9, d_S() = 3203\underline{0}0203$	349

Figure O.10 – Sample wavelet decomposition: $N_L = 3; I_R = 3; d_R() = 123; I_\theta = 2, d_\theta() = \underline{31}; I_S = 9, d_S() = 320300\underline{203}$	349
Figure O.11 – Sample wavelet decomposition: $N_L = 3; I_R = 3; d_R() = 123; I_\theta = 2, d_\theta() = \underline{31}; I_S = 9, d_S() = 320300\underline{203}$	350
Figure O.12 – Sample wavelet decomposition: $N_L = 3; I_R = 3; d_R() = 123; I_\theta = 2, d_\theta() = \underline{31}; I_S = 9, d_S() = 3203002\underline{03}$	350
Figure O.13 – Sample wavelet decomposition: $N_L = 3; I_R = 3; d_R() = 123; I_\theta = 2, d_\theta() = \underline{31}; I_S = 9, d_S() = 32030020\underline{3}$	350
Figure O.14 – Sample wavelet decomposition: $N_L = 3; I_R = 3; d_R() = 123; I_\theta = 2, d_\theta() = 3\underline{1}; I_S = 9, d_S() = 320300203$	351
Figure O.15 – FBI decomposition: $N_L = 5; I_R = 0; d_R() = 0$ (since $I_R = 0, I_R$ and $d_R()$ get reset in Figure F.11 to $I_R = 5$ and $d_R() = 11111$); $I_\theta = 4, d_\theta() = 2321; I_S = 17, d_S() = 1110111111111111$	351
Figure O.16 – FBI decomposition: $N_L = 5; I_R = 5$ and $d_R() = \underline{11111}; I_\theta = 4, d_\theta() = 2321; I_S = 17, d_S() = 1110111111111111$	353
Figure O.17 – FBI decomposition: $N_L = 5; I_R = 5$ and $d_R() = 1\underline{1111}; I_\theta = 4, d_\theta() = 2321; I_S = 17, d_S() = 1110111111111111$	354
Figure O.18 – FBI decomposition: $N_L = 5; I_R = 5$ and $d_R() = 11\underline{111}; I_\theta = 4, d_\theta() = 2321; I_S = 17, d_S() = 1110111111111111$	355
Figure O.19 – FBI decomposition: $N_L = 5; I_R = 5$ and $d_R() = 1111\underline{1}; I_\theta = 4, d_\theta() = 2321; I_S = 17, d_S() = \underline{1110111111111111}$	356
Figure O.20 – FBI decomposition: $N_L = 5; I_R = 5$ and $d_R() = 11111; I_\theta = 4, d_\theta() = \underline{2321}; I_S = 17, d_S() = 1\underline{1101111111111111}$	357
Figure O.21 – FBI decomposition: $N_L = 5; I_R = 5$ and $d_R() = 11111; I_\theta = 4, d_\theta() = 2\underline{321}; I_S = 17, d_S() = 111\underline{0111111111111111}$	358
Figure O.22 – FBI decomposition: $N_L = 5; I_R = 5$ and $d_R() = 11111; I_\theta = 4, d_\theta() = 2\underline{321}; I_S = 17, d_S() = 1110\underline{1111111111111111}$	359
Figure O.23 – FBI decomposition: $N_L = 5; I_R = 5$ and $d_R() = 11111; I_\theta = 4, d_\theta() = 2\underline{321}; I_S = 17, d_S() = 11101\underline{1111111111111111}$	360
Figure O.24 – FBI decomposition: $N_L = 5; I_R = 5$ and $d_R() = 11111; I_\theta = 4, d_\theta() = 2\underline{321}; I_S = 17, d_S() = 111011\underline{1111111111111111}$	361
Figure O.25 – FBI decomposition: $N_L = 5; I_R = 5$ and $d_R() = 11111; I_\theta = 4, d_\theta() = 2\underline{321}; I_S = 17, d_S() = 1110111\underline{1111111111111111}$	362
Figure O.26 – FBI decomposition: $N_L = 5; I_R = 5$ and $d_R() = 11111; I_\theta = 4, d_\theta() = 2\underline{321}; I_S = 17, d_S() = 11101111\underline{1111111111111111}$	363
Figure O.27 – FBI decomposition: $N_L = 5; I_R = 5$ and $d_R() = 11111; I_\theta = 4, d_\theta() = 2\underline{321}; I_S = 17, d_S() = 111011111\underline{1111111111111111}$	364
Figure O.28 – FBI decomposition: $N_L = 5; I_R = 5$ and $d_R() = 11111; I_\theta = 4, d_\theta() = 23\underline{21}; I_S = 17, d_S() = 11101111111111\underline{1111111111111111}$	365
Figure O.29 – FBI decomposition: $N_L = 5; I_R = 5$ and $d_R() = 11111; I_\theta = 4, d_\theta() = 23\underline{21}; I_S = 17, d_S() = 1110111111111111\underline{1111111111111111}$	366
Figure O.30 – FBI decomposition: $N_L = 5; I_R = 5$ and $d_R() = 11111; I_\theta = 4, d_\theta() = 232\underline{1}; I_S = 17, d_S() = 1110111111111111$	367
Figure O.31 – SPACL decomposition: $N_L = 4; I_\theta = 2, d_\theta() = 21; I_R = 0, I_S = 0$	368
Figure O.32 – Component collection example	370
Figure O.33 – Original image components	370
Figure O.34 – Encoder multiple component transformation decisions	371
Figure O.35 – Decorrelation transformation array (MCC0 component collection 0 parameters)	372
Figure O.36 – Dependency transformation (MCC0 component collection 1 parameters)	372

Figure O.37 – Passing through intermediate components (MCC0 component collection 2 parameters)	372
Figure O.38 – Component collections in MCC0, transformation processing stage 0.....	373
Figure O.39 – Decorrelation transformation array (MCC1 component collection 0 parameters)	373
Figure O.40 – MCC1 component collection 1 (7 components passed through)	374
Figure O.41 – Component collections in MCC1, transformation processing stage 1	374
Figure O.42 – MCO marker segment for inverse multiple component transformation	374