

ISO/IEC 4396-3:2023-12 (E)

Telecommunications and information exchange between systems - Recursive inter-network architecture - Part 3: Common distributed application protocol

Contents		Page
Foreword		v
Introduction		vi
1	Scope	1
2	Normative references	1
3	Terms and definitions	1
4	Description of CDAP	3
4.1	CDAP –RINA application protocol	3
4.2	Application entities (AEs) within applications	3
4.3	Objects	4
4.4	Method calls on objects	4
4.5	Object model	4
4.6	Application connection	5
4.7	Application connection state vector (ACSV)	5
4.8	Requestor and responder roles	5
4.9	Validation of values/operations by CDAP	5
4.10	CDAP application programming interface (API)	6
4.11	Standardization and policies	6
5	Specification	6
5.1	CDAP profile — Policies and standardization	6
5.2	Application connection establishment	7
5.3	Application connection state vector (ACSV)	7
5.4	Objects and the object model	9
5.4.1	Object properties	9
5.4.2	Object model definition	9
5.4.3	Object model version	10
5.4.4	Object class	10
5.4.5	Object name	10
5.4.6	Object ID — Shorthand name alias	11
5.5	Messages and replies	11
5.6	Message encoding	11
5.7	Methods on objects	12
5.8	CDAP message	12
5.8.1	General	12
5.8.2	Opcode	15
5.8.3	InvokeID	15
5.8.4	ObjName, ObjID	16
5.8.5	ObjNameParent, ObjIDParent	16
5.8.6	ObjClass	17
5.8.7	ObjValue	17
5.8.8	Result and ResultReason	18
5.8.9	Scope and filter	18
5.8.10	Flags	19
5.9	Object identification in messages	19
5.10	CDAP message/method Ttypes	20
5.10.1	Object creation: CREATE(_R), DELETE(_R)	20
5.10.2	Object Read: READ(_R), CANCELREAD(_R)	20
5.10.3	Object Write: WRITE(_R)	21
5.10.4	Object Stop/Start: START(_R), STOP(_R)	22

6	Policies	22
6.1	General.....	22
6.2	POL-CDAP-CSYNTAX — Concrete syntax.....	22
6.2.1	General.....	22
6.2.2	Default.....	23
6.3	POL-CDAP-AUTH — Authentication.....	23
6.3.1	General.....	23
6.3.2	Default.....	23
6.4	POL-CDAP-ORDERING — Order of execution of method calls.....	23
6.4.1	General.....	23
6.4.2	Default.....	24
6.5	POL-CDAP-OBJECTMODEL — Overall object model definition.....	24
6.5.1	General.....	24
6.5.2	POL-CDAP-OBJ-VERSION — Object model version.....	24
6.5.3	POL-CDAP-OBJ-VISIBILITY — RIB objects visible to this AC.....	25
6.5.4	POL-CDAP-OBJ-NAMING — Object naming convention.....	25
6.5.5	POL-CDAP-OBJ-ObjRef — Use of ObjName/ObjID to edentify objects.....	26
6.5.6	POL-CDAP-OBJ-OBJCREATE — Object creation.....	26
6.5.7	POL-CDAP-OBJ-Types — Scalar types.....	28
6.5.8	POL-CDAP-OBJ-CLASSES — Defined classes.....	29
6.5.9	POL-CDAP-OBJ-METHODS — Object methods.....	29
6.5.10	POL-CDAP-OBJ-ObjID — ObjID values.....	29
6.5.11	POL-CDAP-OBJ-INITIAL — Pre-defined objects.....	30
6.6	POL-CDAP-ERROR — Error handling and return values.....	30
6.6.1	General.....	30
6.6.2	Default.....	30
6.7	POL-CDAP-InvokeID — Convention for assigning InvokeID values.....	32
6.7.1	General.....	32
6.7.2	Default.....	32
6.8	POL-CDAP-READINCOMPLETE — Use of incomplete READ_R.....	33
6.8.1	General.....	33
6.8.2	Default.....	33
6.9	POL-CDAP-SCOPEFILTER — Scope and filter policy.....	33
6.9.1	General.....	33
6.9.2	Default.....	34
6.10	POL-CDAP-ACSVContents — ACSV contents.....	34
6.10.1	General.....	34
6.10.2	Default.....	34
7	CDAP context notes	34
7.1	General.....	34
7.2	RIB Daemon model.....	34
7.3	Distributed applications.....	35
	Annex A (informative) Google Protocol Buffers™ (GPB) concrete syntax	39
	Annex B (informative) JSON concrete syntax	42
	Bibliography	44