

ISO/IEC 4396-3:2023-12 (E)

Telecommunications and information exchange between systems - Recursive inter-network architecture - Part 3: Common distributed application protocol

Contents		Page
Foreword		v
Introduction		vi
1	Scope	1
2	Normative references	1
3	Terms and definitions	1
4	Description of CDAP	3
4.1	CDAP –RINA application protocol	3
4.2	Application entities (AEs) within applications	3
4.3	Objects	4
4.4	Method calls on objects	4
4.5	Object model	4
4.6	Application connection	5
4.7	Application connection state vector (ACSV)	5
4.8	Requestor and responder roles	5
4.9	Validation of values/operations by CDAP	5
4.10	CDAP application programming interface (API)	6
4.11	Standardization and policies	6
5	Specification	6
5.1	CDAP profile — Policies and standardization	6
5.2	Application connection establishment	7
5.3	Application connection state vector (ACSV)	7
5.4	Objects and the object model	9
5.4.1	Object properties	9
5.4.2	Object model definition	9
5.4.3	Object model version	10
5.4.4	Object class	10
5.4.5	Object name	10
5.4.6	Object ID — Shorthand name alias	11
5.5	Messages and replies	11
5.6	Message encoding	11
5.7	Methods on objects	12
5.8	CDAP message	12
5.8.1	General	12
5.8.2	Opcode	15
5.8.3	InvokeID	15
5.8.4	ObjName, ObjID	16
5.8.5	ObjNameParent, ObjIDParent	16
5.8.6	ObjClass	17
5.8.7	ObjValue	17
5.8.8	Result and ResultReason	18
5.8.9	Scope and filter	18
5.8.10	Flags	19
5.9	Object identification in messages	19
5.10	CDAP message/method Ttypes	20
5.10.1	Object creation: CREATE(_R), DELETE(_R)	20
5.10.2	Object Read: READ(_R), CANCELREAD(_R)	20
5.10.3	Object Write: WRITE(_R)	21
5.10.4	Object Stop/Start: START(_R), STOP(_R)	22

6	Policies	22
6.1	General	22
6.2	POL-CDAP-CSYNTAX — Concrete syntax	22
6.2.1	General	22
6.2.2	Default	23
6.3	POL-CDAP-AUTH — Authentication	23
6.3.1	General	23
6.3.2	Default	23
6.4	POL-CDAP-ORDERING — Order of execution of method calls	23
6.4.1	General	23
6.4.2	Default	24
6.5	POL-CDAP-OBJECTMODEL — Overall object model definition	24
6.5.1	General	24
6.5.2	POL-CDAP-OBJ-VERSION — Object model version	24
6.5.3	POL-CDAP-OBJ-VISIBILITY — RIB objects visible to this AC	25
6.5.4	POL-CDAP-OBJ-NAMING — Object naming convention	25
6.5.5	POL-CDAP-OBJ-ObjRef — Use of ObjName/ObjID to edentify objects	26
6.5.6	POL-CDAP-OBJ-OBJCREATE — Object creation	26
6.5.7	POL-CDAP-OBJ-Types — Scalar types	28
6.5.8	POL-CDAP-OBJ-CLASSES — Defined classes	29
6.5.9	POL-CDAP-OBJ-METHODS — Object methods	29
6.5.10	POL-CDAP-OBJ-ObjID — ObjID values	29
6.5.11	POL-CDAP-OBJ-INITIAL — Pre-defined objects	30
6.6	POL-CDAP-ERROR — Error handling and return values	30
6.6.1	General	30
6.6.2	Default	30
6.7	POL-CDAP-InvokeID — Convention for assigning InvokeID values	32
6.7.1	General	32
6.7.2	Default	32
6.8	POL-CDAP-READINCOMPLETE — Use of incomplete READ_R	33
6.8.1	General	33
6.8.2	Default	33
6.9	POL-CDAP-SCOPEFILTER — Scope and filter policy	33
6.9.1	General	33
6.9.2	Default	34
6.10	POL-CDAP-ACSVContents — ACSV contents	34
6.10.1	General	34
6.10.2	Default	34
7	CDAP context notes	34
7.1	General	34
7.2	RIB Daemon model	34
7.3	Distributed applications	35
	Annex A (informative) Google Protocol Buffers™ (GPB) concrete syntax	39
	Annex B (informative) JSON concrete syntax	42
	Bibliography	44