ISO/IEC 17462:2000-09 (E)

Information technology_- 3,81_mm wide magnetic tape cartridge for information interchange_- Helical scan recording_- DDS-4 format

Contents

Section 1 - General **1**

1 Scope **1**

2 Conformance **1**

2.1 Magnetic tape cartridge **1**
2.2 Generating drive **1**
2.3 Receiving drive **1**

3 Normative references **2**

4 Definitions **2**

4.1 Absolute Frame Number (AFN) **2**
4.2 a.c. erase **2**
4.3 Access Point **2**
4.4 algorithm **2**
4.5 Area ID **2**
4.6 Average Signal Amplitude **2**
4.7 azimuth **2**
4.8 back surface **2**
4.9 byte **2**
4.10 cartridge **2**
4.11 Channel bit **2**
4.12 Codeword **2**
4.13 Data Format ID **2**
4.14 Early Warning Point (EWP) **2**
4.15 End of Data (EOD) **2**
4.16 Entity **2**
4.17 Error Correcting Code (ECC) **2**
4.18 flux transition position **2**
4.19 flux transition spacing **2**
4.20 Fragment **2**
4.21 Frame **3**
4.22 Housekeeping Frame **3**
4.23 Logical Beginning of Tape (LBOT) **3**
4.24 magnetic tape **3**
4.25 Master Standard Amplitude Calibration Tape **3**
4.26 Master Standard Reference Tape **3**
4.27 Optimum Recording Field **3**
4.28 Partition Boundary **3**
4.29 Physical Beginning of Tape (PBOT) **3**
4.30 Physical End of Tape (PEOT) **3**
4.31 physical recording density **3**
4.32 pre-recording condition **3**
4.33 processing **3**
4.34 processed data **3**
4.35 Processed Record **3**
4.36 Processed Record Sequence **3**

4.37 record **3**
4.38 Reference Recording Field**3**
4.39 reprocessing **3**
4.40 Secondary Standard Amplitude Calibration Tape **3**
4.41 Secondary Standard Reference Tape **3**
4.42 Separator Mark **4**
4.43 Standard Reference Amplitude **4**
4.44 Tape Reference Edge **4**
4.45 Test Recording Current **4**
4.46 track **4**
4.47 Unprocessed Record **4**
4.48 Virtual End of Tape (VEOT) **4**

5 Conventions and Notations **4**

6 Acronyms **4**

7 Environment and safety **4**

7.1 Testing environment **4**
7.2 Operating environment **5**
7.3 Storage environment **5**
7.4 Transportation **5**
7.5 Safety **5**
7.6 Flammability **5**

Section 2 - Requirements for the case **6**

8 Dimensional and mechanical characteristics of the case **6**

8.1 General **6**
8.2 Overall dimensions **6**
8.3 Loading grip **7**
8.4 Holding areas **7**
8.5 Notches of the lid **7**
8.6 Lid dimensions **7**
8.7 Optical detection of the beginning and end of tape **8**
8.8 Bottom side **8**
8.8.1 Locking mechanism of the slider **8**
8.8.2 Access holes **9**
8.8.3 Recognition, sub-datums, and write-inhibit holes **9**
8.8.4 Datum holes **11**
8.8.5 Access room for tape guides **11**
8.8.6 Holes for accessing the hubs **11**
8.8.7 Internal structure of the lower half **11**
8.8.8 Light path **12**
8.8.9 Support Areas **13**
8.8.10 Datum Areas **13**
8.8.11 Relationship between Support and Datum Areas and Reference Plane Z **13**
8.9 Hubs **13**
8.10 Attachment of leader and trailer tapes **14**
8.11 Interface between the hubs and the drive spindles **14**
8.12 Opening of the lid **14**
8.13 Release of the hub locking mechanism **14**
8.14 Label areas **14**
8.15 Requirement for autoloaders **15**

Section 3 - Requirements for the unrecorded tape **28**

9 Mechanical, physical and dimensional characteristics of the tape **28**

9.1 Materials **28**

9.2 Tape length **28**
9.2.1 Length of magnetic tape **28**
9.2.2 Length of leader and trailer tapes **28**
9.2.3 Length of splicing tapes **28**
9.3 Tape width **28**
9.3.1 Width of magnetic tape **28**
9.3.2 Width of leader and trailer tapes **28**
9.3.3 Width and position of splicing tape **28**
9.3.4 Edge weave **28**
9.4 Discontinuities **29**
9.5 Tape thickness **30**
9.5.1 Thickness of magnetic tape **30**
9.5.2 Thickness of leader and trailer tape **30**
9.5.3 Thickness of splicing tape **30**
9.6 Longitudinal curvature **30**
9.7 Cupping **30**
9.8 Coating adhesion **30**
9.9 Layer-to-layer adhesion **31**
9.10 Tensile strength **31**
9.10.1 Breaking strength **31**
9.10.2 Yield strength **31**
9.11 Residual elongation **31**
9.12 Flexural rigidity **31**
9.13 Electrical resistance of coated surfaces **32**
9.14 Abrasivity **32**
9.15 Light transmittance of the tape **32**
9.16 Media Recognition System (MRS) **33**

10 Magnetic recording characteristics **33**

10.1 Optimum Recording Field **34**
10.2 Signal Amplitude **34**
10.3 Resolution **34**
10.4 Overwrite **34**
10.5 Ease of erasure **35**
10.6 Tape quality **35**
10.6.1 Missing pulses **35**
10.6.2 Missing pulse zone **35**
10.7 Signal-to-Noise Ratio (SNR) characteristic **35**

Section 4 - Requirements for an interchanged tape **35**

11 Format **35**

11.1 General **35**
11.2 Basic Groups **36**
11.2.1 Entity **36**
11.2.2 Group Information Table **37**
11.2.3 Block Access Table (BAT) **39**
11.3 Sub-Groups **42**
11.3.1 G1 Sub-Group **42**
11.3.2 G2 Sub-Group - Randomizing **42**
11.3.3 G3 Sub-Group **43**
11.3.4 G4 Sub-Group **44**
11.3.5 Main Data Fragment **48**
11.3.6 Summary of the transformation of a Basic Group **50**
11.4 Sub code information **50**
11.4.1 Pack Item Number 0 **50**
11.4.2 Pack Item Number 1 **50**

11.4.3 Pack Item Number 2 **51**
11.4.4 Pack Item Number 3 **51**
11.4.5 Pack Item Number 4 **51**
11.4.6 Pack Item Number 5 **52**
11.4.7 Pack Item Number 6 **53**
11.4.8 Pack Item Number 7 **53**
11.4.9 Pack Item Number 8 **54**
11.4.10 Pack Item Number 9 **54**
11.4.11 Pack Item Number 10 **54**
11.4.12 Pack Item Number 11 **55**
11.4.13 Pack Item Number 12 **55**
11.4.14 Pack Item Number 13 **56**
11.4.15 Pack Item Number 14 **56**
11.4.16 Pack Item Number 15 **57**
11.5 Sub code location **57**
11.5.1 Sub code Pack Items on a Single Data Space tape **57**
11.5.2 Sub code Pack Items on a partitioned tape **57**

12 Method of recording **58**

12.1 Physical recording density **58**
12.2 Long-term average bit cell length **58**
12.3 Short-term average bit cell length **58**
12.4 Rate of change **58**
12.5 Bit shift **58**
12.6 Read signal amplitude **58**
12.7 Maximum recorded levels **58**

13 Track geometry **58**

13.1 Track configuration **58**
13.2 Average track pitch **59**
13.3 Variations of the track pitch **59**
13.4 Track width **59**
13.5 Track angle **59**
13.6 Track edge linearity **59**
13.7 Track length **60**
13.8 Ideal tape centreline **60**
13.9 Azimuth angles **60**

14 Recorded patterns **60**

14.1 Recorded Main Data Fragment **60**
14.2 Preamble Zone, Margin Zones **60**

15 Format of a track **60**

15.1 Format of a track **60**
15.2 Positioning accuracy **60**
15.3 Tracking scheme **61**

16 Layout of a Single Data Space tape **61**

16.1 Device Area **61**
16.2 Reference Area **62**
16.3 Position Tolerance Band No. 1 **62**
16.4 System Area **62**
16.4.1 System Preamble **62**
16.4.2 System Log **62**
16.4.3 System Postamble **62**
16.4.4 Position Tolerance Band No. 2 **62**
16.4.5 Vendor Group Preamble **62**

16.5 Data Area **62**
16.5.1 Vendor Group **62**
16.5.2 Recorded Data Group **63**
16.5.3 ECC3 **63**
16.5.4 Repeated Frames **63**
16.5.5 Appending and overwriting **64**
16.6 EOD Area **65**
16.7 Post-EOD Area **65**
16.8 Early Warning Point - (EWP) **66**
16.9 Initialization **66**

17 Layout of a partitioned tape **66**

17.1 Overall magnetic tape layout **67**
17.1.1 Device Area **67**
17.1.2 Partition 1 **67**
17.1.3 Partition 0 **68**
17.2 Area ID **68**
17.3 System Area Pack Items No. 6 **68**
17.4 Empty partitions **69**
17.4.1 Empty partition 1 **69**
17.4.2 Empty partition 0 **69**
17.5 Initialization of partitioned tapes **69**

18 Housekeeping Frames **69**

18.1 Amble Frames **69**
18.2 System Log Frames **69**
18.3 Tape Management Frames **70**

Annexes

A - Measurement of the light transmittance of the prisms **71**

B - Measurement of light transmittance of tape and leaders **73**

C - Measurement of Signal-to-Noise Ratio **76**

D - Method for determining the Nominal and the Maximum Allowable Recorded Levels **77**

E - Representation of 8-bit bytes by 10-bit patterns **78**

F - Measurement of bit shift **90**

G - Measurement of track edge linearity **92**

H - Tape abrasicity measurement procedure **93**

J - Method of measurement of the track width **95**

K - Recognition Holes **97**

L - Means to open the lid **98**

M - Recommendations for transportation **100**

N - Read-After-Write **101**

P - Example of the content of a Basic Group No. 0 **102**