

# ISO/IEC 21122-2:2024-08 (E)

## Information technology - JPEG XS low-latency lightweight image coding system - Part 2 : Profiles and buffer models

---

<b>Contents</b>		<b>Page</b>
Foreword .....		iv
Introduction .....		v
1	Scope .....	1
2	Normative references .....	1
3	Terms and definitions .....	1
4	Abbreviated terms .....	4
5	Symbols .....	4
6	Conventions .....	7
6.1	Conformance language .....	7
6.2	Operators .....	7
6.2.1	Arithmetic operators .....	7
6.2.2	Logical operators .....	7
6.2.3	Relational operators .....	7
6.2.4	Other operators .....	7
6.2.5	Precedence order of operators .....	8
6.2.6	Mathematical functions .....	8
7	Buffer model .....	8
7.1	General system block diagram .....	8
7.2	Influencing variables on the required buffer sizes .....	9
7.3	Role of the buffer model .....	10
8	Interpretation of Bayer data .....	10
9	Conformance .....	11
Annex A (normative) Profiles, levels, sublevels and frame buffer bandwidth levels .....		12
Annex B (normative) Packet-based JPEG XS decoder model .....		35
Annex C (normative) Packet-based constant bit rate buffer model .....		41
Annex D (informative) Encoder model, latency bounds and codestream conformance properties for the packet-based constant bit rate buffer model .....		47
Annex E (informative) JPEG XS latency analysis .....		52
Bibliography .....		61