ISO/IEC 8208:2000-11 (E)

Information technology_- Data communications_- X.25_Packet Layer Protocol for Data Terminal Equipment

CONTENTS

Page

Foreword vi

1 Scope 1

2 Normative references 1
2.1 Identical Recommendations | International Standards 1
2.2 Paired Recommendations | International Standards equivalent in technical content 2
2.3 Additional references 2

3 General considerations 2
3.1 Compatibility with versions of Recommendation X.25 3
3.2 Environments 5
3.3 Differences in DTE/DTE and DTE/DCE operation 5
3.4 Operation over circuit-switched connections 6
3.5 Provision of the OSI Network Service 7
3.6 External Packet Layer interactions 7
3.7 Logical channels 7
3.8 Packet Layer entity 8
3.9 Packet types 9
3.10 Procedures for initialization 9

4 Procedures for restart 9
4.1 Originating a restart request 10
4.2 Receiving a restart indication 12
4.3 Restart collision 12
4.4 Restart confirmation 12
4.5 Determining “DTE” or “DCE” characteristics 12

5 Procedures for Virtual Call setup and clearing 13
5.1 Ready state 13
5.2 Procedures for Virtual Call setup 13
5.3 Rejecting a call 15
5.4 Aborting a call request 15
5.5 Procedures for Virtual Call clearing 15

6 Procedures for data and interrupt transfer 16
6.1 States for data and interrupt transfer 17
6.2 Maximum User Data Field length of DATA packets 17
6.3 Delivery Confirmation bit 17
6.4 More Data mark 18
6.5 Complete packet sequence 18
6.6 Qualifier bit 18
6.7 Fragmentation and reassembly of messages 19
6.8 Procedures for interrupt 20
6.9 Transit delay of DATA packets 21

7 Procedures for flow control 21
7.1 Flow control 22
7.2 Throughput characteristics and throughput classes 25

8 Procedures for reset ... 25
8.1 Originating a reset request ... 27
8.2 Receiving a reset indication ... 27
8.3 Reset collision ... 27
8.4 Reset confirmation ... 27

9 Effects of clear, reset, and restart procedures on the transfer of packets ... 27

10 Effects of Layers 1 and 2 on the Packet Layer ... 28

11 Error handling ... 28
11.1 The DIAGNOSTIC packet ... 29
11.2 Nonreceipt of window-rotation information ... 29
11.3 Receipt of erroneous DATA packets ... 30

12 Packet formats ... 31
12.1 General ... 31
12.2 Call setup and call clearing packets ... 33
12.3 DATA and interrupt packets ... 42
12.4 Flow control packets ... 44
12.5 Reset packets ... 45
12.6 Restart packets ... 47
12.7 DIAGNOSTIC packet ... 48
12.8 REJECT packet ... 49
12.9 Registration packets ... 50

13 Procedures for optional user facilities ... 52
13.1 On-line Facility Registration ... 52
13.2 Extended and Super Extended Packet Sequence Numbering ... 59
13.3 D-bit Modification ... 60
13.4 Packet Retransmission ... 60
13.5 Incoming Calls Barred ... 61
13.6 Outgoing Calls Barred ... 61
13.7 One-way Logical Channel Outgoing ... 61
13.8 One-way Logical Channel Incoming ... 61
13.9 Nonstandard Default Packet Sizes ... 61
13.10 Nonstandard Default Window Sizes ... 61
13.11 Default Throughput Classes Assignment ... 62
13.12 Flow Control Parameter Negotiation ... 62
13.13 Throughput Class Negotiation Facilities ... 63
13.14 Closed User Group related facilities ... 64
13.15 Bilateral Closed User Group related facilities ... 68
13.16 Fast Select ... 69
13.17 Fast Select Acceptance ... 70
13.18 Reverse Charging ... 70
13.19 Reverse Charging Acceptance ... 70
13.20 Local Charging Prevention ... 70
13.21 Network User Identification (NUI) related facilities ... 71
13.22 Charging Information ... 71
13.23 ROA related facilities ... 73
13.24 Hunt Group ... 73
13.25 Call Redirection and Call Deflection related facilities ... 73
13.26 Called Line Address Modified Notification ... 76
13.27 Transit Delay Selection and Indication ... 76
13.28 Alternative Addressing Related Facilities ... 76
13.29 TOA/NPI address subscription ... 78
13.30 Reference Number ... 78

14 Procedures for optional ITU-T specified DTE facilities ... 80
14.1 Calling Address Extension ... 80
14.2 Called Address Extension ... 80
14.3 Minimum Throughput Class Negotiation ... 80
14.4 End-to-End Transit Delay Negotiation ... 81

14.5 Priority 81
14.6 Protection 81
14.7 Expedited Data Negotiation 81

15 Format for Facility Field in call setup/clearing packets 82
15.1 General 82
15.2 Coding of the Facility Field for optional user facilities 83
15.3 Coding of the Facility Field for ITU-T specified DTE facilities 89

16 Format for Registration Field in registration packets 92
16.1 General 92
16.2 Coding of the Registration Field for registration-facilities 93

17 Diagnostic codes 95

18 Timers and retransmission counts 101

19 State diagrams 105

20 State tables 111

21 Conformance 120
21.1 Static conformance 120
21.2 Protocol Implementation Conformance Statement 120
21.3 Dynamic conformance 120

Annexes

A Private networks 123

B PICS Proforma 131

C Differences between various editions of ISO/IEC 8208 159

D Abbreviations 169