Contents

Page

Foreword ... xxiii

0 Introduction ... xxv
0.1 Purpose ... xxv
0.2 Design criteria ... xxv

1 Scope ... 1

2 Normative references ... 3

3 Terms, definitions, symbols, and abbreviated terms ... 5
3.1 Terms and definitions ... 5
3.2 Notation, symbols, and abbreviated terms ... 6

4 Concepts ... 13
4.1 Overview ... 13
4.2 Coordinate-space, position-space, and object-space ... 15
4.2.1 Coordinate-space ... 15
4.2.2 Position-space and orthonormal frames ... 15
4.2.3 Object-space and normal embeddings ... 16
4.3 Coordinate systems ... 17
4.3.1 Abstract coordinate systems ... 17
4.3.2 Spatial coordinate systems ... 19
4.3.3 Temporal coordinate systems ... 19
4.4 Orientation ... 20
4.5 Reference datums ... 20
4.6 Object reference models ... 23
4.7 Spatial reference frames ... 25
4.8 Designated spatial surfaces and vertical offset surfaces ... 26
4.9 Spatial operations ... 27
4.10 Application program interface ... 28
4.11 Profiles ... 28
4.12 Registration ... 28
4.13 Conformance ... 29

5 Coordinate systems ... 31
5.1 Overview ... 31
5.2 Coordinate-space, position-space, and object-space ... 31
5.2.1 Coordinate-space ... 31
5.2.2 Orthonormal frames ... 32
5.2.3 Position-space ... 33
5.2.4 Object-space ... 34
5.2.5 Normal embeddings ... 35
5.3 Abstract coordinate systems ... 37
5.3.1 Overview ... 37
5.3.2 Definition ... 37
5.3.3 Coordinate system types ... 38
5.3.4 Coordinate-component surfaces and curves ... 41
5.3.4.1 Overview ... 41
5.3.4.2 Coordinate-component surfaces and induced surface CSs ... 41
5.3.4.3 Coordinate-component curves ... 42
5.3.5 CS properties ... 43
5.3.5.1 Linearity ... 43

© ISO/IEC 2025 – All rights reserved

5.3.5.2 Orthogonality 43
5.3.5.3 Linear CS properties: Cartesian, and orthogonal 43
5.3.5.4 CS right-handedness and coordinate-component ordering 44
5.3.6 CS localization 44
5.3.6.1 Overview 44
5.3.6.2 Localization operators 45
5.3.6.3 Localized frame and local tangent frame at a coordinate 47
5.3.6.4 Vectors, directions, and localized frames 50
5.3.7 Map projection coordinate systems 51
5.3.7.1 Map projections 51
5.3.7.2 Map projection as a surface CS 51
5.3.7.3 Map projection geometry 52
5.3.7.4 Relationship to projection functions 56
5.3.7.5 Map projection CS common parameters 59
5.3.7.6 Augmented map projections 60
5.3.8 CS specifications 61
5.3.8.1 Specification table elements and common functions and parameters 61
5.3.8.2 Euclidean 3D CS specification 64
5.3.8.3 Lococentric Euclidean 3D CS specification 65
5.3.8.4 Equatorial Spherical CS specification 67
5.3.8.5 Lococentric Equatorial Spherical CS specification 68
5.3.8.6 Azimuthal Spherical CS specification 70
5.3.8.7 Lococentric Azimuthal Spherical CS specification 72
5.3.8.8 Geodetic 3D CS specification 73
5.3.8.9 Planetodetic 3D specification 76
5.3.8.10 Cylindrical CS specification 77
5.3.8.11 Lococentric Cylindrical CS specification 79
5.3.8.12 Mercator CS specification 80
5.3.8.13 Oblique Mercator Spherical CS specification 82
5.3.8.14 Transverse Mercator CS specification 85
5.3.8.15 Lambert Conformal Conic CS specification 89
5.3.8.16 Polar Stereographic CS specification 91
5.3.8.17 Equidistant Cylindrical CS specification 93
5.3.8.18 Surface Geodetic CS specification 95
5.3.8.19 Surface Planetodetic CS specification 96
5.3.8.20 Lococentric Surface Euclidean CS specification 98
5.3.8.21 Lococentric Surface Azimuthal CS specification 100
5.3.8.22 Lococentric Surface Polar CS specification 101
5.3.8.23 Euclidean 2D CS specification 103
5.3.8.24 Lococentric Euclidean 2D CS specification 104
5.3.8.25 Azimuthal CS specification 106
5.3.8.26 Lococentric Azimuthal CS specification 107
5.3.8.27 Polar CS specification 109
5.3.8.28 Lococentric Polar CS specification 110
5.3.8.29 Euclidean 1D CS specification 112
5.3.8.30 Azimuthal Cylindrical CS specification 113
5.3.8.31 Lococentric Azimuthal Cylindrical CS specification 114
5.4 Spatial coordinate systems 116
5.4.1 Overview 116
5.4.2 Definition 116
5.5 Temporal coordinate systems 118
5.5.1 Overview 118
5.5.2 Universal time 119
5.5.3 International atomic time 119
5.5.4 Coordinated universal time 119
5.5.5 Specified temporal coordinate systems 119

© ISO/IEC 2025 – All rights reserved

6 Orientation – change of basis and rotation 121
6.1 Overview 121
6.2 Change of basis 121
6.2.1 Overview 121
6.2.2 Change of basis operations 121
6.2.3 Direction cosine matrix 124
6.2.4 Consecutive change of basis 124
6.2.5 Equivalence of change of basis and rotation operators 124
6.2.6 Change of basis and orientation 125
6.3 Orientation 125
6.3.1 Overview 125
6.3.2 Orientation defined in terms of a change of basis operator 126
6.3.3 Orientation defined in terms of a rotation operator 126
6.3.4 Orientation contexts 126
6.4 Rotation 126
6.4.1 Overview 126
6.4.2 Coordinate-free rotation 127
6.4.2.1 Origin-fixed rotation 127
6.4.2.2 Rodrigues' rotation formula 128
6.4.2.3 Rotation properties 128
6.4.2.4 Consecutive rotations 129
6.4.3 Frame-based rotation 133
6.4.3.1 Overview 133
6.4.3.2 Rotation of position-vectors 134
6.4.3.3 Rotation of basis vectors and orthonormal frames 135
6.4.3.4 Principal rotations 136
6.4.3.5 Equivalence of rotation and change of basis operators 136
6.4.4 Rotation and orientation 137
6.5 Operator summary 137
6.6 Representing rotations 139
6.6.1 Overview 139
6.6.2 Axis-angle 139
6.6.3 Matrix 139
6.6.4 Euler angles 140
6.6.4.1 Principal rotations 140
6.6.4.2 Euler angle conventions 140
6.6.4.3 The Euler z-x-z convention 141
6.6.4.4 Tait-Bryan angles 142
6.6.4.5 Gimbal lock 143
6.6.5 Quaternions 144
6.6.5.1 Quaternion notations and conventions 144
6.6.5.2 Quaternion algebra 145
6.6.5.3 Quaternion operators on 3D Euclidean space 145
6.6.6 Representation summary 146
6.7 Rotation representation conversions 147
6.7.1 Overview 147
6.7.2 From axis-angle to matrix 147
6.7.3 From matrix to axis-angle 147
6.7.4 From Euler angle z-x-z convention to matrix 147
6.7.5 From matrix to Euler angle z-x-z convention 148
6.7.6 From Tait-Bryan angle x-y-z convention to matrix 149
6.7.7 From matrix to Tait-Bryan angle x-y-z convention 149
6.7.8 From Tait-Bryan angle z-y-x convention to matrix 150
6.7.9 From matrix to Tait-Bryan angle z-y-x convention 150
6.7.10 From axis-angle to quaternion 151
6.7.11 From quaternion to axis-angle 151
6.7.12 From quaternion to matrix 152
6.7.13 From matrix to quaternion 152

© ISO/IEC 2025 – All rights reserved

6.7.14 From Euler angle z-x-z convention to quaternion 152
6.7.15 From quaternion to Euler angle z-x-z convention 153
6.7.16 From Tait-Bryan angle x-y-z convention to quaternion 153
6.7.17 From quaternion to Tait-Bryan angle x-y-z convention 153
6.7.18 From Tait-Bryan angle z-y-x convention to quaternion 154
6.7.19 From quaternion to Tait-Bryan angle z-y-x convention 154

7 Reference datums, embeddings, and object reference models 155
7.1 Overview 155
7.2 Reference datums 155
7.2.1 Overview 155
7.2.2 Reference datum categories 155
7.2.3 Ellipsoidal RDs 157
7.2.4 RDs associated with physical objects 159
7.2.5 RD binding 160
7.3 Normal embeddings and similarity transformations 162
7.3.1 Normal embeddings 162
7.3.2 Similarity transformations 162
7.3.3 Similarity transformation templates 165
7.3.3.1 Identity transformation 3D 167
7.3.3.2 Identity transformation 2D 167
7.3.3.3 Translation transformation 3D 168
7.3.3.4 Translation transformation 2D 168
7.3.3.5 Simplified Helmert transformation (PVR convention) 169
7.3.3.6 Simplified Helmert transformation (CFR convention) 170
7.3.3.7 Molodensky-Badekas transformation (CFR convention) 171
7.3.3.8 General rotate-scale-translate transformation 3D 172
7.3.3.9 General rotate-scale-translate transformation 2D 173
7.3.3.10 Homogeneous matrix 4x4 transformation 3D 174
7.3.3.11 Homogeneous matrix 3x3 transformation 2D 174
7.3.3.12 Generalized Helmert transformation (PVR convention) 175
7.3.3.13 Generalized Helmert transformation (CFR convention) 176
7.3.3.14 Tait-Bryan z-y-x rotate-translate transformation 177
7.3.3.15 Non-Greenwich prime meridian z rotate-translate transformation 178
7.3.3.16 Geomagnetic z-y rotate transformation 179
7.4 Object reference model 180
7.4.1 Overview 180
7.4.2 Definition 180
7.4.3 Binding constraint 182
7.4.4 ORM template 182
7.4.5 Standardized ORMs 191
7.4.6 Reference ORMs and reference transformations 191
7.4.7 ORM specifications 192
7.5 Object binding rules for ORMT BI_AXIS_ORIGIN_3D realisations 194
7.5.1 Object binding rule set 194
7.5.2 Equatorial inertial 196
7.5.3 Solar ecliptic 198
7.5.4 Solar equatorial 200
7.5.5 Heliocentric Aries ecliptic 201
7.5.6 Heliocentric planet ecliptic 202
7.5.7 Heliocentric planet equatorial 203
7.5.8 Celestiomagnetic 204
7.5.9 Solar magnetic ecliptic 205
7.5.10 Solar magnetic dipole 207

8 Spatial reference frames 209
8.1 Overview 209
8.2 Spatial reference frame structure 209

© ISO/IEC 2025 – All rights reserved

8.3 Spatial reference frame specification 210
8.3.1 SRF definition 210
8.3.2 SRF specification elements 210
8.3.2.1 ORM and CS compatibility 210
8.3.2.2 CS parameter binding 211
8.3.2.3 Coordinate-component names 211
8.3.2.4 Applicable region 211
8.4 SRF relationships 213
8.4.1 Overview 213
8.4.2 Application-based SRF relationships 213
8.4.3 Induced surface SRFs 215
8.4.4 Lococentric SRFs 216
8.4.5 SRFs for vector specification 218
8.5 SRF templates 219
8.5.1 Overview 219
8.5.2 Celestiocentric SRFT 222
8.5.3 Local space rectangular 3D SRFT 223
8.5.4 Celestiodetic SRFT 224
8.5.5 Planetodetic SRFT 225
8.5.6 Local tangent space Euclidean SRFT 226
8.5.7 Local tangent space azimuthal spherical SRFT 228
8.5.8 Local tangent space cylindrical SRFT 231
8.5.9 Lococentric Euclidean 3D SRFT 233
8.5.10 Celestiomagnetic SRFT 234
8.5.11 Equatorial inertial SRFT 235
8.5.12 Solar ecliptic SRFT 235
8.5.13 Solar equatorial SRFT 236
8.5.14 Solar magnetic ecliptic SRFT 236
8.5.15 Solar magnetic dipole SRFT 237
8.5.16 Heliospheric Aries ecliptic SRFT 238
8.5.17 Heliospheric Earth ecliptic SRFT 238
8.5.18 Heliospheric Earth equatorial SRFT 239
8.5.19 Mercator SRFT 239
8.5.20 Oblique Mercator spherical SRFT 240
8.5.21 Transverse Mercator SRFT 241
8.5.22 Lambert conformal conic SRFT 242
8.5.23 Polar stereographic SRFT 243
8.5.24 Equidistant cylindrical SRFT 244
8.5.25 Local space rectangular 2D SRFT 245
8.5.26 Local space azimuthal 2D SRFT 246
8.5.27 Local space polar 2D SRFT 246
8.6 Standardized SRFs 247
8.6.1 Overview 247
8.6.2 British national grid 248
8.6.3 UK ordnance survey GRS80 grid 249
8.6.4 Delaware (US) state plane coordinate system 249
8.6.5 Geocentric WGS 1984 250
8.6.6 Geodetic Australia 1984 250
8.6.7 Geodetic WGS 1984 250
8.6.8 Geodetic North American 1983 251
8.6.9 Irish Grid 251
8.6.10 Irish transverse Mercator 251
8.6.11 Lambert-93 252
8.6.12 Lambert II étendu (Lambert II wide) 252
8.6.13 Mars planetocentric 253
8.6.14 Mars planetographic 253
8.6.15 Maryland (US) state plane coordinate system 254
8.7 Standardized SRF sets 254

© ISO/IEC 2025 – All rights reserved

8.7.1 Overview ... 254
8.7.2 Alabama (US) state plane coordinate system ... 256
8.7.3 GTRS global coordinate system (GCS) ... 257
8.7.4 Japan plane coordinate system ... 259
8.7.5 Lambert NTF ... 264
8.7.6 Universal polar stereographic ... 266
8.7.7 Universal transverse Mercator ... 267
8.7.8 Wisconsin (US) state plane coordinate system ... 269

9 Designated spatial surfaces and vertical offsets ... 271
9.1 Overview ... 271
9.2 Designated spatial surface ... 271
9.3 Vertical offset surface ... 272
9.4 Geoidal separation ... 273
9.5 Vertical offset height and elevation ... 273
9.6 Use of vertical offset height in spatial referencing ... 274
9.7 Other vertical measurements ... 274
9.8 Standardized DSS specifications ... 275

10 Operations ... 279
10.1 Overview ... 279
10.2 Symbols and terminology ... 279
10.3 ORM operations ... 280
10.3.1 Overview ... 280
10.3.2 Relating different ORMs for the same object ... 280
10.3.3 Relating ORMs for different objects ... 282
10.4 Position operations ... 283
10.4.1 Overview ... 283
10.4.2 General case ... 284
10.4.3 Matched normal embeddings ... 285
10.4.4 Matched normal embeddings and map projection SRFs ... 286
10.4.5 SRFs with Cartesian coordinate systems ... 287
10.4.6 Instantiating abstract object-space SRFs ... 289
10.5 Vector operations ... 292
10.5.1 Overview ... 292
10.5.2 Converting vectors between different vector reference frames ... 293
10.5.3 Instantiating abstract object-space vectors ... 294
10.6 Euclidean distance operation ... 295
10.7 Geodesic operations ... 295
10.7.1 Overview ... 295
10.7.2 Auxiliary functions ... 297
10.7.3 The direct problem ... 298
10.7.4 The indirect problem ... 299

11 Application program interface ... 301
11.1 Overview ... 301
11.2 Data types ... 301
11.2.1 Overview ... 301
11.2.2 SRFT abbreviated forms ... 301
11.2.3 Numbers ... 303
11.2.4 Logicals ... 303
11.2.5 Object_Reference ... 303
11.2.6 Enumerated data types ... 303
11.2.6.1 Overview ... 303
11.2.6.2 Axis_Direction_2D ... 304
11.2.6.3 Axis_Direction_3D ... 304
11.2.6.4 Interval_Type ... 305
11.2.6.5 Polar_Aspect ... 305

© ISO/IEC 2025 – All rights reserved

11.2.6.6 SRF_Region_Status 305
11.2.6.7 SRF_Region_Type 306
11.2.7 Selection data types 306
11.2.7.1 Overview 306
11.2.7.2 CS_Code 306
11.2.7.3 DSS_Code 306
11.2.7.4 ORM_Code 307
11.2.7.5 ORMT_Code 307
11.2.7.6 Profile_Code 307
11.2.7.7 RT_Code 307
11.2.7.8 SRF_Code 307
11.2.7.9 SRFS_Code 307
11.2.7.10 SRFS member types 307
11.2.7.11 SRFT_Code 308
11.2.7.12 Status_Code 308
11.2.7.13 STT_Code 311
11.2.8 Array data types 311
11.2.8.1 Overview 311
11.2.8.2 Coordinate2D_Array 311
11.2.8.3 Coordinate3D_Array 311
11.2.8.4 Direction_Array 312
11.2.8.5 DSS_Code_Array 312
11.2.8.6 Matrix_2x2 312
11.2.8.7 Matrix_3x3 312
11.2.8.8 Matrix_4x4 312
11.2.8.9 ORM_Code_Array 312
11.2.8.10 Profile_Code_Array 313
11.2.8.11 RT_Code_Array 313
11.2.8.12 SRF_Code_Array 313
11.2.8.13 SRF_Region_Status_Array 313
11.2.8.14 SRFS_Code_Array 313
11.2.8.15 SRFT_Code_Array 313
11.2.8.16 VectorQuantity3D_Array 314
11.2.8.17 Vector_3D 314
11.2.9 Record data types 314
11.2.9.1 Overview 314
11.2.9.2 Interval 315
11.2.9.3 ORM_Transformation_Parameters 316
11.2.9.4 Rotation and Orientation representation parameters 316
11.2.9.5 SRFT parameter record data types 317
11.2.9.6 STT parameter record data types 321
11.3 Object classes 324
11.3.1 Overview 324
11.3.2 Class specification format 326
11.3.3 LifeCycleObject 327
11.3.4 Coordinate and vector classes 328
11.3.4.1 Overview 328
11.3.4.2 Coordinate2D 329
11.3.4.3 Coordinate3D 329
11.3.4.4 Direction 329
11.3.4.5 SurfaceCoordinate 329
11.3.4.6 VectorQuantity3D 330
11.3.5 Abstract classes 330
11.3.5.1 BaseSRF 330
11.3.5.2 BaseSRF2D 332
11.3.5.3 BaseSRF3D 336
11.3.5.4 BaseSRFMapProjection 354
11.3.5.5 BaseSRFwithEllipsoidalHeight 357

© ISO/IEC 2025 – All rights reserved

11.3.5.6 BaseSRFwithTangentPlaneSurface 361
11.3.6 SRF concrete subclasses of BaseSRF2D 364
11.3.6.1 Overview 364
11.3.6.2 LocalSpaceAzimuthal 364
11.3.6.3 LocalSpacePolar 365
11.3.6.4 LocalSpaceRectangular2D 366
11.3.7 SRF concrete subclasses of BaseSRF3D 367
11.3.7.1 Overview 367
11.3.7.2 Celestiocentric 367
11.3.7.3 Celestiomagnetic 368
11.3.7.4 EquatorialInertial 369
11.3.7.5 HeliosphericAriesEcliptic 370
11.3.7.6 HeliosphericEarthEcliptic 371
11.3.7.7 HeliosphericEarthEquatorial 372
11.3.7.8 LocalSpaceRectangular3D 373
11.3.7.9 LococentricEuclidean3D 374
11.3.7.10 SolarEcliptic 375
11.3.7.11 SolarEquatorial 376
11.3.7.12 SolarMagneticDipole 377
11.3.7.13 SolarMagneticEcliptic 378
11.3.8 SRF concrete subclasses of BaseSRFMapProjection 379
11.3.8.1 Overview 379
11.3.8.2 EquidistantCylindrical 379
11.3.8.3 LambertConformalConic 381
11.3.8.4 Mercator 382
11.3.8.5 ObliqueMercatorSpherical 383
11.3.8.6 PolarStereographic 385
11.3.8.7 TransverseMercator 386
11.3.9 SRF concrete subclasses of BaseSRFwithEllipsoidalHeight 387
11.3.9.1 Overview 387
11.3.9.2 Celestiodetic 387
11.3.9.3 Planetodetic 389
11.3.10 SRF concrete subclasses of BaseSRFwithTangentPlaneSurface 390
11.3.10.1 Overview 390
11.3.10.2 LocalTangentSpaceAzimuthalSpherical 390
11.3.10.3 LocalTangentSpaceCylindrical 391
11.3.10.4 LocalTangentSpaceEuclidean 392
11.3.11 Rotation and Orientation classes 394
11.3.11.1 Overview 394
11.3.11.2 Rotation 394
11.3.11.3 Orientation 398
11.4 Functions 402
11.4.1 Function to create instances of standardized SRFs 402
11.4.2 Function to create instances of standardized SRF set members 403
11.4.3 Implementation support query functions 403
11.5 Data storage structures 408
11.5.1 Overview 408
11.5.2 Selection data types 408
11.5.2.1 OBRS_Code 408
11.5.2.2 RD_Code 408
11.5.2.3 Spatial_Coordinate_Code 409
11.5.2.4 SRF_Parameters_Info_Code 409
11.5.3 Record data types 410
11.5.3.1 Coordinate structures 410
11.5.3.2 Coordinate 413
11.5.3.3 SRF_Parameters_Info 414
11.5.3.4 SRF_Reference_Surface_Info 414
11.5.3.5 SRFS_Info 415

© ISO/IEC 2025 – All rights reserved

11.5.3.6 SRFT_Parameters 415

12 Profiles 417
12.1 Overview 417
12.2 Profile specification 417
12.3 Default profile 419

13 Registration 423
13.1 Overview 423
13.2 Specification elements for SRM registered items 423
13.2.1 Overview 423
13.2.2 Label 423
13.2.3 Code 425
13.2.4 Description 425
13.2.5 References 426
13.2.5.1 Overview 426
13.2.5.2 Citation format 426
13.3 Guidelines for specific SRM concepts 426
13.3.1 Guidelines for registration of abstract CSs 426
13.3.2 Guideline for registration of temporal CSs 427
13.3.3 Guidelines for registration of RDs 427
13.3.4 Guidelines for registration of STTs 428
13.3.5 Guidelines for registration of ORMTs 429
13.3.6 Guidelines for registration of ORMs 429
13.3.7 Guidelines for registration of RTs 430
13.3.8 Guidelines for registration of OBRSs 430
13.3.9 Guidelines for registration of SRFTs 430
13.3.10 Guidelines for registration of SRFs 432
13.3.11 Guidelines for registration of SRF sets and their members 432
13.3.12 Guidelines for registration of DSSs 434
13.3.13 Guidelines for registration of profiles 434

14 Conformance 437
14.1 Overview 437
14.2 Functional implementation conformance 437
14.2.1 Functional accuracy 437
14.2.2 Functional conformance 438
14.3 Conformance of exchange formats 439
14.4 Conformance of language bindings of the SRM API 439
14.5 Conformance of applications that use the SRM API 439
14.6 Conformance of specifications that reference this document 440

Annex A Mathematical foundations (normative) 441
A.1 Overview 441
A.2 $\mathbb{R}^n$ as a real vector space 441
A.3 The point set topology of $\mathbb{R}^n$ 442
A.4 Smooth functions on $\mathbb{R}^n$ 442
A.5 Functional composition 443
A.6 Smooth surfaces in $\mathbb{R}^3$ 443
A.6.1 Implicit definition 443
A.6.2 Ellipsoid surfaces 444
A.7 Smooth curves in $\mathbb{R}^n$ 445
A.7.1 Parametric definition 445
A.7.1.1 Smooth curve 445
A.7.1.2 Tangent to a smooth curve 445
A.7.1.3 Angle between curves 446
A.7.1.4 Closed curve 446
A.7.1.5 Surface curves, connected and orientable surfaces 446

© ISO/IEC 2025 – All rights reserved

A.7.2 Implicit definition 447
A.7.3 Arc length 448
A.7.4 Geodesics on an ellipsoid 448
A.8 Special functions 448
A.8.1 Double argument arctangent function 448
A.8.2 Jacobian elliptic functions 449
A.9 Projection function 449
A.9.1 Geometric projection functions into a developable surface 449
A.9.2 Planar projection functions 449
A.9.2.1 Orthographic projection function 449
A.9.2.2 Perspective projection function 450
A.9.2.3 Stereographic projection function 451
A.9.3 Cylindrical projection function 451
A.9.4 Conic projection function 452
A.10 Quaternion algebra 452
A.11 Body-fixed rotations in terms of space-fixed axes 453
A.12 Rotation and change of basis equivalence 455

Annex B Implementation guidelines (informative) 459
B.1 Overview 459
B.2 Error types considered in this document 459
B.2.1 Measurement and modelling error 459
B.2.2 Implementation error 460
B.2.3 Finite precision 460
B.2.4 Approximation error 460
B.3 General observations on implementations 461
B.4 Guidelines for algorithm development for spatial operations 461
B.4.1 Overview 461
B.4.2 The computational environment 461
B.4.3 Domain of application 462
B.4.4 Define a meaningful error measure 463
B.4.5 Avoid excessive computational accuracy 463
B.4.6 Determine the acceptable error before starting 463
B.4.7 Mathematical approaches 463
B.4.8 Good programming and formulation practices 464
B.4.9 Design in context 465
B.4.10 Software verification and computational error testing 465
B.4.11 Singularities and near singularities 466
B.4.12 Performance testing 466
B.5 Practical considerations 467
B.5.1 Distortion considerations 467
B.5.2 Validity checking 467
B.5.3 Spherical ORMs 467

Annex C Hierarchical diagrams for SRM concepts (informative) 469
C.1 Overview 469
C.2 SRM concepts 469
C.3 Reference datum hierarchy 469
C.4 ORM template realisation examples 470

Annex D RDs associated with physical objects (normative) 473
D.1 Overview 473
D.2 RDs 473

Annex E ORM specifications (normative) 489
E.1 Overview 489
E.2 ORMs 489

© ISO/IEC 2025 – All rights reserved

E.2.1 Reference ORMs ... 489
E.2.2 Standardized ORMs ... 493
E.2.2.1 Abstract ORMs ... 494
E.2.2.2 Object-fixed ERMs ... 495
E.2.2.3 Dynamic ERMs ... 593
E.2.2.4 Object-fixed planet (non-Earth) ORMs ... 602
E.2.2.5 Dynamic planet (non-Earth) ORMs ... 609
E.2.2.6 Object-fixed satellite ORMs ... 613
E.2.2.7 Dynamic satellite ORMs ... 632
E.2.2.8 Object-fixed stellar ORMs ... 632
E.2.2.9 Dynamic stellar ORMs ... 633

Annex F Abbreviated forms used in the construction of labels (normative) ... 635
F.1 Overview ... 635
F.2 Table of abbreviated forms ... 635

Annex G Change and deprecation plan (normative) ... 637
G.1 Overview ... 637
G.2 Addition ... 637
G.3 Change ... 637
G.3.1 Overview ... 637
G.3.2 Correction ... 638
G.3.3 Update ... 638
G.4 Deprecation ... 638
G.4.1 Overview ... 638
G.4.2 Deprecation of SRM standardized concept instances ... 638
G.4.3 Deprecation of SRM registered items ... 639
G.5 Reinstatement ... 639
G.5.1 Overview ... 639
G.5.2 Reinstatement of SRM standardized concept instances ... 639
G.5.3 Reinstatement of SRM registered items ... 639

Annex H Templates for registration proposals (normative) ... 641
H.1 Overview ... 641
H.2 Proposal for the registration of a CS ... 641
H.3 Proposal for the registration of a temporal CS ... 642
H.4 Proposal for the registration of an RD ... 642
H.5 Proposal for the registration of an STT ... 643
H.6 Proposal for the registration of an ORMT ... 643
H.7 Proposal for the registration of an ORM ... 644
H.8 Proposal for the registration of a reference transformation ... 644
H.9 Proposal for the registration of an OBRS ... 645
H.10 Proposal for the registration of an SRFT ... 645
H.11 Proposal for the registration of an SRF ... 646
H.12 Proposal for the registration of an SRF set and its members ... 646
H.13 Proposal for the registration of a DSS ... 647
H.14 Proposal for the registration of a profile ... 647
H.15 Proposal for the registration of a reference ... 648

Annex I Conformance testing for SRF operations (informative) ... 649
I.1 Overview ... 649
I.2 Computational error ... 649
I.3 SRF operations baseline ... 649
I.4 Implementations ... 649
I.5 Fundamental measure of conformance ... 650
I.6 Error metrics for SRF operations ... 650
I.7 Computational error evaluated over test data sets ... 652
I.8 Level of conformance ... 652

© ISO/IEC 2025 – All rights reserved

Annex J Deprecated SRM concept instances (normative) 655
J.1 Overview 655
J.2 Deprecated RDs 655
J.3 Deprecated ORMs 661
J.4 Deprecated DSSs 689

Bibliography 691

Index 697

© ISO/IEC 2025 – All rights reserved

Tables

Page

Table 3.1 — Mathematical notation 6
Table 3.2 — Symbols 6
Table 3.3 — Abbreviated terms 9

Table 4.1 — Coordinate system types 18

Table 5.1 — Coordinate system types 38
Table 5.2 — Localization operators 45
Table 5.3 — Localization inverse operators 45
Table 5.4 — Localized CS type relationships 46
Table 5.5 — Coordinate system specification elements 61
Table 5.6 — Common parameters and functions of an oblate ellipsoid 62
Table 5.7 — CS specification directory 63
Table 5.8 — Euclidean 3D CS 64
Table 5.9 — Lococentric Euclidean 3D CS 65
Table 5.10 — Equatorial Spherical CS 67
Table 5.11 — Lococentric Equatorial Spherical CS 68
Table 5.12 — Azimuthal Spherical CS 70
Table 5.13 — Lococentric Azimuthal Spherical CS 72
Table 5.14 — Geodetic 3D CS 73
Table 5.15 — Planetodetic 3D CS 76
Table 5.16 — Cylindrical CS 77
Table 5.17 — Lococentric Cylindrical CS 79
Table 5.18 — Mercator CS 80
Table 5.19 — Oblique Mercator Spherical CS 82
Table 5.20 — Transverse Mercator CS 85
Table 5.21 — Lambert Conformal Conic CS 89
Table 5.22 — Polar Stereographic CS 91
Table 5.23 — Equidistant Cylindrical CS 93
Table 5.24 — Surface Geodetic CS 95
Table 5.25 — Surface Planetodetic CS 96
Table 5.26 — Lococentric Surface Euclidean CS 98
Table 5.27 — Lococentric Surface Azimuthal CS 100
Table 5.28 — Lococentric Surface Polar CS 101
Table 5.29 — Euclidean 2D CS 103
Table 5.30 — Lococentric Euclidean 2D CS 104
Table 5.31 — Azimuthal CS 106
Table 5.32 — Lococentric Azimuthal CS 107
Table 5.33 — Polar CS 109
Table 5.34 — Lococentric Polar CS 110
Table 5.35 — Euclidean 1D CS 112
Table 5.36 — Azimuthal Cylindrical CS 113
Table 5.37 — Lococentric Azimuthal Cylindrical CS 114
Table 5.38 — Temporal coordinate system specification elements 119
Table 5.39 — Temporal coordinate system specifications 120

Table 6.1 — Principal rotation matrices 136
Table 6.2 — Rotation and change-of-basis operators 137
Table 6.3 — Summary of representation attributes 146
Table 6.4 — Principal rotation factors for the Euler angle z-x-z convention 148
Table 6.5 — Equivalence of z-x-z principal rotation factor sequences 149
Table 6.6 — Principal rotation factors for the Tait-Bryan angle x-y-z convention 149
Table 6.7 — Principal rotation factors for the Tait-Bryan angle z-y-x convention 150
Table 6.8 — Equivalence of x-y-z or z-y-x principal rotation factor sequences 151

© ISO/IEC 2025 – All rights reserved

Table 7.1 — RD categories 156
Table 7.2 — RD specification elements 156
Table 7.3 — RD specification directory 156
Table 7.4 — 2D RDs of category point 157
Table 7.5 — 3D RDs of category point 157
Table 7.6 — 2D RDs of category directed curve 157
Table 7.7 — 3D RDs of category directed curve 157
Table 7.8 — 3D RDs of category oriented surface 157
Table 7.9 — Physical object RD specification elements 159
Table 7.10 — Physical RD specification table locations 160
Table 7.11 — STT specification elements 166
Table 7.12 — Similarity transformation template directory 166
Table 7.13 — Identity 3D STT 167
Table 7.14 — Identity 2D STT 167
Table 7.15 — Translation 3D STT 168
Table 7.16 — Translation 2D STT 168
Table 7.17 — Simplified Helmert STT (PVR convention) 169
Table 7.18 — Simplified Helmert STT (CFR convention) 170
Table 7.19 — Molodensky-Badekas STT (CFR convention) 171
Table 7.20 — General rotate-scale-translate 3D STT 172
Table 7.21 — General rotate-scale-translate 2D STT 173
Table 7.22 — Homogeneous matrix 4x4 3D STT 174
Table 7.23 — Homogeneous matrix 3x3 2D STT 174
Table 7.24 — Generalized Helmert STT (PVR convention) 175
Table 7.25 — Generalized Helmert STT (CFR convention) 176
Table 7.26 — Tait-Bryan z-y-x rotate-translate STT 177
Table 7.27 — Non-Greenwich prime meridian z rotate-translate STT 178
Table 7.28 — Geomagnetic z-y rotate STT 179
Table 7.29 — ORMT specification elements 183
Table 7.30 — ORMT specification directory 183
Table 7.31 — 2D ORMT specifications 184
Table 7.32 — 3D ORMT specifications 185
Table 7.33 — ORM specification elements 192
Table 7.34 — Reference transformation specification elements 193
Table 7.35 — OBRS for ORMT BI_AXIS_ORIGIN_3D specification elements 195
Table 7.36 — OBRS for ORMT BI_AXIS_ORIGIN_3D specification directory 195
Table 7.37 — Equatorial inertial OBRS 196
Table 7.38 — Equatorial inertial ORM directory 198
Table 7.39 — Solar ecliptic OBRS 198
Table 7.40 — Solar ecliptic ORM directory 199
Table 7.41 — Solar equatorial OBRS 200
Table 7.42 — Solar equatorial ORM directory 200
Table 7.43 — Heliocentric Aries ecliptic OBRS 201
Table 7.44 — Heliocentric Aries ecliptic ORM directory 202
Table 7.45 — Heliocentric planet ecliptic OBRS 202
Table 7.46 — Heliocentric planet ecliptic ORM directory 202
Table 7.47 — Heliocentric planet equatorial OBRS 203
Table 7.48 — Heliocentric planet equatorial ORM directory 203
Table 7.49 — Celestiomagnetic OBRS 204
Table 7.50 — Celestiomagnetic ORM directory 205
Table 7.51 — Solar magnetic ecliptic OBRS 205
Table 7.52 — Solar magnetic ecliptic ORM directory 206
Table 7.53 — Solar magnetic dipole OBRS 207
Table 7.54 — Solar magnetic dipole ORM directory 208

© ISO/IEC 2025 – All rights reserved

Table 8.1 — Compatible CS types 210
Table 8.2 — SRFT specification elements 220
Table 8.3 — SRFT directory 221
Table 8.4 — Celestiocentric SRFT 222
Table 8.5 — Local space rectangular 3D SRFT 223
Table 8.6 — Celestiodetic SRFT 224
Table 8.7 — Planetodetic SRFT 225
Table 8.8 — Local tangent space Euclidean SRFT 226
Table 8.9 — Local tangent space azimuthal spherical SRFT 228
Table 8.10 — Local tangent space cylindrical SRFT 231
Table 8.11 — Lococentric Euclidean 3D SRFT 233
Table 8.12 — Celestiomagnetic SRFT 234
Table 8.13 — Equatorial inertial SRFT 235
Table 8.14 — Solar ecliptic SRFT 235
Table 8.15 — Solar equatorial SRFT 236
Table 8.16 — Solar magnetic ecliptic SRFT 236
Table 8.17 — Solar magnetic dipole SRFT 237
Table 8.18 — Heliospheric Aries ecliptic SRFT 238
Table 8.19 — Heliospheric Earth ecliptic SRFT 238
Table 8.20 — Heliospheric Earth equatorial SRFT 239
Table 8.21 — Mercator SRFT 239
Table 8.22 — Oblique Mercator spherical SRFT 240
Table 8.23 — Transverse Mercator SRFT 241
Table 8.24 — Lambert conformal conic SRFT 242
Table 8.25 — Polar stereographic SRFT 243
Table 8.26 — Equidistant cylindrical SRFT 244
Table 8.27 — Local space rectangular 2D SRFT 245
Table 8.28 — Local space azimuthal 2D SRFT 246
Table 8.29 — Local space polar 2D SRFT 247
Table 8.30 — Standardized SRF specification elements 247
Table 8.31 — Directory of standardized SRFs 248
Table 8.32 — British national grid SRF 248
Table 8.33 — UK ordnance survey GRS80 grid SRF 249
Table 8.34 — Delaware (US) state plane coordinate system SRF 249
Table 8.35 — Geocentric WGS 1984 SRF 250
Table 8.36 — Geodetic Australia 1984 SRF 250
Table 8.37 — Geodetic WGS 1984 SRF 250
Table 8.38 — Geodetic North American 1983 SRF 251
Table 8.39 — Irish Grid SRF 251
Table 8.40 — Irish transverse Mercator SRF 251
Table 8.41 — Lambert-93 SRF 252
Table 8.42 — Lambert II étendu (Lambert II wide) SRF 252
Table 8.43 — Mars planetocentric SRF 253
Table 8.44 — Mars planetographic SRF 253
Table 8.45 — Maryland (US) state plane coordinate system SRF 254
Table 8.46 — SRF set specification elements 255
Table 8.47 — SRF set member specification elements 255
Table 8.48 — Directory of SRF sets 256
Table 8.49 — Alabama (US) state plane coordinate system SRF set 256
Table 8.50 — SRF set membership Alabama (US) state plane coordinate system 256
Table 8.51 — GTRS global coordinate system (GCS) SRF set 257
Table 8.52 — SRF set membership GTRS global coordinate system (GCS) 258
Table 8.53 — GTRS natural origin and applicable region by code index 258
Table 8.54 — Japan plane coordinate system SRF set 259
Table 8.55 — SRF set membership Japan plane coordinate system 260
Table 8.56 — Lambert NTF SRF set 264
Table 8.57 — SRF set membership Lambert NTF 265
Table 8.58 — Universal polar stereographic (UPS) SRF set 266

© ISO/IEC 2025 – All rights reserved

Table 8.59 — SRF set membership Universal polar stereographic (UPS) 266
Table 8.60 — Universal transverse Mercator (UTM) SRF set 267
Table 8.61 — SRF set membership Universal transverse Mercator (UTM) 268
Table 8.62 — Wisconsin (US) state plane coordinate system SRF set 269
Table 8.63 — SRF set membership Wisconsin (US) state plane coordinate 269

Table 9.1 — Geoidal and equipotential DSS specification elements 276
Table 9.2 — Geoidal and equipotential DSS specifications 276

Table 10.1 — Symbols 279

Table 11.1 — SRFT abbreviated forms 302
Table 11.2 — Integer data types 303
Table 11.3 — Logical data type 303
Table 11.4 — Array data type notation 311
Table 11.5 — Class specification elements 326
Table 11.6 — LifeCycleObject 327
Table 11.7 — Coordinate2D 329
Table 11.8 — Coordinate3D 329
Table 11.9 — Direction 329
Table 11.10 — SurfaceCoordinate 329
Table 11.11 — VectorQuantity3D 330
Table 11.12 — BaseSRF 332
Table 11.13 — BaseSRF2D 333
Table 11.14 — BaseSRF3D 339
Table 11.15 — BaseSRFMapProjection 355
Table 11.16 — BaseSRFwithEllipsoidalHeight 358
Table 11.17 — BaseSRFwithTangentPlaneSurface 362
Table 11.18 — LocalSpaceAzimuthal 364
Table 11.19 — LocalSpacePolar 365
Table 11.20 — LocalSpaceRectangular2D 366
Table 11.21 — Celestiocentric 367
Table 11.22 — Celestiomagnetic 368
Table 11.23 — EquatorialInertial 369
Table 11.24 — HeliosphericAriesEcliptic 370
Table 11.25 — HeliosphericEarthEcliptic 371
Table 11.26 — HeliosphericEarthEquatorial 372
Table 11.27 — LocalSpaceRectangular3D 373
Table 11.28 — LococentricEuclidean3D 374
Table 11.29 — SolarEcliptic 375
Table 11.30 — SolarEquatorial 376
Table 11.31 — SolarMagneticDipole 377
Table 11.32 — SolarMagneticEcliptic 378
Table 11.33 — EquidistantCylindrical 379
Table 11.34 — LambertConformalConic 381
Table 11.35 — Mercator 382
Table 11.36 — ObliqueMercatorSpherical 383
Table 11.37 — PolarStereographic 385
Table 11.38 — TransverseMercator 386
Table 11.39 — Celestiodetic 387
Table 11.40 — Planetodetic 389
Table 11.41 — LocalTangentSpaceAzimuthalSpherical 390
Table 11.42 — LocalTangentSpaceCylindrical 391
Table 11.43 — LocalTangentSpaceEuclidean 392
Table 11.44 — Rotation 394
Table 11.45 — Orientation 398
Table 11.46 — CreateStandardizedSRF 402
Table 11.47 — CreateStandardizedSRFSetMember 403

© ISO/IEC 2025 – All rights reserved

Table 11.48 — QueryDSSSupport 404
Table 11.49 — QueryDSSSupportList 404
Table 11.50 — QueryRTRegionSpecification 404
Table 11.51 — QueryORMSupport 405
Table 11.52 — QueryORMSupportList 405
Table 11.53 — QueryProfileSupport 406
Table 11.54 — QueryProfileSupportList 406
Table 11.55 — QueryRTSupportList 406
Table 11.56 — QuerySRFSetSupport 406
Table 11.57 — QuerySRFSetSupportList 407
Table 11.58 — QuerySRFSupport 407
Table 11.59 — QuerySRFSupportList 407
Table 11.60 — QuerySRFTSupport 407
Table 11.61 — QuerySRFTSupportList 408
Table 11.62 — QueryVersion 408

Table 12.1 — SRM profile specification elements 417
Table 12.2 — Default profile specification 419

Table D.1 — RD specification directory 473
Table D.2 — Oblate ellipsoid RD specifications 474
Table D.3 — Sphere RD specifications 479
Table D.4 — Prolate ellipsoid RD specifications 483
Table D.5 — Tri-axial ellipsoid RD specifications 483

Table E.1 — Reference ORM directory 489
Table E.2 — ORM specification directory 493
Table E.3 — Abstract ORM specifications 494
Table E.4 — Abstract ORM reference transformation specifications 494
Table E.5 — Object-fixed ERM specifications 495
Table E.6 — Object-fixed ERM reference transformation specifications 521
Table E.7 — Dynamic ERM specifications 593
Table E.8 — Time-fixed instances of dynamic ERM specifications 594
Table E.9 — Time-fixed instances of dynamic ERM reference transformation specifications 599
Table E.10 — Object-fixed planet (non-Earth) ORM specifications 602
Table E.11 — Object-fixed planet (non-Earth) ORM reference transformation specifications 607
Table E.12 — Dynamic planet (non-Earth) ORM specifications 609
Table E.13 — Time-fixed instances of dynamic planet (non-Earth) ORM specifications 611
Table E.14 — Time-fixed instances of dynamic planet (non-Earth) ORM reference transformation specifications 612
Table E.15 — Object-fixed satellite ORM specifications 613
Table E.16 — Object-fixed satellite ORM reference transformation specifications 625
Table E.17 — Time-fixed instances of dynamic satellite ORM specifications 632
Table E.18 — Time-fixed instances of dynamic satellite ORM reference transformation specifications 632
Table E.19 — Object-fixed stellar ORM specifications 632
Table E.20 — Object-fixed stellar ORM reference transformation specifications 632
Table E.21 — Dynamic stellar ORM specifications 633
Table E.22 — Time-fixed instances of dynamic stellar ORM specifications 633
Table E.23 — Time-fixed instances of dynamic stellar ORM reference transformation specifications 633

Table F.1 — Abbreviated forms used in labels 635

Table H.1 — Common registration proposal specification elements 641
Table H.2 — Coordinate system registration proposal elements 641
Table H.3 — Temporal coordinate system registration proposal elements 642
Table H.4 — RD registration proposal elements 642
Table H.5 — Similarity transformation template registration proposal elements 643
Table H.6 — ORMT registration proposal elements 643

© ISO/IEC 2025 – All rights reserved

Table H.7 — ORM registration proposal elements 644
Table H.8 — RT registration proposal elements 644
Table H.9 — OBRS registration proposal elements 645
Table H.10 — SRFT registration proposal elements 645
Table H.11 — SRF registration proposal elements 646
Table H.12 — SRF set registration proposal elements 646
Table H.13 — SRF set member registration proposal elements 647
Table H.14 — DSS registration proposal elements 647
Table H.15 — Profile registration proposal elements 647
Table H.16 — Reference registration proposal elements 648

Table J.1 — Deprecated RD specification directory 655
Table J.2 — Deprecated oblate ellipsoid RDs 656
Table J.3 — Deprecated sphere RDs 656
Table J.4 — Deprecated prolate ellipsoid RDs 657
Table J.5 — Deprecated tri-axial ellipsoid RDs 658
Table J.6 — Deprecated ORM specification directory 661
Table J.7 — Deprecated abstract object ORMs 661
Table J.8 — Deprecated object-fixed ERMs 661
Table J.9 — Deprecated dynamic ERMs 661
Table J.10 — Deprecated time-fixed instances of dynamic ERMs 662
Table J.11 — Deprecated time-fixed instances of dynamic ERM RTs 665
Table J.12 — Deprecated object-fixed planet (non-Earth) ORMs 667
Table J.13 — Deprecated object-fixed planet (non-Earth) RTs 669
Table J.14 — Deprecated dynamic planet (non-Earth) ORMs 671
Table J.15 — Deprecated time-fixed instances of dynamic planet (non-Earth) ORMs 671
Table J.16 — Deprecated object-fixed satellite ORMs 672
Table J.17 — Deprecated object-fixed satellite RTs 682
Table J.18 — Deprecated dynamic satellite ORMs 687
Table J.19 — Deprecated time-fixed instances of dynamic satellite ORMs 687
Table J.20 — Deprecated object-fixed stellar ORMs 688
Table J.21 — Deprecated object-fixed stellar RTs 688
Table J.22 — Deprecated dynamic stellar ORMs 689
Table J.23 — Deprecated time-fixed instances of dynamic stellar ORMs 689
Table J.24 — Deprecated DSSs 689

© ISO/IEC 2025 – All rights reserved

Figures

Page

Figure 4.1 — Coordinate-space, position-space, and object-space relationships 14
Figure 4.2 — A coordinate-space (for spherical coordinates) 15
Figure 4.3 — 3D position-space and its canonical Cartesian basis 16
Figure 4.4 — Object-spaces for the Earth and for a CAD model 16
Figure 4.5 — Abstract equatorial spherical coordinate system example 17
Figure 4.6 — A normal embedding of an abstract coordinate system 19
Figure 4.7 — An ellipsoid reference datum 21
Figure 4.8 — Reference datums bound to abstract and physical objects 22
Figure 4.9 — A reference datum binding 23
Figure 4.10 — An object reference model 24
Figure 4.11 — A vertical offset surface for ellipsoidal height 27
Figure 4.12 — Change of spatial reference frame operation applied to a coordinate 28

Figure 5.1 — A coordinate-space (including the domain for spherical coordinate n-tuples) 32
Figure 5.2 — A right-handed orthonormal frame 32
Figure 5.3 — 3D position-space, its orthonormal frame, and its canonical Cartesian basis 33
Figure 5.4 — Object-spaces for the Earth and for a CAD model 34
Figure 5.5 — A normal embedding that maps position-space to an object-space 35
Figure 5.6 — Two distinct normal embeddings that map position-space to an object-space 36
Figure 5.7 — Abstract equatorial spherical coordinate system example 38
Figure 5.8 — Polar CS geometry 39
Figure 5.9 — The Polar CS generating function 39
Figure 5.10 — The geodetic coordinate system geometric and trigonometric relationships 40
Figure 5.11 — Surface geodetic CS geometric and trigonometric relationships 40
Figure 5.12 — Geodetic 3D CS geometry, and coordinate-component surface and curves 43
Figure 5.13 — Induced surface CS with localization 47
Figure 5.14 — Lococentric Euclidean CS on a local tangent plane 49
Figure 5.15 — Lococentric azimuthal spherical CS on a local tangent plane 50
Figure 5.16 — A map projection generating function 52
Figure 5.17 — Geodetic azimuths $\boldsymbol{\alpha_1}$ from $\boldsymbol{p_1}$ to $\boldsymbol{p_2}$ 55
Figure 5.18 — Convergence of the meridian 56
Figure 5.19 — Polar Stereographic map projection 57
Figure 5.20 — Tangent and secant cylindrical map projections 58
Figure 5.21 — Tangent and secant conical map projections 59
Figure 5.22 — Vertical distortion 60
Figure 5.23 — Coordinate-space, position-space, and object-space relationships 116
Figure 5.24 — A spatial CS of type surface 117
Figure 5.25 — Two spatial coordinate systems for the same object-space 117

Figure 6.1 — Change of basis relationships 122
Figure 6.2 — Rotation operator applied to a point, a line segment, and a 3D object 127
Figure 6.3 — Origin-fixed rotation 128
Figure 6.4 — Consecutive rotation operations: axis n followed by axis m 129
Figure 6.5 — Consecutive rotation operations: axis m followed by axis n 130
Figure 6.6 — Space-fixed, body-fixed, and space-fixed equivalent of body-fixed conventions 131
Figure 6.7 — Space-fixed convention 132
Figure 6.8 — Body-fixed convention 132
Figure 6.9 — Space-fixed equivalent of body-fixed convention 133
Figure 6.10 — Rotation of a position-vector within an orthonormal frame 134
Figure 6.11 — Rotation of the basis vectors in the same direction as the position-vector 135
Figure 6.12 — Euler z-x-z convention rotation sequence 142
Figure 6.13 — Tait-Bryan angles 143

Figure 7.1 — Oblate and prolate ellipsoids 158
Figure 7.2 — An ellipsoid reference datum 160

© ISO/IEC 2025 – All rights reserved

Figure 7.3 — Two RDs bound to an abstract object and to a physical object 161
Figure 7.4 — A reference datum binding 162
Figure 7.5 — 3D normal embedding relationships 163
Figure 7.6 — Oblate ellipsoid ORMT binding 181

Figure 8.1 — The components of a spatial reference frame 209
Figure 8.2 — Examples of SRF relationships 215
Figure 8.3 — Coordinate-space, position-space, and object-space directions compared 219
Figure 8.4 — Local tangent space Euclidean SRFT 228
Figure 8.5 — Local tangent space azimuthal spherical SRFT 230
Figure 8.6 — Local tangent space cylindrical SRFT 233

Figure 9.1 — Vertical offset surface for ellipsoidal height 272
Figure 9.2 — Vertical offset surface tangent plane 273
Figure 9.3 — Geoidal separation 273
Figure 9.4 — Vertical coordinate-component with respect to a vertical offset surface 274
Figure 9.5 — Orthometric height 275

Figure 10.1 — Composed transformations for a single object 281
Figure 10.2 — Composed transformations for two different objects 282
Figure 10.3 — Change of SRF operation – applied to coordinates 284
Figure 10.4 — Change of SRF operation for Lococentric Euclidean 3D SRFs 288
Figure 10.5 — Abstract object realised in another abstract object-space 291
Figure 10.6 — Abstract object realised using a geodetic reference point 291
Figure 10.7 — Abstract object realised using a geocentric reference point 292
Figure 10.8 — Four examples of geodesic segments 296

Figure 11.1 — Class inheritance hierarchy summary 325
Figure 11.2 — BaseSRF class hierarchy 331
Figure 11.3 — BaseSRF2D class hierarchy 333
Figure 11.4 — BaseSRF3D class hierarchy 338
Figure 11.5 — BaseSRFMapProjection class hierarchy 355
Figure 11.6 — BaseSRFwithEllipsoidalHeight class hierarchy 357
Figure 11.7 — BaseSRFwithTangentPlaneSurface class hierarchy 362

Figure A.1 — Tangent to a curve 445
Figure A.2 — Angle between two curves 446
Figure A.3 — Tangent plane to a surface 447
Figure A.4 — Orthographic projection 450
Figure A.5 — Perspective projection 450
Figure A.6 — Stereographic projection 451
Figure A.7 — Cylindrical projection 452
Figure A.8 — Conic projection 452

Figure C.1 — SRM concepts and their relationships 469
Figure C.2 — Reference datum hierarchy 470
Figure C.3 — Sphere-based ORM template realisation example 471
Figure C.4 — Oblate ellipsoid-based ORM template realisation example 471
Figure C.5 — Object-dynamic ORM template realisation example 472

© ISO/IEC 2025 – All rights reserved