

Contents	Page
Foreword	xxiii
0 Introduction	xxv
0.1 Purpose	xxv
0.2 Design criteria	xxv
1 Scope	1
2 Normative references	3
3 Terms, definitions, symbols, and abbreviated terms	5
3.1 Terms and definitions	5
3.2 Notation, symbols, and abbreviated terms	6
4 Concepts	13
4.1 Overview	13
4.2 Coordinate-space, position-space, and object-space	15
4.2.1 Coordinate-space	15
4.2.2 Position-space and orthonormal frames	15
4.2.3 Object-space and normal embeddings	16
4.3 Coordinate systems	17
4.3.1 Abstract coordinate systems	17
4.3.2 Spatial coordinate systems	19
4.3.3 Temporal coordinate systems	19
4.4 Orientation	20
4.5 Reference datums	20
4.6 Object reference models	23
4.7 Spatial reference frames	25
4.8 Designated spatial surfaces and vertical offset surfaces	26
4.9 Spatial operations	27
4.10 Application program interface	28
4.11 Profiles	28
4.12 Registration	28
4.13 Conformance	29
5 Coordinate systems	31
5.1 Overview	31
5.2 Coordinate-space, position-space, and object-space	31
5.2.1 Coordinate-space	31
5.2.2 Orthonormal frames	32
5.2.3 Position-space	33
5.2.4 Object-space	34
5.2.5 Normal embeddings	35
5.3 Abstract coordinate systems	37
5.3.1 Overview	37
5.3.2 Definition	37
5.3.3 Coordinate system types	38
5.3.4 Coordinate-component surfaces and curves	41
5.3.4.1 Overview	41
5.3.4.2 Coordinate-component surfaces and induced surface CSs	41
5.3.4.3 Coordinate-component curves	42
5.3.5 CS properties	43
5.3.5.1 Linearity	43

5.3.5.2	Orthogonality	43
5.3.5.3	Linear CS properties: Cartesian, and orthogonal	43
5.3.5.4	CS right-handedness and coordinate-component ordering	44
5.3.6	CS localization	44
5.3.6.1	Overview	44
5.3.6.2	Localization operators	45
5.3.6.3	Localized frame and local tangent frame at a coordinate	47
5.3.6.4	Vectors, directions, and localized frames	50
5.3.7	Map projection coordinate systems	51
5.3.7.1	Map projections	51
5.3.7.2	Map projection as a surface CS	51
5.3.7.3	Map projection geometry	52
5.3.7.4	Relationship to projection functions	56
5.3.7.5	Map projection CS common parameters	59
5.3.7.6	Augmented map projections	60
5.3.8	CS specifications	61
5.3.8.1	Specification table elements and common functions and parameters	61
5.3.8.2	Euclidean 3D CS specification	64
5.3.8.3	Lococentric Euclidean 3D CS specification	65
5.3.8.4	Equatorial Spherical CS specification	67
5.3.8.5	Lococentric Equatorial Spherical CS specification	68
5.3.8.6	Azimuthal Spherical CS specification	70
5.3.8.7	Lococentric Azimuthal Spherical CS specification	72
5.3.8.8	Geodetic 3D CS specification	73
5.3.8.9	Planetodetic 3D specification	76
5.3.8.10	Cylindrical CS specification	77
5.3.8.11	Lococentric Cylindrical CS specification	79
5.3.8.12	Mercator CS specification	80
5.3.8.13	Oblique Mercator Spherical CS specification	82
5.3.8.14	Transverse Mercator CS specification	85
5.3.8.15	Lambert Conformal Conic CS specification	89
5.3.8.16	Polar Stereographic CS specification	91
5.3.8.17	Equidistant Cylindrical CS specification	93
5.3.8.18	Surface Geodetic CS specification	95
5.3.8.19	Surface Planetodetic CS specification	96
5.3.8.20	Lococentric Surface Euclidean CS specification	98
5.3.8.21	Lococentric Surface Azimuthal CS specification	100
5.3.8.22	Lococentric Surface Polar CS specification	101
5.3.8.23	Euclidean 2D CS specification	103
5.3.8.24	Lococentric Euclidean 2D CS specification	104
5.3.8.25	Azimuthal CS specification	106
5.3.8.26	Lococentric Azimuthal CS specification	107
5.3.8.27	Polar CS specification	109
5.3.8.28	Lococentric Polar CS specification	110
5.3.8.29	Euclidean 1D CS specification	112
5.3.8.30	Azimuthal Cylindrical CS specification	113
5.3.8.31	Lococentric Azimuthal Cylindrical CS specification	114
5.4	Spatial coordinate systems	116
5.4.1	Overview	116
5.4.2	Definition	116
5.5	Temporal coordinate systems	118
5.5.1	Overview	118
5.5.2	Universal time	119
5.5.3	International atomic time	119
5.5.4	Coordinated universal time	119
5.5.5	Specified temporal coordinate systems	119

6	Orientation – change of basis and rotation	121
6.1	Overview	121
6.2	Change of basis	121
6.2.1	Overview	121
6.2.2	Change of basis operations	121
6.2.3	Direction cosine matrix	124
6.2.4	Consecutive change of basis	124
6.2.5	Equivalence of change of basis and rotation operators	124
6.2.6	Change of basis and orientation	125
6.3	Orientation	125
6.3.1	Overview	125
6.3.2	Orientation defined in terms of a change of basis operator	126
6.3.3	Orientation defined in terms of a rotation operator	126
6.3.4	Orientation contexts	126
6.4	Rotation	126
6.4.1	Overview	126
6.4.2	Coordinate-free rotation	127
6.4.2.1	Origin-fixed rotation	127
6.4.2.2	Rodrigues' rotation formula	128
6.4.2.3	Rotation properties	128
6.4.2.4	Consecutive rotations	129
6.4.3	Frame-based rotation	133
6.4.3.1	Overview	133
6.4.3.2	Rotation of position-vectors	134
6.4.3.3	Rotation of basis vectors and orthonormal frames	135
6.4.3.4	Principal rotations	136
6.4.3.5	Equivalence of rotation and change of basis operators	136
6.4.4	Rotation and orientation	137
6.5	Operator summary	137
6.6	Representing rotations	139
6.6.1	Overview	139
6.6.2	Axis-angle	139
6.6.3	Matrix	139
6.6.4	Euler angles	140
6.6.4.1	Principal rotations	140
6.6.4.2	Euler angle conventions	140
6.6.4.3	The Euler z-x-z convention	141
6.6.4.4	Tait-Bryan angles	142
6.6.4.5	Gimbal lock	143
6.6.5	Quaternions	144
6.6.5.1	Quaternion notations and conventions	144
6.6.5.2	Quaternion algebra	145
6.6.5.3	Quaternion operators on 3D Euclidean space	145
6.6.6	Representation summary	146
6.7	Rotation representation conversions	147
6.7.1	Overview	147
6.7.2	From axis-angle to matrix	147
6.7.3	From matrix to axis-angle	147
6.7.4	From Euler angle z-x-z convention to matrix	147
6.7.5	From matrix to Euler angle z-x-z convention	148
6.7.6	From Tait-Bryan angle x-y-z convention to matrix	149
6.7.7	From matrix to Tait-Bryan angle x-y-z convention	149
6.7.8	From Tait-Bryan angle z-y-x convention to matrix	150
6.7.9	From matrix to Tait-Bryan angle z-y-x convention	150
6.7.10	From axis-angle to quaternion	151
6.7.11	From quaternion to axis-angle	151
6.7.12	From quaternion to matrix	152
6.7.13	From matrix to quaternion	152

6.7.14	From Euler angle z-x-z convention to quaternion	152
6.7.15	From quaternion to Euler angle z-x-z convention	153
6.7.16	From Tait-Bryan angle x-y-z convention to quaternion	153
6.7.17	From quaternion to Tait-Bryan angle x-y-z convention	153
6.7.18	From Tait-Bryan angle z-y-x convention to quaternion	154
6.7.19	From quaternion to Tait-Bryan angle z-y-x convention	154
7	Reference datums, embeddings, and object reference models	155
7.1	Overview	155
7.2	Reference datums	155
7.2.1	Overview	155
7.2.2	Reference datum categories	155
7.2.3	Ellipsoidal RDs	157
7.2.4	RDs associated with physical objects	159
7.2.5	RD binding	160
7.3	Normal embeddings and similarity transformations	162
7.3.1	Normal embeddings	162
7.3.2	Similarity transformations	162
7.3.3	Similarity transformation templates	165
7.3.3.1	Identity transformation 3D	167
7.3.3.2	Identity transformation 2D	167
7.3.3.3	Translation transformation 3D	168
7.3.3.4	Translation transformation 2D	168
7.3.3.5	Simplified Helmert transformation (PVR convention)	169
7.3.3.6	Simplified Helmert transformation (CFR convention)	170
7.3.3.7	Molodensky-Badekas transformation (CFR convention)	171
7.3.3.8	General rotate-scale-translate transformation 3D	172
7.3.3.9	General rotate-scale-translate transformation 2D	173
7.3.3.10	Homogeneous matrix 4x4 transformation 3D	174
7.3.3.11	Homogeneous matrix 3x3 transformation 2D	174
7.3.3.12	Generalized Helmert transformation (PVR convention)	175
7.3.3.13	Generalized Helmert transformation (CFR convention)	176
7.3.3.14	Tait-Bryan z-y-x rotate-translate transformation	177
7.3.3.15	Non-Greenwich prime meridian z rotate-translate transformation	178
7.3.3.16	Geomagnetic z-y rotate transformation	179
7.4	Object reference model	180
7.4.1	Overview	180
7.4.2	Definition	180
7.4.3	Binding constraint	182
7.4.4	ORM template	182
7.4.5	Standardized ORMs	191
7.4.6	Reference ORMs and reference transformations	191
7.4.7	ORM specifications	192
7.5	Object binding rules for ORMT BI_AXIS_ORIGIN_3D realisations	194
7.5.1	Object binding rule set	194
7.5.2	Equatorial inertial	196
7.5.3	Solar ecliptic	198
7.5.4	Solar equatorial	200
7.5.5	Heliocentric Aries ecliptic	201
7.5.6	Heliocentric planet ecliptic	202
7.5.7	Heliocentric planet equatorial	203
7.5.8	Celestiomagnetic	204
7.5.9	Solar magnetic ecliptic	205
7.5.10	Solar magnetic dipole	207
8	Spatial reference frames	209
8.1	Overview	209
8.2	Spatial reference frame structure	209

8.3	Spatial reference frame specification	210
8.3.1	SRF definition	210
8.3.2	SRF specification elements	210
8.3.2.1	ORM and CS compatibility	210
8.3.2.2	CS parameter binding	211
8.3.2.3	Coordinate-component names	211
8.3.2.4	Applicable region	211
8.4	SRF relationships	213
8.4.1	Overview	213
8.4.2	Application-based SRF relationships	213
8.4.3	Induced surface SRFs	215
8.4.4	Lococentric SRFs	216
8.4.5	SRFs for vector specification	218
8.5	SRF templates	219
8.5.1	Overview	219
8.5.2	Celestiocentric SRFT	222
8.5.3	Local space rectangular 3D SRFT	223
8.5.4	Celestiodetic SRFT	224
8.5.5	Planetodetic SRFT	225
8.5.6	Local tangent space Euclidean SRFT	226
8.5.7	Local tangent space azimuthal spherical SRFT	228
8.5.8	Local tangent space cylindrical SRFT	231
8.5.9	Lococentric Euclidean 3D SRFT	233
8.5.10	Celestiomagnetic SRFT	234
8.5.11	Equatorial inertial SRFT	235
8.5.12	Solar ecliptic SRFT	235
8.5.13	Solar equatorial SRFT	236
8.5.14	Solar magnetic ecliptic SRFT	236
8.5.15	Solar magnetic dipole SRFT	237
8.5.16	Heliospheric Aries ecliptic SRFT	238
8.5.17	Heliospheric Earth ecliptic SRFT	238
8.5.18	Heliospheric Earth equatorial SRFT	239
8.5.19	Mercator SRFT	239
8.5.20	Oblique Mercator spherical SRFT	240
8.5.21	Transverse Mercator SRFT	241
8.5.22	Lambert conformal conic SRFT	242
8.5.23	Polar stereographic SRFT	243
8.5.24	Equidistant cylindrical SRFT	244
8.5.25	Local space rectangular 2D SRFT	245
8.5.26	Local space azimuthal 2D SRFT	246
8.5.27	Local space polar 2D SRFT	246
8.6	Standardized SRFs	247
8.6.1	Overview	247
8.6.2	British national grid	248
8.6.3	UK ordnance survey GRS80 grid	249
8.6.4	Delaware (US) state plane coordinate system	249
8.6.5	Geocentric WGS 1984	250
8.6.6	Geodetic Australia 1984	250
8.6.7	Geodetic WGS 1984	250
8.6.8	Geodetic North American 1983	251
8.6.9	Irish Grid	251
8.6.10	Irish transverse Mercator	251
8.6.11	Lambert-93	252
8.6.12	Lambert II étendu (Lambert II wide)	252
8.6.13	Mars planetocentric	253
8.6.14	Mars planetographic	253
8.6.15	Maryland (US) state plane coordinate system	254
8.7	Standardized SRF sets	254

8.7.1	Overview.....	254
8.7.2	Alabama (US) state plane coordinate system.....	256
8.7.3	GTRS global coordinate system (GCS).....	257
8.7.4	Japan plane coordinate system.....	259
8.7.5	Lambert NTF.....	264
8.7.6	Universal polar stereographic.....	266
8.7.7	Universal transverse Mercator.....	267
8.7.8	Wisconsin (US) state plane coordinate system.....	269
9	Designated spatial surfaces and vertical offsets.....	271
9.1	Overview.....	271
9.2	Designated spatial surface.....	271
9.3	Vertical offset surface.....	272
9.4	Geoidal separation.....	273
9.5	Vertical offset height and elevation.....	273
9.6	Use of vertical offset height in spatial referencing.....	274
9.7	Other vertical measurements.....	274
9.8	Standardized DSS specifications.....	275
10	Operations.....	279
10.1	Overview.....	279
10.2	Symbols and terminology.....	279
10.3	ORM operations.....	280
10.3.1	Overview.....	280
10.3.2	Relating different ORMs for the same object.....	280
10.3.3	Relating ORMs for different objects.....	282
10.4	Position operations.....	283
10.4.1	Overview.....	283
10.4.2	General case.....	284
10.4.3	Matched normal embeddings.....	285
10.4.4	Matched normal embeddings and map projection SRFs.....	286
10.4.5	SRFs with Cartesian coordinate systems.....	287
10.4.6	Instantiating abstract object-space SRFs.....	289
10.5	Vector operations.....	292
10.5.1	Overview.....	292
10.5.2	Converting vectors between different vector reference frames.....	293
10.5.3	Instantiating abstract object-space vectors.....	294
10.6	Euclidean distance operation.....	295
10.7	Geodesic operations.....	295
10.7.1	Overview.....	295
10.7.2	Auxiliary functions.....	297
10.7.3	The direct problem.....	298
10.7.4	The indirect problem.....	299
11	Application program interface.....	301
11.1	Overview.....	301
11.2	Data types.....	301
11.2.1	Overview.....	301
11.2.2	SRFT abbreviated forms.....	301
11.2.3	Numbers.....	303
11.2.4	Logicals.....	303
11.2.5	Object_Reference.....	303
11.2.6	Enumerated data types.....	303
11.2.6.1	Overview.....	303
11.2.6.2	Axis_Direction_2D.....	304
11.2.6.3	Axis_Direction_3D.....	304
11.2.6.4	Interval_Type.....	305
11.2.6.5	Polar_Aspect.....	305

11.2.6.6	SRF_Region_Status	305
11.2.6.7	SRF_Region_Type	306
11.2.7	Selection data types	306
11.2.7.1	Overview	306
11.2.7.2	CS_Code	306
11.2.7.3	DSS_Code	306
11.2.7.4	ORM_Code	307
11.2.7.5	ORMT_Code	307
11.2.7.6	Profile_Code	307
11.2.7.7	RT_Code	307
11.2.7.8	SRF_Code	307
11.2.7.9	SRFS_Code	307
11.2.7.10	SRFS member types	307
11.2.7.11	SRFT_Code	308
11.2.7.12	Status_Code	308
11.2.7.13	STT_Code	311
11.2.8	Array data types	311
11.2.8.1	Overview	311
11.2.8.2	Coordinate2D_Array	311
11.2.8.3	Coordinate3D_Array	311
11.2.8.4	Direction_Array	312
11.2.8.5	DSS_Code_Array	312
11.2.8.6	Matrix_2x2	312
11.2.8.7	Matrix_3x3	312
11.2.8.8	Matrix_4x4	312
11.2.8.9	ORM_Code_Array	312
11.2.8.10	Profile_Code_Array	313
11.2.8.11	RT_Code_Array	313
11.2.8.12	SRF_Code_Array	313
11.2.8.13	SRF_Region_Status_Array	313
11.2.8.14	SRFS_Code_Array	313
11.2.8.15	SRFT_Code_Array	313
11.2.8.16	VectorQuantity3D_Array	314
11.2.8.17	Vector_3D	314
11.2.9	Record data types	314
11.2.9.1	Overview	314
11.2.9.2	Interval	315
11.2.9.3	ORM_Transformation_Parameters	316
11.2.9.4	Rotation and Orientation representation parameters	316
11.2.9.5	SRFT parameter record data types	317
11.2.9.6	STT parameter record data types	321
11.3	Object classes	324
11.3.1	Overview	324
11.3.2	Class specification format	326
11.3.3	LifeCycleObject	327
11.3.4	Coordinate and vector classes	328
11.3.4.1	Overview	328
11.3.4.2	Coordinate2D	329
11.3.4.3	Coordinate3D	329
11.3.4.4	Direction	329
11.3.4.5	SurfaceCoordinate	329
11.3.4.6	VectorQuantity3D	330
11.3.5	Abstract classes	330
11.3.5.1	BaseSRF	330
11.3.5.2	BaseSRF2D	332
11.3.5.3	BaseSRF3D	336
11.3.5.4	BaseSRFMapProjection	354
11.3.5.5	BaseSRFwithEllipsoidalHeight	357

11.3.5.6	BaseSRFwithTangentPlaneSurface.....	361
11.3.6	SRF concrete subclasses of BaseSRF2D	364
11.3.6.1	Overview.....	364
11.3.6.2	LocalSpaceAzimuthal.....	364
11.3.6.3	LocalSpacePolar	365
11.3.6.4	LocalSpaceRectangular2D.....	366
11.3.7	SRF concrete subclasses of BaseSRF3D	367
11.3.7.1	Overview.....	367
11.3.7.2	Celestiocentric.....	367
11.3.7.3	Celestiomagnetic.....	368
11.3.7.4	EquatorialInertial	369
11.3.7.5	HeliosphericAriesEcliptic.....	370
11.3.7.6	HeliosphericEarthEcliptic.....	371
11.3.7.7	HeliosphericEarthEquatorial.....	372
11.3.7.8	LocalSpaceRectangular3D.....	373
11.3.7.9	LococentricEuclidean3D.....	374
11.3.7.10	SolarEcliptic.....	375
11.3.7.11	SolarEquatorial.....	376
11.3.7.12	SolarMagneticDipole.....	377
11.3.7.13	SolarMagneticEcliptic.....	378
11.3.8	SRF concrete subclasses of BaseSRFMapProjection.....	379
11.3.8.1	Overview.....	379
11.3.8.2	EquidistantCylindrical.....	379
11.3.8.3	LambertConformalConic.....	381
11.3.8.4	Mercator.....	382
11.3.8.5	ObliqueMercatorSpherical.....	383
11.3.8.6	PolarStereographic.....	385
11.3.8.7	TransverseMercator.....	386
11.3.9	SRF concrete subclasses of BaseSRFwithEllipsoidalHeight.....	387
11.3.9.1	Overview.....	387
11.3.9.2	Celestiodetic.....	387
11.3.9.3	Planetodetic.....	389
11.3.10	SRF concrete subclasses of BaseSRFwithTangentPlaneSurface.....	390
11.3.10.1	Overview.....	390
11.3.10.2	LocalTangentSpaceAzimuthalSpherical.....	390
11.3.10.3	LocalTangentSpaceCylindrical.....	391
11.3.10.4	LocalTangentSpaceEuclidean.....	392
11.3.11	Rotation and Orientation classes.....	394
11.3.11.1	Overview.....	394
11.3.11.2	Rotation.....	394
11.3.11.3	Orientation.....	398
11.4	Functions.....	402
11.4.1	Function to create instances of standardized SRFs.....	402
11.4.2	Function to create instances of standardized SRF set members.....	403
11.4.3	Implementation support query functions.....	403
11.5	Data storage structures.....	408
11.5.1	Overview.....	408
11.5.2	Selection data types.....	408
11.5.2.1	OBRS_Code.....	408
11.5.2.2	RD_Code.....	408
11.5.2.3	Spatial_Coordinate_Code.....	409
11.5.2.4	SRF_Parameters_Info_Code.....	409
11.5.3	Record data types.....	410
11.5.3.1	Coordinate structures.....	410
11.5.3.2	Coordinate.....	413
11.5.3.3	SRF_Parameters_Info.....	414
11.5.3.4	SRF_Reference_Surface_Info.....	414
11.5.3.5	SRFS_Info.....	415

11.5.3.6	SRFT_Parameters	415
12	Profiles	417
12.1	Overview	417
12.2	Profile specification	417
12.3	Default profile	419
13	Registration	423
13.1	Overview	423
13.2	Specification elements for SRM registered items	423
13.2.1	Overview	423
13.2.2	Label	423
13.2.3	Code	425
13.2.4	Description	425
13.2.5	References	426
13.2.5.1	Overview	426
13.2.5.2	Citation format	426
13.3	Guidelines for specific SRM concepts	426
13.3.1	Guidelines for registration of abstract CSs	426
13.3.2	Guideline for registration of temporal CSs	427
13.3.3	Guidelines for registration of RDs	427
13.3.4	Guidelines for registration of STTs	428
13.3.5	Guidelines for registration of ORMTs	429
13.3.6	Guidelines for registration of ORMs	429
13.3.7	Guidelines for registration of RTs	430
13.3.8	Guidelines for registration of OBRs	430
13.3.9	Guidelines for registration of SRFTs	430
13.3.10	Guidelines for registration of SRFs	432
13.3.11	Guidelines for registration of SRF sets and their members	432
13.3.12	Guidelines for registration of DSSs	434
13.3.13	Guidelines for registration of profiles	434
14	Conformance	437
14.1	Overview	437
14.2	Functional implementation conformance	437
14.2.1	Functional accuracy	437
14.2.2	Functional conformance	438
14.3	Conformance of exchange formats	439
14.4	Conformance of language bindings of the SRM API	439
14.5	Conformance of applications that use the SRM API	439
14.6	Conformance of specifications that reference this document	440
Annex A	Mathematical foundations (normative)	441
A.1	Overview	441
A.2	\mathbb{R}^n as a real vector space	441
A.3	The point set topology of \mathbb{R}^n	442
A.4	Smooth functions on \mathbb{R}^n	442
A.5	Functional composition	443
A.6	Smooth surfaces in \mathbb{R}^3	443
A.6.1	Implicit definition	443
A.6.2	Ellipsoid surfaces	444
A.7	Smooth curves in \mathbb{R}^n	445
A.7.1	Parametric definition	445
A.7.1.1	Smooth curve	445
A.7.1.2	Tangent to a smooth curve	445
A.7.1.3	Angle between curves	446
A.7.1.4	Closed curve	446
A.7.1.5	Surface curves, connected and orientable surfaces	446

A.7.2	Implicit definition	447
A.7.3	Arc length	448
A.7.4	Geodesics on an ellipsoid	448
A.8	Special functions	448
A.8.1	Double argument arctangent function	448
A.8.2	Jacobian elliptic functions	449
A.9	Projection function	449
A.9.1	Geometric projection functions into a developable surface	449
A.9.2	Planar projection functions	449
A.9.2.1	Orthographic projection function	449
A.9.2.2	Perspective projection function	450
A.9.2.3	Stereographic projection function	451
A.9.3	Cylindrical projection function	451
A.9.4	Conic projection function	452
A.10	Quaternion algebra	452
A.11	Body-fixed rotations in terms of space-fixed axes	453
A.12	Rotation and change of basis equivalence	455
Annex B	Implementation guidelines (informative)	459
B.1	Overview	459
B.2	Error types considered in this document	459
B.2.1	Measurement and modelling error	459
B.2.2	Implementation error	460
B.2.3	Finite precision	460
B.2.4	Approximation error	460
B.3	General observations on implementations	461
B.4	Guidelines for algorithm development for spatial operations	461
B.4.1	Overview	461
B.4.2	The computational environment	461
B.4.3	Domain of application	462
B.4.4	Define a meaningful error measure	463
B.4.5	Avoid excessive computational accuracy	463
B.4.6	Determine the acceptable error before starting	463
B.4.7	Mathematical approaches	463
B.4.8	Good programming and formulation practices	464
B.4.9	Design in context	465
B.4.10	Software verification and computational error testing	465
B.4.11	Singularities and near singularities	466
B.4.12	Performance testing	466
B.5	Practical considerations	467
B.5.1	Distortion considerations	467
B.5.2	Validity checking	467
B.5.3	Spherical ORMs	467
Annex C	Hierarchical diagrams for SRM concepts (informative)	469
C.1	Overview	469
C.2	SRM concepts	469
C.3	Reference datum hierarchy	469
C.4	ORM template realisation examples	470
Annex D	RDs associated with physical objects (normative)	473
D.1	Overview	473
D.2	RDs	473
Annex E	ORM specifications (normative)	489
E.1	Overview	489
E.2	ORMs	489

E.2.1	Reference ORMs	489
E.2.2	Standardized ORMs	493
E.2.2.1	Abstract ORMs	494
E.2.2.2	Object-fixed ERMs	495
E.2.2.3	Dynamic ERMs	593
E.2.2.4	Object-fixed planet (non-Earth) ORMs	602
E.2.2.5	Dynamic planet (non-Earth) ORMs	609
E.2.2.6	Object-fixed satellite ORMs	613
E.2.2.7	Dynamic satellite ORMs	632
E.2.2.8	Object-fixed stellar ORMs	632
E.2.2.9	Dynamic stellar ORMs	633
Annex F	Abbreviated forms used in the construction of labels (normative)	635
F.1	Overview	635
F.2	Table of abbreviated forms	635
Annex G	Change and deprecation plan (normative)	637
G.1	Overview	637
G.2	Addition	637
G.3	Change	637
G.3.1	Overview	637
G.3.2	Correction	638
G.3.3	Update	638
G.4	Deprecation	638
G.4.1	Overview	638
G.4.2	Deprecation of SRM standardized concept instances	638
G.4.3	Deprecation of SRM registered items	639
G.5	Reinstatement	639
G.5.1	Overview	639
G.5.2	Reinstatement of SRM standardized concept instances	639
G.5.3	Reinstatement of SRM registered items	639
Annex H	Templates for registration proposals (normative)	641
H.1	Overview	641
H.2	Proposal for the registration of a CS	641
H.3	Proposal for the registration of a temporal CS	642
H.4	Proposal for the registration of an RD	642
H.5	Proposal for the registration of an STT	643
H.6	Proposal for the registration of an ORMT	643
H.7	Proposal for the registration of an ORM	644
H.8	Proposal for the registration of a reference transformation	644
H.9	Proposal for the registration of an OBRS	645
H.10	Proposal for the registration of an SRFT	645
H.11	Proposal for the registration of an SRF	646
H.12	Proposal for the registration of an SRF set and its members	646
H.13	Proposal for the registration of a DSS	647
H.14	Proposal for the registration of a profile	647
H.15	Proposal for the registration of a reference	648
Annex I	Conformance testing for SRF operations (informative)	649
I.1	Overview	649
I.2	Computational error	649
I.3	SRF operations baseline	649
I.4	Implementations	649
I.5	Fundamental measure of conformance	650
I.6	Error metrics for SRF operations	650
I.7	Computational error evaluated over test data sets	652
I.8	Level of conformance	652

Annex J	Deprecated SRM concept instances (normative).....	655
J.1	Overview.....	655
J.2	Deprecated RDs	655
J.3	Deprecated ORMs.....	661
J.4	Deprecated DSSs.....	689
	Bibliography.....	691
	Index.....	697

Tables	Page
Table 3.1 — Mathematical notation	6
Table 3.2 — Symbols	6
Table 3.3 — Abbreviated terms	9
Table 4.1 — Coordinate system types	18
Table 5.1 — Coordinate system types	38
Table 5.2 — Localization operators	45
Table 5.3 — Localization inverse operators	45
Table 5.4 — Localized CS type relationships	46
Table 5.5 — Coordinate system specification elements	61
Table 5.6 — Common parameters and functions of an oblate ellipsoid	62
Table 5.7 — CS specification directory	63
Table 5.8 — Euclidean 3D CS	64
Table 5.9 — Lococentric Euclidean 3D CS	65
Table 5.10 — Equatorial Spherical CS	67
Table 5.11 — Lococentric Equatorial Spherical CS	68
Table 5.12 — Azimuthal Spherical CS	70
Table 5.13 — Lococentric Azimuthal Spherical CS	72
Table 5.14 — Geodetic 3D CS	73
Table 5.15 — Planetodetic 3D CS	76
Table 5.16 — Cylindrical CS	77
Table 5.17 — Lococentric Cylindrical CS	79
Table 5.18 — Mercator CS	80
Table 5.19 — Oblique Mercator Spherical CS	82
Table 5.20 — Transverse Mercator CS	85
Table 5.21 — Lambert Conformal Conic CS	89
Table 5.22 — Polar Stereographic CS	91
Table 5.23 — Equidistant Cylindrical CS	93
Table 5.24 — Surface Geodetic CS	95
Table 5.25 — Surface Planetodetic CS	96
Table 5.26 — Lococentric Surface Euclidean CS	98
Table 5.27 — Lococentric Surface Azimuthal CS	100
Table 5.28 — Lococentric Surface Polar CS	101
Table 5.29 — Euclidean 2D CS	103
Table 5.30 — Lococentric Euclidean 2D CS	104
Table 5.31 — Azimuthal CS	106
Table 5.32 — Lococentric Azimuthal CS	107
Table 5.33 — Polar CS	109
Table 5.34 — Lococentric Polar CS	110
Table 5.35 — Euclidean 1D CS	112
Table 5.36 — Azimuthal Cylindrical CS	113
Table 5.37 — Lococentric Azimuthal Cylindrical CS	114
Table 5.38 — Temporal coordinate system specification elements	119
Table 5.39 — Temporal coordinate system specifications	120
Table 6.1 — Principal rotation matrices	136
Table 6.2 — Rotation and change-of-basis operators	137
Table 6.3 — Summary of representation attributes	146
Table 6.4 — Principal rotation factors for the Euler angle z-x-z convention	148
Table 6.5 — Equivalence of z-x-z principal rotation factor sequences	149
Table 6.6 — Principal rotation factors for the Tait-Bryan angle x-y-z convention	149
Table 6.7 — Principal rotation factors for the Tait-Bryan angle z-y-x convention	150
Table 6.8 — Equivalence of x-y-z or z-y-x principal rotation factor sequences	151

Table 7.1 — RD categories.....	156
Table 7.2 — RD specification elements.....	156
Table 7.3 — RD specification directory	156
Table 7.4 — 2D RDs of category point.....	157
Table 7.5 — 3D RDs of category point.....	157
Table 7.6 — 2D RDs of category directed curve	157
Table 7.7 — 3D RDs of category directed curve	157
Table 7.8 — 3D RDs of category oriented surface.....	157
Table 7.9 — Physical object RD specification elements	159
Table 7.10 — Physical RD specification table locations.....	160
Table 7.11 — STT specification elements.....	166
Table 7.12 — Similarity transformation template directory.....	166
Table 7.13 — Identity 3D STT	167
Table 7.14 — Identity 2D STT	167
Table 7.15 — Translation 3D STT.....	168
Table 7.16 — Translation 2D STT.....	168
Table 7.17 — Simplified Helmert STT (PVR convention).....	169
Table 7.18 — Simplified Helmert STT (CFR convention).....	170
Table 7.19 — Molodensky-Badekas STT (CFR convention).....	171
Table 7.20 — General rotate-scale-translate 3D STT	172
Table 7.21 — General rotate-scale-translate 2D STT	173
Table 7.22 — Homogeneous matrix 4x4 3D STT.....	174
Table 7.23 — Homogeneous matrix 3x3 2D STT.....	174
Table 7.24 — Generalized Helmert STT (PVR convention).....	175
Table 7.25 — Generalized Helmert STT (CFR convention).....	176
Table 7.26 — Tait-Bryan z-y-x rotate-translate STT.....	177
Table 7.27 — Non-Greenwich prime meridian z rotate-translate STT	178
Table 7.28 — Geomagnetic z-y rotate STT	179
Table 7.29 — ORMT specification elements	183
Table 7.30 — ORMT specification directory	183
Table 7.31 — 2D ORMT specifications	184
Table 7.32 — 3D ORMT specifications	185
Table 7.33 — ORM specification elements	192
Table 7.34 — Reference transformation specification elements.....	193
Table 7.35 — OBRS for ORMT BI_AXIS_ORIGIN_3D specification elements	195
Table 7.36 — OBRS for ORMT BI_AXIS_ORIGIN_3D specification directory	195
Table 7.37 — Equatorial inertial OBRS	196
Table 7.38 — Equatorial inertial ORM directory	198
Table 7.39 — Solar ecliptic OBRS.....	198
Table 7.40 — Solar ecliptic ORM directory.....	199
Table 7.41 — Solar equatorial OBRS	200
Table 7.42 — Solar equatorial ORM directory.....	200
Table 7.43 — Heliocentric Aries ecliptic OBRS	201
Table 7.44 — Heliocentric Aries ecliptic ORM directory	202
Table 7.45 — Heliocentric planet ecliptic OBRS	202
Table 7.46 — Heliocentric planet ecliptic ORM directory	202
Table 7.47 — Heliocentric planet equatorial OBRS	203
Table 7.48 — Heliocentric planet equatorial ORM directory	203
Table 7.49 — Celestiomagnetic OBRS	204
Table 7.50 — Celestiomagnetic ORM directory	205
Table 7.51 — Solar magnetic ecliptic OBRS	205
Table 7.52 — Solar magnetic ecliptic ORM directory.....	206
Table 7.53 — Solar magnetic dipole OBRS	207
Table 7.54 — Solar magnetic dipole ORM directory	208

Table 8.1 — Compatible CS types	210
Table 8.2 — SRFT specification elements	220
Table 8.3 — SRFT directory	221
Table 8.4 — Celestiocentric SRFT	222
Table 8.5 — Local space rectangular 3D SRFT	223
Table 8.6 — Celestiodetic SRFT	224
Table 8.7 — Planetodetic SRFT	225
Table 8.8 — Local tangent space Euclidean SRFT	226
Table 8.9 — Local tangent space azimuthal spherical SRFT	228
Table 8.10 — Local tangent space cylindrical SRFT	231
Table 8.11 — Lococentric Euclidean 3D SRFT	233
Table 8.12 — Celestiomagnetic SRFT	234
Table 8.13 — Equatorial inertial SRFT	235
Table 8.14 — Solar ecliptic SRFT	235
Table 8.15 — Solar equatorial SRFT	236
Table 8.16 — Solar magnetic ecliptic SRFT	236
Table 8.17 — Solar magnetic dipole SRFT	237
Table 8.18 — Heliospheric Aries ecliptic SRFT	238
Table 8.19 — Heliospheric Earth ecliptic SRFT	238
Table 8.20 — Heliospheric Earth equatorial SRFT	239
Table 8.21 — Mercator SRFT	239
Table 8.22 — Oblique Mercator spherical SRFT	240
Table 8.23 — Transverse Mercator SRFT	241
Table 8.24 — Lambert conformal conic SRFT	242
Table 8.25 — Polar stereographic SRFT	243
Table 8.26 — Equidistant cylindrical SRFT	244
Table 8.27 — Local space rectangular 2D SRFT	245
Table 8.28 — Local space azimuthal 2D SRFT	246
Table 8.29 — Local space polar 2D SRFT	247
Table 8.30 — Standardized SRF specification elements	247
Table 8.31 — Directory of standardized SRFs	248
Table 8.32 — British national grid SRF	248
Table 8.33 — UK ordnance survey GRS80 grid SRF	249
Table 8.34 — Delaware (US) state plane coordinate system SRF	249
Table 8.35 — Geocentric WGS 1984 SRF	250
Table 8.36 — Geodetic Australia 1984 SRF	250
Table 8.37 — Geodetic WGS 1984 SRF	250
Table 8.38 — Geodetic North American 1983 SRF	251
Table 8.39 — Irish Grid SRF	251
Table 8.40 — Irish transverse Mercator SRF	251
Table 8.41 — Lambert-93 SRF	252
Table 8.42 — Lambert II étendu (Lambert II wide) SRF	252
Table 8.43 — Mars planetocentric SRF	253
Table 8.44 — Mars planetographic SRF	253
Table 8.45 — Maryland (US) state plane coordinate system SRF	254
Table 8.46 — SRF set specification elements	255
Table 8.47 — SRF set member specification elements	255
Table 8.48 — Directory of SRF sets	256
Table 8.49 — Alabama (US) state plane coordinate system SRF set	256
Table 8.50 — SRF set membership Alabama (US) state plane coordinate system	256
Table 8.51 — GTRS global coordinate system (GCS) SRF set	257
Table 8.52 — SRF set membership GTRS global coordinate system (GCS)	258
Table 8.53 — GTRS natural origin and applicable region by code index	258
Table 8.54 — Japan plane coordinate system SRF set	259
Table 8.55 — SRF set membership Japan plane coordinate system	260
Table 8.56 — Lambert NTF SRF set	264
Table 8.57 — SRF set membership Lambert NTF	265
Table 8.58 — Universal polar stereographic (UPS) SRF set	266

Table 8.59 — SRF set membership Universal polar stereographic (UPS)	266
Table 8.60 — Universal transverse Mercator (UTM) SRF set.....	267
Table 8.61 — SRF set membership Universal transverse Mercator (UTM).....	268
Table 8.62 — Wisconsin (US) state plane coordinate system SRF set	269
Table 8.63 — SRF set membership Wisconsin (US) state plane coordinate.....	269
Table 9.1 — Geoidal and equipotential DSS specification elements	276
Table 9.2 — Geoidal and equipotential DSS specifications	276
Table 10.1 — Symbols.....	279
Table 11.1 — SRFT abbreviated forms	302
Table 11.2 — Integer data types	303
Table 11.3 — Logical data type	303
Table 11.4 — Array data type notation	311
Table 11.5 — Class specification elements.....	326
Table 11.6 — LifeCycleObject	327
Table 11.7 — Coordinate2D	329
Table 11.8 — Coordinate3D	329
Table 11.9 — Direction	329
Table 11.10 — SurfaceCoordinate	329
Table 11.11 — VectorQuantity3D	330
Table 11.12 — BaseSRF	332
Table 11.13 — BaseSRF2D	333
Table 11.14 — BaseSRF3D	339
Table 11.15 — BaseSRFMapProjection.....	355
Table 11.16 — BaseSRFwithEllipsoidalHeight.....	358
Table 11.17 — BaseSRFwithTangentPlaneSurface	362
Table 11.18 — LocalSpaceAzimuthal.....	364
Table 11.19 — LocalSpacePolar	365
Table 11.20 — LocalSpaceRectangular2D	366
Table 11.21 — Celestiocentric.....	367
Table 11.22 — Celestiomagnetic.....	368
Table 11.23 — EquatorialInertial	369
Table 11.24 — HeliosphericAriesEcliptic.....	370
Table 11.25 — HeliosphericEarthEcliptic	371
Table 11.26 — HeliosphericEarthEquatorial.....	372
Table 11.27 — LocalSpaceRectangular3D	373
Table 11.28 — LococentricEuclidean3D	374
Table 11.29 — SolarEcliptic	375
Table 11.30 — SolarEquatorial.....	376
Table 11.31 — SolarMagneticDipole	377
Table 11.32 — SolarMagneticEcliptic.....	378
Table 11.33 — EquidistantCylindrical.....	379
Table 11.34 — LambertConformalConic	381
Table 11.35 — Mercator	382
Table 11.36 — ObliqueMercatorSpherical.....	383
Table 11.37 — PolarStereographic	385
Table 11.38 — TransverseMercator	386
Table 11.39 — Celestiodetic.....	387
Table 11.40 — Planetodetic	389
Table 11.41 — LocalTangentSpaceAzimuthalSpherical	390
Table 11.42 — LocalTangentSpaceCylindrical.....	391
Table 11.43 — LocalTangentSpaceEuclidean	392
Table 11.44 — Rotation	394
Table 11.45 — Orientation.....	398
Table 11.46 — CreateStandardizedSRF	402
Table 11.47 — CreateStandardizedSRFSetMember	403

Table 11.48 — QueryDSSSupport	404
Table 11.49 — QueryDSSSupportList	404
Table 11.50 — QueryRTRegionSpecification	404
Table 11.51 — QueryORMSupport	405
Table 11.52 — QueryORMSupportList	405
Table 11.53 — QueryProfileSupport	406
Table 11.54 — QueryProfileSupportList	406
Table 11.55 — QueryRTSupportList	406
Table 11.56 — QuerySRFSetSupport	406
Table 11.57 — QuerySRFSetSupportList	407
Table 11.58 — QuerySRFSupport	407
Table 11.59 — QuerySRFSupportList	407
Table 11.60 — QuerySRFTSupport	407
Table 11.61 — QuerySRFTSupportList	408
Table 11.62 — QueryVersion	408
Table 12.1 — SRM profile specification elements	417
Table 12.2 — Default profile specification	419
Table D.1 — RD specification directory	473
Table D.2 — Oblate ellipsoid RD specifications	474
Table D.3 — Sphere RD specifications	479
Table D.4 — Prolate ellipsoid RD specifications	483
Table D.5 — Tri-axial ellipsoid RD specifications	483
Table E.1 — Reference ORM directory	489
Table E.2 — ORM specification directory	493
Table E.3 — Abstract ORM specifications	494
Table E.4 — Abstract ORM reference transformation specifications	494
Table E.5 — Object-fixed ERM specifications	495
Table E.6 — Object-fixed ERM reference transformation specifications	521
Table E.7 — Dynamic ERM specifications	593
Table E.8 — Time-fixed instances of dynamic ERM specifications	594
Table E.9 — Time-fixed instances of dynamic ERM reference transformation specifications	599
Table E.10 — Object-fixed planet (non-Earth) ORM specifications	602
Table E.11 — Object-fixed planet (non-Earth) ORM reference transformation specifications	607
Table E.12 — Dynamic planet (non-Earth) ORM specifications	609
Table E.13 — Time-fixed instances of dynamic planet (non-Earth) ORM specifications	611
Table E.14 — Time-fixed instances of dynamic planet (non-Earth) ORM reference transformation specifications	612
Table E.15 — Object-fixed satellite ORM specifications	613
Table E.16 — Object-fixed satellite ORM reference transformation specifications	625
Table E.17 — Time-fixed instances of dynamic satellite ORM specifications	632
Table E.18 — Time-fixed instances of dynamic satellite ORM reference transformation specifications	632
Table E.19 — Object-fixed stellar ORM specifications	632
Table E.20 — Object-fixed stellar ORM reference transformation specifications	632
Table E.21 — Dynamic stellar ORM specifications	633
Table E.22 — Time-fixed instances of dynamic stellar ORM specifications	633
Table E.23 — Time-fixed instances of dynamic stellar ORM reference transformation specifications	633
Table F.1 — Abbreviated forms used in labels	635
Table H.1 — Common registration proposal specification elements	641
Table H.2 — Coordinate system registration proposal elements	641
Table H.3 — Temporal coordinate system registration proposal elements	642
Table H.4 — RD registration proposal elements	642
Table H.5 — Similarity transformation template registration proposal elements	643
Table H.6 — ORMT registration proposal elements	643

Table H.7 — ORM registration proposal elements.....	644
Table H.8 — RT registration proposal elements	644
Table H.9 — OBRS registration proposal elements	645
Table H.10 — SRFT registration proposal elements.....	645
Table H.11 — SRF registration proposal elements	646
Table H.12 — SRF set registration proposal elements	646
Table H.13 — SRF set member registration proposal elements	647
Table H.14 — DSS registration proposal elements.....	647
Table H.15 — Profile registration proposal elements.....	647
Table H.16 — Reference registration proposal elements.....	648
Table J.1 — Deprecated RD specification directory.....	655
Table J.2 — Deprecated oblate ellipsoid RDs	656
Table J.3 — Deprecated sphere RDs	656
Table J.4 — Deprecated prolate ellipsoid RDs.....	657
Table J.5 — Deprecated tri-axial ellipsoid RDs	658
Table J.6 — Deprecated ORM specification directory.....	661
Table J.7 — Deprecated abstract object ORMs	661
Table J.8 — Deprecated object-fixed ERMs.....	661
Table J.9 — Deprecated dynamic ERMs.....	661
Table J.10 — Deprecated time-fixed instances of dynamic ERMs.....	662
Table J.11 — Deprecated time-fixed instances of dynamic ERM RTs.....	665
Table J.12 — Deprecated object-fixed planet (non-Earth) ORMs	667
Table J.13 — Deprecated object-fixed planet (non-Earth) RTs.....	669
Table J.14 — Deprecated dynamic planet (non-Earth) ORMs	671
Table J.15 — Deprecated time-fixed instances of dynamic planet (non-Earth) ORMs	671
Table J.16 — Deprecated object-fixed satellite ORMs	672
Table J.17 — Deprecated object-fixed satellite RTs	682
Table J.18 — Deprecated dynamic satellite ORMs	687
Table J.19 — Deprecated time-fixed instances of dynamic satellite ORMs	687
Table J.20 — Deprecated object-fixed stellar ORMs	688
Table J.21 — Deprecated object-fixed stellar RTs	688
Table J.22 — Deprecated dynamic stellar ORMs	689
Table J.23 — Deprecated time-fixed instances of dynamic stellar ORMs	689
Table J.24 — Deprecated DSSs.....	689

Figures	Page
Figure 4.1 — Coordinate-space, position-space, and object-space relationships	14
Figure 4.2 — A coordinate-space (for spherical coordinates)	15
Figure 4.3 — 3D position-space and its canonical Cartesian basis	16
Figure 4.4 — Object-spaces for the Earth and for a CAD model	16
Figure 4.5 — Abstract equatorial spherical coordinate system example	17
Figure 4.6 — A normal embedding of an abstract coordinate system	19
Figure 4.7 — An ellipsoid reference datum	21
Figure 4.8 — Reference datums bound to abstract and physical objects	22
Figure 4.9 — A reference datum binding	23
Figure 4.10 — An object reference model	24
Figure 4.11 — A vertical offset surface for ellipsoidal height	27
Figure 4.12 — Change of spatial reference frame operation applied to a coordinate	28
Figure 5.1 — A coordinate-space (including the domain for spherical coordinate n-tuples)	32
Figure 5.2 — A right-handed orthonormal frame	32
Figure 5.3 — 3D position-space, its orthonormal frame, and its canonical Cartesian basis	33
Figure 5.4 — Object-spaces for the Earth and for a CAD model	34
Figure 5.5 — A normal embedding that maps position-space to an object-space	35
Figure 5.6 — Two distinct normal embeddings that map position-space to an object-space	36
Figure 5.7 — Abstract equatorial spherical coordinate system example	38
Figure 5.8 — Polar CS geometry	39
Figure 5.9 — The Polar CS generating function	39
Figure 5.10 — The geodetic coordinate system geometric and trigonometric relationships	40
Figure 5.11 — Surface geodetic CS geometric and trigonometric relationships	40
Figure 5.12 — Geodetic 3D CS geometry, and coordinate-component surface and curves	43
Figure 5.13 — Induced surface CS with localization	47
Figure 5.14 — Lococentric Euclidean CS on a local tangent plane	49
Figure 5.15 — Lococentric azimuthal spherical CS on a local tangent plane	50
Figure 5.16 — A map projection generating function	52
Figure 5.17 — Geodetic azimuths α_1 from p_1 to p_2	55
Figure 5.18 — Convergence of the meridian	56
Figure 5.19 — Polar Stereographic map projection	57
Figure 5.20 — Tangent and secant cylindrical map projections	58
Figure 5.21 — Tangent and secant conical map projections	59
Figure 5.22 — Vertical distortion	60
Figure 5.23 — Coordinate-space, position-space, and object-space relationships	116
Figure 5.24 — A spatial CS of type surface	117
Figure 5.25 — Two spatial coordinate systems for the same object-space	117
Figure 6.1 — Change of basis relationships	122
Figure 6.2 — Rotation operator applied to a point, a line segment, and a 3D object	127
Figure 6.3 — Origin-fixed rotation	128
Figure 6.4 — Consecutive rotation operations: axis n followed by axis m	129
Figure 6.5 — Consecutive rotation operations: axis m followed by axis n	130
Figure 6.6 — Space-fixed, body-fixed, and space-fixed equivalent of body-fixed conventions	131
Figure 6.7 — Space-fixed convention	132
Figure 6.8 — Body-fixed convention	132
Figure 6.9 — Space-fixed equivalent of body-fixed convention	133
Figure 6.10 — Rotation of a position-vector within an orthonormal frame	134
Figure 6.11 — Rotation of the basis vectors in the same direction as the position-vector	135
Figure 6.12 — Euler z-x-z convention rotation sequence	142
Figure 6.13 — Tait-Bryan angles	143
Figure 7.1 — Oblate and prolate ellipsoids	158
Figure 7.2 — An ellipsoid reference datum	160

Figure 7.3 — Two RDs bound to an abstract object and to a physical object..... [161](#)
 Figure 7.4 — A reference datum binding..... [162](#)
 Figure 7.5 — 3D normal embedding relationships [163](#)
 Figure 7.6 — Oblate ellipsoid ORMT binding [181](#)

Figure 8.1 — The components of a spatial reference frame [209](#)
 Figure 8.2 — Examples of SRF relationships..... [215](#)
 Figure 8.3 — Coordinate-space, position-space, and object-space directions compared [219](#)
 Figure 8.4 — Local tangent space Euclidean SRFT [228](#)
 Figure 8.5 — Local tangent space azimuthal spherical SRFT [230](#)
 Figure 8.6 — Local tangent space cylindrical SRFT [233](#)

Figure 9.1 — Vertical offset surface for ellipsoidal height [272](#)
 Figure 9.2 — Vertical offset surface tangent plane [273](#)
 Figure 9.3 — Geoidal separation..... [273](#)
 Figure 9.4 — Vertical coordinate-component with respect to a vertical offset surface..... [274](#)
 Figure 9.5 — Orthometric height [275](#)

Figure 10.1 — Composed transformations for a single object [281](#)
 Figure 10.2 — Composed transformations for two different objects [282](#)
 Figure 10.3 — Change of SRF operation – applied to coordinates..... [284](#)
 Figure 10.4 — Change of SRF operation for Lococentric Euclidean 3D SRFs..... [288](#)
 Figure 10.5 — Abstract object realised in another abstract object-space [291](#)
 Figure 10.6 — Abstract object realised using a geodetic reference point..... [291](#)
 Figure 10.7 — Abstract object realised using a geocentric reference point..... [292](#)
 Figure 10.8 — Four examples of geodesic segments [296](#)

Figure 11.1 — Class inheritance hierarchy summary..... [325](#)
 Figure 11.2 — BaseSRF class hierarchy..... [331](#)
 Figure 11.3 — BaseSRF2D class hierarchy [333](#)
 Figure 11.4 — BaseSRF3D class hierarchy [338](#)
 Figure 11.5 — BaseSRFMapProjection class hierarchy [355](#)
 Figure 11.6 — BaseSRFwithEllipsoidalHeight class hierarchy [357](#)
 Figure 11.7 — BaseSRFwithTangentPlaneSurface class hierarchy [362](#)

Figure A.1 — Tangent to a curve..... [445](#)
 Figure A.2 — Angle between two curves..... [446](#)
 Figure A.3 — Tangent plane to a surface..... [447](#)
 Figure A.4 — Orthographic projection [450](#)
 Figure A.5 — Perspective projection [450](#)
 Figure A.6 — Stereographic projection..... [451](#)
 Figure A.7 — Cylindrical projection [452](#)
 Figure A.8 — Conic projection [452](#)

Figure C.1 — SRM concepts and their relationships..... [469](#)
 Figure C.2 — Reference datum hierarchy [470](#)
 Figure C.3 — Sphere-based ORM template realisation example [471](#)
 Figure C.4 — Oblate ellipsoid-based ORM template realisation example [471](#)
 Figure C.5 — Object-dynamic ORM template realisation example [472](#)