ISO/IEC 17629:2025-11 (E)

Information technology - Office equipment - Method for measuring first print out time for digital printing devices

Contents

Page

Foreword v

Introduction vi

1 Scope 1

2 Normative references 1

3 Terms and definitions 1

4 Test parameters and conditions 2
4.1 Test platform 2
4.2 Test platform test setup procedures 2
4.2.1 Initial platform setup 2
4.2.2 Creation of disk image of test platform (optional) 3
4.2.3 Initial test state 3
4.3 Printing device system setup 3
4.4 Printing device connection 4
4.5 Printing device condition 4
4.6 Sample size 5
4.7 Paper 5
4.8 Maintenance 5
4.9 Test files, test suites and software applications 5
4.10 Environment 5
4.11 Voltage 6

5 Test method 6
5.1 Overview 6
5.2 Test measurement procedure 6
5.2.1 Test setup 6
5.2.2 "FPOT from ready" test 7
5.2.3 "FPOT from sleep" test 8
5.2.4 "FPOT from off" test 9
5.3 Test method process 10
5.3.1 Suggested flow chart 10
5.3.2 ±5 % consistency criteria 11
5.4 Print mode and application test file tables 11
5.4.1 Overview 11
5.4.2 "FPOT from ready" test 11
5.4.3 "FPOT from sleep 60 min" test 12
5.4.4 "FPOT from off" test 12
5.4.5 "FPOT from sleep 15 min" test 13
5.5 Optional special tests 13

6 Calculations and treatment of data 13
6.1 Overview 13
6.2 Required tests 14
6.2.1 "FPOT from ready" test 14
6.2.2 "FPOT from sleep 60 min" test 14
6.3 Optional tests 15
6.3.1 "FPOT from off" test 15

6.3.2 "FPOT from sleep 15 min" test 15

7 Presentation of results 15

Annex A (normative) Test-platform parameters 18

Annex B (normative) Test suite 22

Annex C (informative) Report presentation 24

Annex D (informative) An example of printing device and test settings to record 26

ISO/IEC 17629:2025(en) Annex E (informative) Full detailed report example 27

Annex F (normative) Procedure to establish FPOT from ready delay time 30