

# ISO/IEC 23008-3:2026-02 (E)

## Information technology - High efficiency coding and media delivery in heterogeneous environments - Part 3: 3D audio

---

| <b>Contents</b>   |   | <b>Page</b> |
|-------------------|---|-------------|
| Foreword.....     |   | xii         |
| Introduction..... |   | xii         |
| <b>1</b>          | <b>Scope .....</b>  | <b>1</b>    |
| <b>2</b>          | <b>Normative references .....</b>   | <b>1</b>    |
| <b>3</b>          | <b>Terms, definitions, symbols, abbreviated terms and conventions.....</b>                | <b>1</b>    |
| 3.1               | Terms and definitions.....  | 1           |
| 3.2               | Symbols, abbreviated terms and conventions .....  | 2           |
| 3.2.1             | Symbols and abbreviated terms.....  | 2           |
| 3.2.2             | Conventions .....   | 2           |
| <b>4</b>          | <b>Technical overview .....</b>   | <b>2</b>    |
| 4.1               | Decoder block diagram .....   | 2           |
| 4.2               | Overview over the codec building blocks .....   | 3           |
| 4.3               | Efficient combination of decoder processing blocks in the time domain and QMF domain..... | 6           |
| 4.4               | Rule set for determining processing domains .....   | 9           |
| 4.4.1             | Audio core codec processing domain .....  | 9           |
| 4.4.2             | Mixing .....  | 10          |
| 4.4.3             | DRC-1 Operation domains (DRC in rendering context).....                                   | 10          |
| 4.4.4             | Audio core codec interface domain to rendering .....                                      | 10          |
| 4.4.5             | Rendering context.....  | 10          |
| 4.4.6             | Post-processing context.....  | 11          |
| 4.4.7             | End-of-chain context.....   | 11          |
| 4.5               | Sample rate converter .....   | 11          |
| 4.6               | Decoder delay .....   | 11          |
| 4.7               | Contribution mode of MPEG-H 3D audio.....   | 12          |
| 4.8               | MPEG-H 3D audio profiles and levels .....   | 12          |
| 4.8.1             | General .....   | 12          |
| 4.8.2             | Profiles .....  | 13          |
| <b>5</b>          | <b>MPEG-H 3D audio core decoder.....</b>  | <b>27</b>   |
| 5.1               | Definitions.....  | 27          |
| 5.1.1             | Joint stereo.....   | 27          |
| 5.1.2             | MPEG surround based stereo (MPS 212) .....  | 28          |
| 5.2               | Syntax.....   | 28          |
| 5.2.1             | General .....   | 28          |
| 5.2.2             | Decoder configuration .....   | 28          |
| 5.2.3             | MPEG-H 3D audio core bitstream payloads .....   | 51          |
| 5.3               | Data structure .....  | 72          |
| 5.3.1             | General .....   | 72          |
| 5.3.2             | General configuration data elements.....  | 72          |
| 5.3.3             | Loudspeaker configuration data elements .....   | 75          |
| 5.3.4             | Core decoder configuration data elements .....  | 77          |
| 5.3.5             | Downmix matrix data elements .....  | 81          |
| 5.3.6             | HOA rendering matrix data elements .....  | 84          |
| 5.3.7             | Signal group information elements .....   | 87          |
| 5.3.8             | Low frequency enhancement (LFE) channel element, mpegh3daLfeElement().....                | 87          |

|        |   |     |
|--------|---|-----|
| 5.3.9  | Compatible profile and levels sets.....                               | 88  |
| 5.4    | Configuration element descriptions .....                              | 88  |
| 5.4.1  | General .....   | 88  |
| 5.4.2  | Downmix configuration.....  | 88  |
| 5.4.3  | HOA rendering matrix configuration .....                              | 94  |
| 5.5    | Tool descriptions .....   | 98  |
| 5.5.1  | General.....  | 98  |
| 5.5.2  | Quad channel element.....   | 98  |
| 5.5.3  | Transform splitting.....  | 100 |
| 5.5.4  | MPEG surround for mono to stereo upmixing.....                        | 107 |
| 5.5.5  | Enhanced noise filling .....  | 110 |
| 5.5.6  | Audio pre-roll .....  | 134 |
| 5.5.7  | Fullband LPD .....  | 137 |
| 5.5.8  | Time-domain bandwidth extension.....                                  | 148 |
| 5.5.9  | LPD stereo coding .....   | 161 |
| 5.5.10 | Multichannel coding tool.....   | 169 |
| 5.5.11 | Filterbank and block switching .....                                  | 179 |
| 5.5.12 | Frequency domain prediction.....                                      | 180 |
| 5.5.13 | Long-term postfilter.....   | 183 |
| 5.5.14 | Tonal component coding.....   | 188 |
| 5.5.15 | Internal channel on MPS212 for low complexity format conversion ..... | 198 |
| 5.5.16 | High resolution envelope processing (HREP) tool.....                  | 210 |
| 5.6    | Buffer requirements .....   | 216 |
| 5.6.1  | Minimum decoder input buffer .....                                    | 216 |
| 5.6.2  | Bit reservoir.....  | 216 |
| 5.6.3  | Maximum bit rate.....   | 217 |
| 5.7    | Stream access point requirements and inter-frame dependency.....      | 217 |
| 6      | Dynamic range control and loudness processing .....                   | 218 |
| 6.1    | General.....  | 218 |
| 6.2    | Description.....  | 218 |
| 6.3    | Syntax.....   | 219 |
| 6.3.1  | Loudness metadata .....   | 219 |
| 6.3.2  | Dynamic range control metadata.....                                   | 219 |
| 6.3.3  | Data elements.....  | 220 |
| 6.4    | Decoding process .....  | 222 |
| 6.4.1  | General.....  | 222 |
| 6.4.2  | Dynamic range control.....  | 224 |
| 6.4.3  | Usage of downmixId in MPEG-H .....                                    | 224 |
| 6.4.4  | DRC set selection process .....                                       | 225 |
| 6.4.5  | DRC-1 for SAOC 3D Content .....                                       | 227 |
| 6.4.6  | DRC-1 for HOA content.....  | 228 |
| 6.4.7  | Loudness normalization.....   | 229 |
| 6.4.8  | Peak limiter.....   | 229 |
| 6.4.9  | Time-synchronization of DRC gains .....                               | 230 |
| 6.4.10 | Default parameters .....  | 230 |
| 7      | Object metadata decoding .....  | 230 |
| 7.1    | General.....  | 230 |
| 7.2    | Description.....  | 230 |
| 7.3    | Syntax.....   | 231 |
| 7.3.1  | Object metadata configuration .....                                   | 231 |
| 7.3.2  | Top level object metadata syntax .....                                | 232 |
| 7.3.3  | Subsidiary payloads for efficient object metadata decoding.....       | 233 |
| 7.3.4  | Subsidiary payloads for object metadata decoding with low delay ..... | 238 |
| 7.3.5  | Enhanced object metadata configuration .....                          | 244 |
| 7.4    | Data structure .....  | 247 |
| 7.4.1  | Definition of ObjectMetadataConfig() payloads .....                   | 247 |
| 7.4.2  | Efficient object metadata decoding .....                              | 247 |
| 7.4.3  | Object metadata decoding with low delay .....                         | 255 |

|        |  |     |
|--------|--|-----|
| 7.4.4  | Enhanced object metadata .....   | 260 |
| 8      | Object rendering .....   | 263 |
| 8.1    | Description.....   | 263 |
| 8.2    | Terms and definitions.....   | 263 |
| 8.3    | Input data .....   | 264 |
| 8.4    | Processing .....   | 265 |
| 8.4.1  | General remark .....   | 265 |
| 8.4.2  | Imaginary loudspeakers .....   | 265 |
| 8.4.3  | Dividing the loudspeaker setup into a triangle mesh .....                | 266 |
| 8.4.4  | Rendering algorithm .....  | 268 |
| 9      | SAOC 3D.....   | 272 |
| 9.1    | Description.....   | 272 |
| 9.2    | Definitions.....   | 272 |
| 9.3    | Delay and synchronization.....   | 274 |
| 9.4    | Syntax.....  | 274 |
| 9.4.1  | Payloads for SAOC 3D .....   | 274 |
| 9.4.2  | Definition of SAOC 3D payloads.....                                      | 278 |
| 9.5    | SAOC 3D processing .....   | 280 |
| 9.5.1  | Compressed data stream decoding and dequantization of SAOC 3D data ..... | 280 |
| 9.5.2  | Time/frequency transforms .....  | 280 |
| 9.5.3  | Signals and parameters.....  | 281 |
| 9.5.4  | SAOC 3D decoding.....  | 283 |
| 9.5.5  | Dual mode .....  | 288 |
| 10     | Generic loudspeaker rendering/format conversion .....                    | 288 |
| 10.1   | Description.....   | 288 |
| 10.2   | Definitions.....   | 290 |
| 10.2.1 | General remarks .....  | 290 |
| 10.2.2 | Variable definitions .....   | 290 |
| 10.3   | Processing .....   | 290 |
| 10.3.1 | Application of transmitted downmix matrices.....                         | 290 |
| 10.3.2 | Application of transmitted equalizer settings .....                      | 295 |
| 10.3.3 | Downmix processing involving multiple channel groups.....                | 295 |
| 10.3.4 | Initialization of the format converter .....                             | 296 |
| 10.3.5 | Audio signal processing.....   | 312 |
| 11     | Immersive loudspeaker rendering/format conversion .....                  | 318 |
| 11.1   | Description.....   | 318 |
| 11.2   | Syntax.....  | 320 |
| 11.3   | Definitions.....   | 320 |
| 11.3.1 | General remarks .....  | 320 |
| 11.3.2 | Variable definitions .....   | 321 |
| 11.4   | Processing .....   | 322 |
| 11.4.1 | Initialization of the format converter .....                             | 322 |
| 11.4.2 | Audio signal processing.....   | 364 |
| 12     | Higher order ambisonics (HOA).....                                       | 372 |
| 12.1   | Technical overview .....   | 372 |
| 12.1.1 | Block diagram .....  | 372 |
| 12.1.2 | Overview of the decoder tools .....                                      | 373 |
| 12.2   | Syntax.....  | 374 |
| 12.2.1 | Configuration of HOA elements .....                                      | 374 |
| 12.2.2 | Payloads of HOA elements.....  | 378 |
| 12.3   | Data structure .....   | 391 |
| 12.3.1 | Definitions of HOA Config .....  | 391 |

|         |  |     |
|---------|--|-----|
| 12.3.2  | Syntax of getSubbandBandwidths()                         | 395 |
| 12.3.3  | Definitions of HOA payload                               | 396 |
| 12.4    | HOA tool description                                     | 403 |
| 12.4.1  | HOA frame converter                                      | 403 |
| 12.4.2  | Spatial HOA decoding                                     | 419 |
| 12.4.3  | HOA renderer   | 448 |
| 12.4.4  | Layered coding for HOA                                   | 457 |
| 13      | Binaural renderer  | 460 |
| 13.1    | General  | 460 |
| 13.2    | Frequency-domain binaural renderer                       | 460 |
| 13.2.1  | General  | 460 |
| 13.2.2  | Definitions  | 462 |
| 13.2.3  | Parameterization of binaural room impulse responses      | 466 |
| 13.2.4  | Frequency-domain binaural processing                     | 478 |
| 13.3    | Time-domain binaural renderer                            | 485 |
| 13.3.1  | General  | 485 |
| 13.3.2  | Definitions  | 486 |
| 13.3.3  | Parameterization of binaural room impulse responses      | 488 |
| 13.3.4  | Time-domain binaural processing                          | 492 |
| 14      | MPEG-H 3D audio stream (MHAS)                            | 493 |
| 14.1    | Overview   | 493 |
| 14.2    | Syntax   | 494 |
| 14.2.1  | Main MHAS syntax elements                                | 494 |
| 14.2.2  | Subsidiary MHAS syntax elements                          | 496 |
| 14.3    | Semantics  | 496 |
| 14.3.1  | mpeghAudioStreamPacket()                                 | 496 |
| 14.3.2  | MHASPacketPayload()                                      | 497 |
| 14.3.3  | Subsidiary MHAS packets                                  | 499 |
| 14.4    | Description of MHASPacketTypes                           | 499 |
| 14.4.1  | PACTYP_FILLDATA  | 499 |
| 14.4.2  | PACTYP_MPEGH3DACFG                                       | 499 |
| 14.4.3  | PACTYP_MPEGH3DAFRAME                                     | 499 |
| 14.4.4  | PACTYP_SYNC  | 500 |
| 14.4.5  | PACTYP_SYNCGAP   | 500 |
| 14.4.6  | PACTYP_MARKER  | 500 |
| 14.4.7  | PACTYP_CRC16 and PACTYP_CRC32                            | 501 |
| 14.4.8  | PACTYP_DESCRIPTOR  | 501 |
| 14.4.9  | PACTYP_USERINTERACTION                                   | 501 |
| 14.4.10 | PACTYP_LOUDNESS_DRC                                      | 501 |
| 14.4.11 | PACTYP_BUFFERINFO  | 502 |
| 14.4.12 | PACTYP_GLOBAL_CRC16 and PACTYP_GLOBAL_CRC32              | 502 |
| 14.4.13 | PACTYP_AUDIOTRUNCATION                                   | 502 |
| 14.4.14 | PACTYP_AUDIOSCENEINFO                                    | 503 |
| 14.4.15 | PACTYP_EARCON  | 503 |
| 14.4.16 | PACTYP_PCMCONFIG   | 504 |
| 14.4.17 | PACTYP_PCMDATA   | 504 |
| 14.4.18 | PACTYP_LOUDNESS  | 504 |
| 14.4.19 | MHASPacketType specific requirements for MHASPacketLabel | 504 |
| 14.5    | Application examples                                     | 505 |
| 14.5.1  | Light-weighted broadcast                                 | 505 |
| 14.5.2  | MPEG-2 transport stream                                  | 506 |
| 14.5.3  | CRC error detection                                      | 506 |
| 14.5.4  | Audio sample truncation                                  | 507 |
| 14.6    | Multi-stream delivery and interface                      | 507 |

|         |  |     |
|---------|--|-----|
| 14.7    | Carriage of generic data .....   | 510 |
| 14.7.1  | Syntax.....  | 510 |
| 14.7.2  | Semantics.....   | 511 |
| 14.7.3  | Processing at the MPEG-H 3D audio decoder .....                                  | 512 |
| 15      | Metadata audio elements (MAE).....   | 512 |
| 15.1    | General .....  | 512 |
| 15.2    | Syntax.....  | 513 |
| 15.3    | Semantics.....   | 522 |
| 15.4    | Definition of mae_metaDataElementIDs .....                                       | 534 |
| 15.5    | Loudness compensation after gain interactivity.....                              | 535 |
| 16      | Loudspeaker distance compensation.....   | 537 |
| 17      | Interfaces to the MPEG-H 3D audio decoder.....                                   | 538 |
| 17.1    | General .....  | 538 |
| 17.2    | Interface for local setup information .....                                      | 538 |
| 17.2.1  | General .....  | 538 |
| 17.2.2  | WIRE output .....  | 538 |
| 17.2.3  | Syntax for local setup information .....   | 539 |
| 17.2.4  | Semantics for local setup information .....                                      | 539 |
| 17.3    | Interface for local loudspeaker setup and rendering.....                         | 540 |
| 17.3.1  | General .....  | 540 |
| 17.3.2  | Syntax for local loudspeaker signalling.....                                     | 540 |
| 17.3.3  | Semantics for local loudspeaker signalling.....                                  | 541 |
| 17.4    | Interface for binaural room impulse responses (BRIRs).....                       | 542 |
| 17.4.1  | General .....  | 542 |
| 17.4.2  | Syntax of binaural renderer interface .....                                      | 542 |
| 17.4.3  | Semantics.....   | 547 |
| 17.5    | Interface for local screen size information .....                                | 551 |
| 17.5.1  | General .....  | 551 |
| 17.5.2  | Syntax.....  | 551 |
| 17.5.3  | Semantics.....   | 551 |
| 17.6    | Interface for signaling of local zoom area.....                                  | 552 |
| 17.6.1  | General .....  | 552 |
| 17.6.2  | Syntax.....  | 552 |
| 17.6.3  | Semantics.....   | 552 |
| 17.7    | Interface for user interaction.....  | 553 |
| 17.7.1  | General .....  | 553 |
| 17.7.2  | Definition of user interaction categories.....                                   | 553 |
| 17.7.3  | Definition of an interface for user interaction.....                             | 554 |
| 17.7.4  | Syntax of interaction interface .....  | 555 |
| 17.7.5  | Semantics of interaction interface .....   | 556 |
| 17.8    | Interface for loudness normalization and dynamic range control (DRC).....        | 558 |
| 17.9    | Interface for scene displacement data.....                                       | 558 |
| 17.9.1  | General .....  | 558 |
| 17.9.2  | Definition of an interface for scene-displacement data .....                     | 559 |
| 17.9.3  | Syntax of the scene displacement interface.....                                  | 560 |
| 17.9.4  | Semantics of the scene displacement interface .....                              | 560 |
| 17.10   | Interfaces for channel-based, object-based, and HOA metadata and audio data..... | 561 |
| 17.10.1 | General .....  | 561 |
| 17.10.2 | Expectations on external renderers .....   | 561 |
| 17.10.3 | Object-based metadata and audio data (object output interface) .....             | 561 |
| 17.10.4 | Channel-based metadata and audio data .....                                      | 569 |
| 17.10.5 | HOA metadata and audio data .....  | 573 |
| 17.10.6 | Audio PCM data .....   | 577 |

|         |  |     |
|---------|--|-----|
| 17.11   | Interface for positional scene displacement data .....   | 577 |
| 17.11.1 | General .....  | 577 |
| 17.11.2 | Syntax of the positional scene displacement interface.....   | 578 |
| 17.11.3 | Semantics of the positional scene displacement interface .....   | 578 |
| 17.11.4 | Processing.....  | 578 |
| 18      | Application and processing of local setup information and interaction data and scene displacement data ..... | 579 |
| 18.1    | Element metadata preprocessing .....   | 579 |
| 18.1.1  | General information .....  | 579 |
| 18.1.2  | Initialization .....   | 580 |
| 18.1.3  | Processing loop.....   | 581 |
| 18.1.4  | Element routing.....   | 585 |
| 18.2    | Interactivity limitations and restrictions .....   | 585 |
| 18.2.1  | General information .....  | 585 |
| 18.2.2  | WIRE interactivity .....   | 585 |
| 18.2.3  | Position interactivity.....  | 586 |
| 18.2.4  | Screen-related element remapping and object remapping for zooming .....                                      | 586 |
| 18.2.5  | Closest loudspeaker payout.....  | 587 |
| 18.3    | Screen-related element remapping .....   | 587 |
| 18.4    | Screen-related adaptation and zooming for higher order ambisonics (HOA).....                                 | 590 |
| 18.5    | Object remapping for zooming .....   | 592 |
| 18.6    | Determination of the closest loudspeaker .....   | 594 |
| 18.7    | Determination of a list of loudspeakers for conditioned closest loudspeaker playback .....                   | 594 |
| 18.8    | Processing of scene displacement angles for channels and objects (CO).....                                   | 596 |
| 18.9    | Processing of scene displacement angles for scene-based content (HOA) .....                                  | 598 |
| 18.10   | Determination of a reduced reproduction layout based on excluded sectors .....                               | 600 |
| 18.11   | Diffuseness rendering.....   | 601 |
| 19      | MPEG-H 3D audio profile definition.....  | 603 |
| 20      | Carriage of MPEG-H 3D audio in ISO base media file format .....  | 603 |
| 20.1    | General.....   | 603 |
| 20.2    | Random access and stream access .....  | 603 |
| 20.3    | Overview of new box structures.....  | 603 |
| 20.4    | MHA decoder configuration record.....  | 604 |
| 20.4.1  | Definition .....   | 604 |
| 20.4.2  | Syntax.....  | 604 |
| 20.4.3  | Semantics.....   | 604 |
| 20.5    | MPEG-H audio sample entry .....  | 604 |
| 20.5.1  | Definition .....   | 604 |
| 20.5.2  | Syntax.....  | 605 |
| 20.5.3  | Semantics.....   | 605 |
| 20.6    | MPEG-H audio MHAS sample entry .....   | 606 |
| 20.6.1  | Definition .....   | 606 |
| 20.6.2  | Syntax.....  | 607 |
| 20.7    | MHA dynamic range control and loudness .....   | 607 |
| 20.7.1  | Definition .....   | 607 |
| 20.7.2  | Syntax.....  | 607 |
| 20.7.3  | Semantics.....   | 609 |
| 20.8    | MHA multi-stream signalling.....   | 610 |
| 20.8.1  | Definition .....   | 610 |
| 20.8.2  | Syntax.....  | 610 |
| 20.8.3  | Semantics.....   | 610 |
| 20.9    | Audio scene information .....  | 611 |

|         |   |     |
|---------|---|-----|
| 20.9.1  | MHA group definition.....   | 611 |
| 20.9.2  | MHA switch group definition.....                                      | 613 |
| 20.9.3  | MHA group preset definition.....                                      | 614 |
| 20.9.4  | MHA group description text label.....                                 | 615 |
| 20.9.5  | MHA scene information.....  | 617 |
| 20.10   | Track references.....   | 618 |
| 20.11   | MPEG-H Audio profile and level compatibility sets.....                | 618 |
| 20.11.1 | Definition.....   | 618 |
| 20.11.2 | Syntax.....   | 618 |
| 20.11.3 | Semantics.....  | 618 |
| 21      | Sub-parameters for the MIME type 'Codecs' parameter.....              | 619 |
| 21.1    | General.....  | 619 |
| 21.2    | 'Codecs' parameter for MPEG-H 3D audio.....                           | 619 |
| 22      | Timing considerations and decoder behaviour.....                      | 619 |
| 23      | Multi-stream handling.....  | 619 |
| 23.1    | Restrictions on extension payloads.....                               | 619 |
| 24      | Low complexity generic loudspeaker rendering/format conversion.....   | 621 |
| 24.1    | Description.....  | 621 |
| 24.2    | Definitions.....  | 622 |
| 24.2.1  | General remarks.....  | 622 |
| 24.2.2  | Variable definitions.....   | 623 |
| 24.3    | Processing.....   | 623 |
| 24.3.1  | Application of transmitted downmix matrices.....                      | 623 |
| 24.3.2  | Application of transmitted equalizer settings.....                    | 628 |
| 24.3.3  | Downmix processing involving multiple channel groups.....             | 628 |
| 24.3.4  | Initialization of the format converter.....                           | 629 |
| 24.3.5  | Audio signal processing.....  | 646 |
| 25      | Low complexity immersive loudspeaker rendering/format conversion..... | 648 |
| 25.1    | Description.....  | 648 |
| 25.2    | Syntax.....   | 649 |
| 25.3    | Definitions.....  | 650 |
| 25.3.1  | General remarks.....  | 650 |
| 25.3.2  | Variable definitions.....   | 650 |
| 25.4    | Processing.....   | 651 |
| 25.4.1  | Initialization of the format converter.....                           | 651 |
| 25.4.2  | Audio signal processing.....  | 695 |
| 26      | MPEG surround.....  | 698 |
| 26.1    | Technical overview.....   | 698 |
| 26.2    | Syntax and data structure.....  | 699 |
| 26.3    | Tool description.....   | 699 |
| 27      | Production metadata decoding.....                                     | 699 |
| 27.1    | General.....  | 699 |
| 27.1.1  | Object distance coding.....   | 699 |
| 27.1.2  | Direct headphone signalling.....                                      | 699 |
| 27.1.3  | Reference distance coding.....  | 700 |
| 27.2    | Syntax.....   | 701 |
| 27.2.1  | Production metadata configuration.....                                | 701 |
| 27.2.2  | Production metadata frame.....  | 702 |
| 27.3    | Semantics.....  | 703 |
| 27.3.1  | Production metadata configuration.....                                | 703 |
| 27.4    | Decoding process.....   | 705 |

|                              |   |            |
|------------------------------|---|------------|
| <b>28</b>                    | <b>Earcon metadata .....</b>  | <b>705</b> |
| <b>28.1</b>                  | <b>General.....</b>   | <b>705</b> |
| <b>28.2</b>                  | <b>Syntax.....</b>  | <b>705</b> |
| <b>28.3</b>                  | <b>Semantics.....</b>   | <b>707</b> |
| <b>28.4</b>                  | <b>Decoding process .....</b>   | <b>711</b> |
| <b>Annex A (normative)</b>   | <b>Tables for arithmetic decoding of IGF information .....</b>  | <b>713</b> |
| <b>Annex B (normative)</b>   | <b>SAOC 3D Decorrelator pre-mixing matrices.....</b>  | <b>717</b> |
| <b>Annex C (informative)</b> | <b>Encoder tools.....</b>   | <b>724</b> |
| <b>Annex D (normative)</b>   | <b>Peak limiter for unguided clipping prevention .....</b>  | <b>772</b> |
| <b>Annex E (normative)</b>   | <b>Compact template downmix matrices .....</b>  | <b>773</b> |
| <b>Annex F (normative)</b>   | <b>HOA tables.....</b>  | <b>774</b> |
| <b>Annex G (informative)</b> | <b>Low complexity HOA rendering.....</b>  | <b>816</b> |
| <b>Annex H (informative)</b> | <b>Information on delay and complexity of time-domain<br/>binauralization .....</b>                         | <b>830</b> |
| <b>Annex I (informative)</b> | <b>Determination of a rotation matrix for processing of scene<br/>displacement data .....</b>               | <b>835</b> |
| <b>Annex J (informative)</b> | <b>Decorrelation filtering for 'diffuseness' processing.....</b>  | <b>837</b> |
| <b>Annex K (informative)</b> | <b>Distance and depth spread rendering .....</b>  | <b>838</b> |
| <b>Annex L (informative)</b> | <b>HREP encoder description.....</b>  | <b>840</b> |
| <b>Annex M (informative)</b> | <b>Screen-related adaptation of HOA content in complexity<br/>constrained implementations .....</b>         | <b>844</b> |
| <b>Annex N (normative)</b>   | <b>Retaining original file length with MPEG-H 3D audio.....</b>   | <b>845</b> |
| <b>Annex O (normative)</b>   | <b>Codebook tables used to de-quantize high band time domain<br/>bandwidth extension parameters.....</b>    | <b>847</b> |
| <b>Annex P (informative)</b> | <b>Implementation and usage guidelines for signalling of profile and<br/>level compatibility sets .....</b> | <b>856</b> |
| <b>Bibliography .....</b>    |   | <b>856</b> |