ISO/IEC 14496-6:2000-12 (E)

Information technology - Coding of audio-visual objects - Part 6: Delivery Multimedia Integration Framework (DMIF)

Contents

Page

1 Scope 1

2 Conformance 1
2.1 Requirements for conformance 1
2.2 DMIF-Application Interface 1
2.3 DMIF signalling messages 2

3 Normative references 2

4 Terms and definitions 2

5 Abbreviations 3

7 Compliance terms 5

8 DMIF overview 5
8.2 The objectives of DMIF 6
8.3 The DMIF communications architecture 6
8.4 DMIF computational model 8
8.5 DMIF QoS model 9
8.6 The User Plane in the Delivery Layer 9

9 Remote interactive scenario 10
9.1 Additional requirements 10
9.1.1 Introduction 10
9.1.2 Billing policies 11
9.1.3 Possible evolution to Heterogeneous Networks 11
9.2 DMIF within the context of the ISO/OSI layers 11

10 The DMIF-Application Interface 12
10.1 The DMIF-Application Interface key concepts 12
10.2 Common semantic elements 13
10.2.1 channelDescriptor 13
10.3 DMIF-Application Interface primitives 15
10.4 DMIF-Application Interface semantics 17
10.4.1 DA_ServiceAttach () 17
10.4.2 DA_ServiceAttachCallback () 18
10.4.3 DA_ServiceDetach () 18
10.4.4 DA_ServiceDetachCallback () 18
10.4.5 DA_ChannelAdd () 18
10.4.6 DA_ChannelAddCallback () 19
10.4.7 DA_ChannelDelete () 19
10.4.8 DA_ChannelDeleteCallback () 19
10.4.9 DA_UserCommand () 19
10.4.10 DA_UserCommandCallback () 19
10.4.11 DA_Data () 19
10.4.12 DA_DataCallback () 20
10.4.13 DA_UserCommandAck() 20
10.4.14 DA_UserCommandAckCallback() 20
10.4.15 DA_ChannelMonitor() 20
10.4.16 DA_ChannelEvent() 20

10.5 QoS Monitoring 21
10.5.1 Monitoring events 21
10.5.2 qosMode 21
10.5.3 qosReport 23

11 The DMIF-Network Interface 23
11.1 The DMIF-Network Interface key concepts 23
11.2 Common syntax elements 24
11.2.1 DMIF Descriptors 24
11.2.2 DMIF to DMIF data 26
11.2.3 Resource Descriptors 26
11.2.4 Direction parameter 28
11.2.5 Reason parameter 28
11.2.6 Response parameter 28
11.2.7 channelDescriptor and qosDescriptors 29
11.3 DMIF-Network Interface primitives 34
11.4 DMIF-Network Interface semantics 36
11.4.1 DN_SessionSetup () 36
11.4.2 DN_SessionRelease () 36
11.4.3 DN_ServiceAttach () 36
11.4.4 DN_ServiceDetach () 37
11.4.5 DN_TransMuxSetup () 37
11.4.6 DN_TransMuxRelease () 37
11.4.7 DN_ChannelAdd() 37
11.4.8 DN_ChannelAdded() 38
11.4.9 DN_ChannelDelete () 38
11.4.10 DN_TransMuxConfig () 39
11.4.11 DN_UserCommand () 39
11.4.12 DN_UserCommandAck () 39

12 Control Plane mappings 40
12.1 Default syntax 40
12.1.1 Syntax elements 40
12.1.2 DNI mapping to DMIF signalling messages 46
12.2 Syntax for IP networks with (or without) RSVP signalling, using TCP for DMIF signalling 56
12.2.1 Approach overview 56
12.2.2 DSM-CC Resource Descriptors used 56
12.2.3 Usage of networkSessionIds 56
12.2.4 Usage of transactionIds 57
12.2.5 DNI mapping to socket actions and RSVP signalling 57
12.3 Syntax for IP networks with (or without) RSVP Signalling, using UDP for DMIF signalling 59
12.3.1 Approach overview 60
12.3.2 DSM-CC Resource Descriptors used 60
12.3.3 Usage of networkSessionIds 60
12.3.4 Usage of transactionIds 60
12.3.5 DNI mapping to socket actions and RSVP signalling 60
12.4 Syntax for ATM networks with Q.2931 signalling 61
12.4.1 Approach overview 61
12.4.2 DSM-CC Resource Descriptors used 61
12.4.3 Usage of networkSessionIds 61
12.4.4 Usage of transactionIds 61
12.4.5 DNI mapping to Q.2931 signalling messages 62
12.5 Syntax for Networks with ITU-T H.245 Signaling 66
12.5.1 Approach overview 66
12.5.2 DSM-CC Resource Descriptors used 66
12.5.3 Usage of networkSessionIds 66
12.5.4 Usage of transactionIds 67
12.5.5 DNI mapping to H.245 Signaling messages 67
12.5.6 Data transmission procedures 68

13 Terminal Capability Matching 68
13.1 DMIF Default signalling with Compatibility Descriptors 68

Annex A (informative) Overview of DAI and DNI parameters 69

A.1 Sessions and services 69
A.2 Channels 69

Annex B (informative) Information flows for DMIF 71

B.1 Information flows for Remote Interactive DMIF 71
B.1.1 Initiation of a service in a Remote Interactive DMIF 72
B.1.2 Addition of Channels in a Remote Interactive DMIF 74
B.1.3 Deletion of Channels in a Remote Interactive DMIF 80
B.1.4 Termination of a Service in a Remote Interactive DMIF 82
B.2 Information Flows for Broadcast DMIF 83
B.2.1 Initiation of a service in a Broadcast DMIF 84
B.2.2 Addition of Channels in a Broadcast DMIF 85
B.2.3 Deletion of Channels in a Broadcast DMIF 86
B.2.4 Termination of a service in a Broadcast DMIF 87
B.3 Information Flows for Local Storage DMIF 87
B.3.1 Initiation of a service in a Local Storage DMIF 88
B.3.2 Addition of Channels in a Local Storage DMIF 89
B.3.3 Deletion of Channels in a Local Storage DMIF 90
B.3.4 Termination of a service in a Local Storage DMIF 91

Annex C (informative) Use of URLs in DMIF 92

C.1 Introduction 92
C.2 Generic concepts 92
C.3 URL schemes allowed in DMIF 92
C.4 New URL schemes 92
C.4.1 URL scheme for DMIF signalling over UDP/IP 93
C.4.2 URL scheme for DMIF signalling over TCP/IP 93
C.4.3 URL scheme for DMIF signalling over networks using NSAP addresses format 93

Annex D (informative) Protocol error recovery 94

D.1 Timouts and retransmission 94
D.2 Transaction state variables 94
D.2.1 Transaction identifier: Tid 94
D.2.2 Transaction state: Tid.state 94
D.2.3 Associated session: Tid.Sid 94
D.2.4 Transaction message timeout: Tid.tMessage 94
D.2.5 Expired transactionId holding timer: Tid.tHold 95
D.2.6 Transaction message: Tid.message 95
D.2.7 Tid.retransBound 95
D.2.8 Tid.numRetrans 95
D.3 Transaction Identifier State Machine 95
D.4 Transaction Identifier State table 96

E.1 ResourceDescriptor format 98
E.1.1 ResourceDescriptorDataField 98
E.1.2 Specifying ranges and lists of values in resource descriptors 99
E.3 Resource descriptor definitions 102
E.3.1 AtmSvcConnection resource descriptor definition 102
E.3.2 IP resource descriptor definition 102
E.3.3 AtmVcConnection resource descriptor definition 103

F.1 Introduction 104
F.2.1 Overview of ETS 300 401 payload transmission 104
F.2.2 Object descriptor encapsulation 105
F.2.3 Scene description stream encapsulation 109
F.2.3.1 BIFSCommandDataField 110

F.2.4 ClockReferenceStream encapsulation 111
F.2.5 Audiovisual stream encapsulation 111
F.3 Walkthrough of a typical MPEG-4 session carried in an ETS 300 401 system 112
F.3.1 General 112
F.3.2 Start of a session 113
F.3.3 Retrieval of the InitialOD 113
F.3.4 Retrieval of the subsequent BIFS and Object Descriptor streams 113
F.3.5 Retrieval of the clock reference and the audio-visual streams 113
F.3.6 Dynamic changes to the scene 113
F.4 Mapping of DAI procedures to ETS 300 401 procedures 113
F.4.1 Initiation of an MPEG-4 service in a DAB system 114
F.4.2 Addition of channels in an MPEG-4 service in a DAB system 114
F.4.3 Deletion of Channels in an MPEG-4 service in a DAB system 115
F.4.4 Termination of a service in an MPEG-4 service in a DAB system 115

Annex G (informative) Patent statement 116

G.1 Patent statement 116

H.1 Introduction 118
H.2 Walkthrough of a typical MPEG-4 session carried in an H.324 system 118
H.2.1 General 118
H.2.2 Start of a session 118
H.2.3 Retrieval of the InitialOD 118
H.3 Mapping of DAI procedures to H.245 procedures 118
H.3.1 Initiation of a service in a Remote Interactive DMIF 119
H.3.2 Addition of Channels in a Remote Interactive DMIF 119
H.3.3 Deletion of Channels in a Remote Interactive DMIF 121
H.3.4 Termination of a Service in a Remote Interactive DMIF 122

Annex I (informative) DMIF Application Programming Interface - Syntax definition 123

I.1 Objectives of this Annex 123
I.2 DAI protocol flow 123
I.3 Application Programming Interface 124
I.3.1 DMIF primitives 124
I.4 DMIF Application Programming Interface - ANSI C/C++ 126
I.4.1 Reference Implementation 126