

# ISO/IEC 15408-2:2026-05 (E)

## Information security, cybersecurity and privacy protection - Evaluation criteria for IT security - Part 2: Security functional components

---

### Contents

Page

- Foreword..... xv
- Introduction ..... xvi
- 1 Scope..... 1**
- 2 Normative references..... 1**
- 3 Terms and definitions..... 1**
- 4 Abbreviated terms..... 3**
- 5 Overview..... 4**
  - 5.1 General..... 4
  - 5.2 Organization of this document..... 4
- 6 Functional requirements paradigm..... 5**
- 7 Security functional components..... 8**
  - 7.1 Overview..... 8
  - 7.2 Functional class structure..... 8
    - 7.2.1 General..... 8
    - 7.2.2 Class name..... 9
    - 7.2.3 Class introduction..... 9
    - 7.2.4 Class informative notes..... 9
    - 7.2.5 Functional families..... 9
  - 7.3 Functional family structure..... 9
    - 7.3.1 General..... 9
    - 7.3.2 Family name..... 10
    - 7.3.3 Family Behaviour..... 10
    - 7.3.4 Component levelling and description..... 10
    - 7.3.5 Component management..... 10
    - 7.3.6 Component audit..... 11
    - 7.3.7 Family application notes..... 11
    - 7.3.8 Family evaluator notes..... 11
    - 7.3.9 Functional components..... 11
  - 7.4 Functional component structure..... 12
    - 7.4.1 General..... 12
    - 7.4.2 Component name..... 12
    - 7.4.3 Component relationships..... 12
    - 7.4.4 Component rationale..... 13
    - 7.4.5 Component notes..... 13
    - 7.4.6 Functional elements..... 13
  - 7.5 Functional elements..... 13
  - 7.6 Component catalogue..... 14
    - 7.6.1 General..... 14
    - 7.6.2 Highlighting of component changes..... 15
- 8 Class FAU Security audit..... 15**
  - 8.1 Introduction..... 15
  - 8.2 Notes on class FAU..... 17
    - 8.2.1 General information about audit requirements..... 17
    - 8.2.2 Audit requirements in a distributed environment..... 17
  - 8.3 Security audit automatic response (FAU\_ARP)..... 18
    - 8.3.1 Family Behaviour..... 18

8.3.2	Component levelling and description .....	18
8.3.3	Component management .....	18
8.3.4	Component audit .....	18
8.3.5	Application notes .....	18
8.3.6	FAU_ARP.1 Security alarms .....	19
8.4	Security audit data generation (FAU_GEN) .....	19
8.4.1	Family Behaviour .....	19
8.4.2	Component levelling and description .....	19
8.4.3	Component management .....	19
8.4.4	Component audit .....	20
8.4.5	Application notes .....	20
8.4.6	Evaluator notes .....	21
8.4.7	FAU_GEN.1 Audit data generation .....	21
8.4.8	FAU_GEN.2 User identity association .....	22
8.5	Security audit analysis (FAU_SAA) .....	23
8.5.1	Family Behaviour .....	23
8.5.2	Component levelling and description .....	23
8.5.3	Component management .....	23
8.5.4	Component audit .....	24
8.5.5	Application notes .....	24
8.5.6	FAU_SAA.1 Potential violation analysis .....	24
8.5.7	FAU_SAA.2 Profile based anomaly detection .....	25
8.5.8	FAU_SAA.3 Simple attack heuristics .....	26
8.5.9	FAU_SAA.4 Complex attack heuristics .....	27
8.6	Security audit review (FAU_SAR) .....	29
8.6.1	Family Behaviour .....	29
8.6.2	Component levelling and description .....	29
8.6.3	Component management .....	29
8.6.4	Component audit .....	30
8.6.5	Application notes .....	30
8.6.6	FAU_SAR.1 Audit review .....	30
8.6.7	FAU_SAR.2 Restricted audit review .....	31
8.6.8	FAU_SAR.3 Selectable audit review .....	31
8.7	Security audit event selection (FAU_SEL) .....	32
8.7.1	Family Behaviour .....	32
8.7.2	Component levelling and description .....	32
8.7.3	Component management .....	32
8.7.4	Component audit .....	32
8.7.5	Application notes .....	32
8.7.6	FAU_SEL.1 Selective audit .....	33
8.8	Security audit data storage (FAU_STG) .....	33
8.8.1	Family Behaviour .....	33
8.8.2	Component levelling and description .....	33
8.8.3	Component management .....	34
8.8.4	Component audit .....	35
8.8.5	Application notes .....	35
8.8.6	FAU_STG.1 Audit data storage location .....	35
8.8.7	FAU_STG.2 Protected audit data storage .....	36
8.8.8	FAU_STG.3 Guarantees of audit data availability .....	36
8.8.9	FAU_STG.4 Action in case of possible audit data loss .....	37
8.8.10	FAU_STG.5 Prevention of audit data loss .....	38
<b>9</b>	<b>Class FCO Communication .....</b>	<b>38</b>
9.1	Introduction .....	38
9.2	Notes on class FCO .....	39
9.3	Non-repudiation of origin (FCO_NRO) .....	39
9.3.1	Family Behaviour .....	39
9.3.2	Component levelling and description .....	39
9.3.3	Component management .....	40
9.3.4	Component audit .....	40
9.3.5	Application notes .....	40
9.3.6	FCO_NRO.1 Selective proof of origin .....	41
9.3.7	FCO_NRO.2 Enforced proof of origin .....	42
9.4	Non-repudiation of receipt (FCO_NRR) .....	42
9.4.1	Family Behaviour .....	42

9.4.2	Component levelling and description .....	43
9.4.3	Component management .....	43
9.4.4	Component audit .....	43
9.4.5	Application notes .....	43
9.4.6	FCO_NRR.1 Selective proof of receipt .....	44
9.4.7	FCO_NRR.2 Enforced proof of receipt .....	45
<b>10</b>	<b>Class FCS Cryptographic support .....</b>	<b>46</b>
10.1	Introduction .....	46
10.2	Notes on class FCS .....	48
10.3	Cryptographic key management (FCS_CKM) .....	50
10.3.1	Family Behaviour .....	50
10.3.2	Component levelling and description .....	50
10.3.3	Component management .....	51
10.3.4	Component audit .....	51
10.3.5	Application notes .....	51
10.3.6	Evaluator notes .....	52
10.3.7	FCS_CKM.1 Cryptographic key generation .....	52
10.3.8	FCS_CKM.2 Cryptographic key distribution .....	53
10.3.9	FCS_CKM.3 Cryptographic key access .....	53
10.3.10	FCS_CKM.5 Cryptographic key derivation .....	54
10.3.11	FCS_CKM.6 Timing and event of cryptographic key destruction .....	55
10.4	Cryptographic operation (FCS_COP) .....	56
10.4.1	Family Behaviour .....	56
10.4.2	Component levelling and description .....	56
10.4.3	Component management .....	56
10.4.4	Component audit .....	56
10.4.5	Application notes .....	56
10.4.6	FCS_COP.1 Cryptographic operation .....	57
10.5	Random bit generation (FCS_RBG) .....	58
10.5.1	Family Behaviour .....	58
10.5.2	Component levelling and description .....	58
10.5.3	Component management .....	59
10.5.4	Component audit .....	59
10.5.5	Application notes .....	59
10.5.6	FCS_RBG.1 Random bit generation (RBG) .....	59
10.5.7	FCS_RBG.2 Random bit generation (external seeding) .....	61
10.5.8	FCS_RBG.3 Random bit generation (internal seeding - single source) .....	61
10.5.9	FCS_RBG.4 Random bit generation (internal seeding - multiple sources) .....	62
10.5.10	FCS_RBG.5 Random bit generation (combining entropy sources) .....	62
10.5.11	FCS_RBG.6 Random bit generation service .....	63
10.6	Generation of random numbers (FCS_RNG) .....	63
10.6.1	Family Behaviour .....	63
10.6.2	Component levelling and description .....	64
10.6.3	Component management .....	64
10.6.4	Component audit .....	64
10.6.5	Application notes .....	64
10.6.6	FCS_RNG.1 Random number generation .....	64
<b>11</b>	<b>Class FDP User data protection .....</b>	<b>66</b>
11.1	Introduction .....	66
11.2	Notes on class FDP .....	69
11.3	Access control policy (FDP_ACC) .....	71
11.3.1	Family Behaviour .....	71
11.3.2	Component levelling and description .....	72
11.3.3	Component management .....	72
11.3.4	Component audit .....	72
11.3.5	Application notes .....	72
11.3.6	FDP_ACC.1 Subset access control .....	73
11.3.7	FDP_ACC.2 Complete access control .....	73

11.4	Access control functions (FDP_ACF)	74
11.4.1	Family Behaviour	74
11.4.2	Component levelling and description	74
11.4.3	Component management	74
11.4.4	Component audit	75
11.4.5	Application notes	75
11.4.6	FDP_ACF.1 Security attribute-based access control	75
11.5	Data authentication (FDP_DAU)	77
11.5.1	Family Behaviour	77
11.5.2	Component levelling and description	77
11.5.3	Component management	77
11.5.4	Component audit	77
11.5.5	Application notes	78
11.5.6	FDP_DAU.1 Basic Data Authentication	78
11.5.7	FDP_DAU.2 Data Authentication with Identity of Guarantor	78
11.6	Export from the TOE (FDP_ETC)	79
11.6.1	Family Behaviour	79
11.6.2	Component levelling and description	79
11.6.3	Component management	80
11.6.4	Component audit	80
11.6.5	Application notes	80
11.6.6	FDP_ETC.1 Export of user data without security attributes	80
11.6.7	FDP_ETC.2 Export of user data with security attributes	81
11.7	Information flow control policy (FDP_IFC)	82
11.7.1	Family Behaviour	82
11.7.2	Component levelling and description	82
11.7.3	Component management	82
11.7.4	Component audit	82
11.7.5	Application notes	82
11.7.6	FDP_IFC.1 Subset information flow control	83
11.7.7	FDP_IFC.2 Complete information flow control	84
11.8	Information flow control functions (FDP_IFF)	85
11.8.1	Family Behaviour	85
11.8.2	Component levelling and description	85
11.8.3	Component management	86
11.8.4	Component audit	86
11.8.5	Application notes	86
11.8.6	FDP_IFF.1 Simple security attributes	87
11.8.7	FDP_IFF.2 Hierarchical security attributes	88
11.8.8	FDP_IFF.3 Limited illicit information flows	90
11.8.9	FDP_IFF.4 Partial elimination of illicit information flows	91
11.8.10	FDP_IFF.5 No illicit information flows	91
11.8.11	FDP_IFF.6 Illicit information flow monitoring	92
11.9	Information retention control (FDP_IRC)	92
11.9.1	Family Behaviour	92
11.9.2	Component levelling and description	93
11.9.3	Component management	93
11.9.4	Component audit	93
11.9.5	Application notes	93
11.9.6	FDP_IRC.1 Information retention control	94
11.10	Import from outside of the TOE (FDP_ITC)	94
11.10.1	Family Behaviour	94
11.10.2	Component levelling and description	94
11.10.3	Component management	95
11.10.4	Component audit	95
11.10.5	Application notes	95
11.10.6	FDP_ITC.1 Import of user data without security attributes	96
11.10.7	FDP_ITC.2 Import of user data with security attributes	97
11.11	Internal TOE transfer (FDP_ITT)	98

11.11.1	Family Behaviour	98
11.11.2	Component levelling and description	98
11.11.3	Component management	98
11.11.4	Component audit	99
11.11.5	Application notes	99
11.11.6	FDP_ITT.1 Basic internal transfer protection	99
11.11.7	FDP_ITT.2 Transmission separation by attribute	100
11.11.8	FDP_ITT.3 Integrity monitoring	101
11.11.9	FDP_ITT.4 Attribute-based integrity monitoring	101
11.12	Residual information protection (FDP_RIP)	102
11.12.1	Family Behaviour	102
11.12.2	Component levelling and description	103
11.12.3	Component management	103
11.12.4	Component audit	103
11.12.5	Application notes	103
11.12.6	FDP_RIP.1 Subset residual information protection	104
11.12.7	FDP_RIP.2 Full residual information protection	105
11.13	Rollback (FDP_ROL)	105
11.13.1	Family Behaviour	105
11.13.2	Component levelling and description	105
11.13.3	Component management	105
11.13.4	Component audit	106
11.13.5	Application notes	106
11.13.6	FDP_ROL.1 Basic rollback	106
11.13.7	FDP_ROL.2 Advanced rollback	107
11.14	Stored data confidentiality (FDP_SDC)	108
11.14.1	Family Behaviour	108
11.14.2	Component levelling and description	108
11.14.3	Component management	108
11.14.4	Component audit	108
11.14.5	Application notes	108
11.14.6	Evaluator notes	108
11.14.7	FDP_SDC.1 Stored data confidentiality	109
11.14.8	FDP_SDC.2 Stored data confidentiality with dedicated method	109
11.15	Stored data integrity (FDP_SDI)	110
11.15.1	Family Behaviour	110
11.15.2	Component levelling and description	110
11.15.3	Component management	110
11.15.4	Component audit	110
11.15.5	Application notes	111
11.15.6	FDP_SDI.1 Stored data integrity monitoring	111
11.15.7	FDP_SDI.2 Stored data integrity monitoring and action	111
11.16	Inter-TSF user data confidentiality transfer protection (FDP_UCT)	112
11.16.1	Family Behaviour	112
11.16.2	Component levelling and description	112
11.16.3	Component management	112
11.16.4	Component audit	112
11.16.5	Application notes	113
11.16.6	FDP_UCT.1 Basic data exchange confidentiality	113
11.17	Inter-TSF user data integrity transfer protection (FDP_UIT)	113
11.17.1	Family Behaviour	113
11.17.2	Component levelling and description	113
11.17.3	Component management	114
11.17.4	Component audit	114
11.17.5	Application notes	115
11.17.6	FDP_UIT.1 Data exchange integrity	115
11.17.7	FDP_UIT.2 Source data exchange recovery	116
11.17.8	FDP_UIT.3 Destination data exchange recovery	116

<b>12</b>	<b>Class FIA Identification and authentication</b>	<b>117</b>
12.1	Introduction	117
12.2	Notes on class FIA	119
12.3	Authentication failures (FIA_AFL)	120
12.3.1	Family Behaviour	120
12.3.2	Component levelling and description	120
12.3.3	Component management	120
12.3.4	Component audit	120
12.3.5	Application notes	120
12.3.6	FIA_AFL.1 Authentication failure handling	121
12.4	Authentication proof of identity (FIA_API)	122
12.4.1	Family Behaviour	122
12.4.2	Component levelling and description	122
12.4.3	Component management	122
12.4.4	Component audit	122
12.4.5	Application notes	122
12.4.6	FIA_API.1 Authentication proof of identity	123
12.5	User attribute definition (FIA_ATD)	123
12.5.1	Family Behaviour	123
12.5.2	Component levelling and description	123
12.5.3	Component management	124
12.5.4	Component audit	124
12.5.5	Application notes	124
12.5.6	FIA_ATD.1 User attribute definition	124
12.6	Specification of secrets (FIA_SOS)	124
12.6.1	Family Behaviour	124
12.6.2	Component levelling and description	124
12.6.3	Component management	125
12.6.4	Component audit	125
12.6.5	Application notes	125
12.6.6	FIA_SOS.1 Verification of secrets	126
12.6.7	FIA_SOS.2 TSF Generation of secrets	126
12.7	User authentication (FIA_UAU)	127
12.7.1	Family Behaviour	127
12.7.2	Component levelling and description	127
12.7.3	Component management	128
12.7.4	Component audit	128
12.7.5	Application notes	129
12.7.6	FIA_UAU.1 Timing of authentication	129
12.7.7	FIA_UAU.2 User authentication before any action	130
12.7.8	FIA_UAU.3 Unforgeable authentication	130
12.7.9	FIA_UAU.4 Single-use authentication mechanisms	131
12.7.10	FIA_UAU.5 Multiple authentication mechanisms	131
12.7.11	FIA_UAU.6 Re-authenticating	132
12.7.12	FIA_UAU.7 Protected authentication feedback	132
12.8	User identification (FIA_UID)	133
12.8.1	Family Behaviour	133
12.8.2	Component levelling and description	133
12.8.3	Component management	133
12.8.4	Component audit	133
12.8.5	Application notes	133
12.8.6	FIA_UID.1 Timing of identification	134
12.8.7	FIA_UID.2 User identification before any action	134
12.9	User-subject binding (FIA_USB)	134
12.9.1	Family Behaviour	134
12.9.2	Component levelling and description	135
12.9.3	Component management	135
12.9.4	Component audit	135
12.9.5	Application notes	135

	12.9.6 FIA_USB.1 User-subject binding .....	135
<b>13</b>	<b>Class FMT Security management .....</b>	<b>136</b>
	13.1 Introduction .....	136
	13.2 Notes on class FMT .....	138
	13.3 Limited capabilities and availability (FMT_LIM) .....	138
	13.3.1 Family Behaviour .....	138
	13.3.2 Component levelling and description .....	139
	13.3.3 Component management .....	139
	13.3.4 Component audit .....	139
	13.3.5 Application notes .....	139
	13.3.6 FMT_LIM.1 Limited capabilities .....	139
	13.3.7 FMT_LIM.2 Limited availability .....	140
	13.4 Management of functions in TSF (FMT_MOF) .....	140
	13.4.1 Family Behaviour .....	140
	13.4.2 Component levelling and description .....	140
	13.4.3 Component management .....	141
	13.4.4 Component audit .....	141
	13.4.5 Application notes .....	141
	13.4.6 FMT_MOF.1 Management of security functions behaviour .....	142
	13.5 Management of security attributes (FMT_MSA) .....	142
	13.5.1 Family Behaviour .....	142
	13.5.2 Component levelling and description .....	142
	13.5.3 Component management .....	143
	13.5.4 Component audit .....	144
	13.5.5 Application notes .....	144
	13.5.6 FMT_MSA.1 Management of security attributes .....	144
	13.5.7 FMT_MSA.2 Secure security attributes .....	145
	13.5.8 FMT_MSA.3 Static attribute initialization .....	146
	13.5.9 FMT_MSA.4 Security attribute value inheritance .....	146
	13.6 Management of TSF data (FMT_MTD) .....	147
	13.6.1 Family Behaviour .....	147
	13.6.2 Component levelling and description .....	147
	13.6.3 Component management .....	147
	13.6.4 Component audit .....	148
	13.6.5 Application notes .....	148
	13.6.6 FMT_MTD.1 Management of TSF data .....	148
	13.6.7 FMT_MTD.2 Management of limits on TSF data .....	149
	13.6.8 FMT_MTD.3 Secure TSF data .....	149
	13.7 Revocation (FMT_REV) .....	150
	13.7.1 Family Behaviour .....	150
	13.7.2 Component levelling and description .....	150
	13.7.3 Component management .....	150
	13.7.4 Component audit .....	150
	13.7.5 Application notes .....	150
	13.7.6 FMT_REV.1 Revocation .....	150
	13.8 Security attribute expiration (FMT_SAE) .....	151
	13.8.1 Family Behaviour .....	151
	13.8.2 Component levelling and description .....	151
	13.8.3 Component management .....	152
	13.8.4 Component audit .....	152
	13.8.5 Application notes .....	152
	13.8.6 FMT_SAE.1 Time-limited authorization .....	152
	13.9 Specification of Management Functions (FMT_SMF) .....	153
	13.9.1 Family Behaviour .....	153
	13.9.2 Component levelling and description .....	153
	13.9.3 Component management .....	153
	13.9.4 Component audit .....	153
	13.9.5 Application notes .....	153

13.9.6	FMT_SMF.1 Specification of Management Functions.....	153
13.10	Security management roles (FMT_SMR).....	154
13.10.1	Family Behaviour.....	154
13.10.2	Component levelling and description.....	154
13.10.3	Component management.....	154
13.10.4	Component audit.....	155
13.10.5	Application notes.....	155
13.10.6	FMT_SMR.1 Security roles.....	155
13.10.7	FMT_SMR.2 Restrictions on security roles.....	156
13.10.8	FMT_SMR.3 Assuming roles.....	157
<b>14</b>	<b>Class FPR Privacy.....</b>	<b>157</b>
14.1	Introduction.....	157
14.2	Notes on class FPR.....	158
14.3	Anonymity (FPR_ANO).....	159
14.3.1	Family Behaviour.....	159
14.3.2	Component levelling and description.....	159
14.3.3	Component management.....	159
14.3.4	Component audit.....	159
14.3.5	Application notes.....	159
14.3.6	FPR_ANO.1 Anonymity.....	160
14.3.7	FPR_ANO.2 Anonymity without soliciting information.....	161
14.4	Pseudonymity (FPR_PSE).....	161
14.4.1	Family Behaviour.....	161
14.4.2	Component levelling and description.....	161
14.4.3	Component management.....	162
14.4.4	Component audit.....	162
14.4.5	Application notes.....	162
14.4.6	FPR_PSE.1 Pseudonymity.....	163
14.4.7	FPR_PSE.2 Reversible pseudonymity.....	164
14.4.8	FPR_PSE.3 Alias pseudonymity.....	165
14.5	Unlinkability (FPR_UNL).....	167
14.5.1	Family Behaviour.....	167
14.5.2	Component levelling and description.....	167
14.5.3	Component management.....	167
14.5.4	Component audit.....	167
14.5.5	Application notes.....	167
14.5.6	FPR_UNL.1 Unlinkability of operations.....	168
14.6	Unobservability (FPR_UNO).....	169
14.6.1	Family Behaviour.....	169
14.6.2	Component levelling and description.....	169
14.6.3	Component management.....	169
14.6.4	Component audit.....	169
14.6.5	Application notes.....	170
14.6.6	FPR_UNO.1 Unobservability.....	170
14.6.7	FPR_UNO.2 Allocation of information impacting unobservability.....	171
14.6.8	FPR_UNO.3 Unobservability without soliciting information.....	172
14.6.9	FPR_UNO.4 Authorized user observability.....	173
<b>15</b>	<b>Class FPT Protection of the TSF.....</b>	<b>173</b>
15.1	Introduction.....	173
15.2	Notes on class FPT.....	176
15.3	TOE emanation (FPT_EMS).....	177
15.3.1	Family Behaviour.....	177
15.3.2	Component levelling and description.....	177
15.3.3	Component management.....	177
15.3.4	Component audit.....	178
15.3.5	Application notes.....	178
15.3.6	FPT_EMS.1 Emanation of TSF and User data.....	178
15.4	Fail secure (FPT_FLS).....	179

15.4.1	Family Behaviour.....	179
15.4.2	Component levelling and description.....	179
15.4.3	Component management.....	179
15.4.4	Component audit.....	179
15.4.5	Application notes.....	179
15.4.6	FPT_FLS.1 Failure with preservation of secure state.....	179
15.5	TSF initialization (FPT_INI).....	180
15.5.1	Family Behaviour.....	180
15.5.2	Component levelling and description.....	180
15.5.3	Component management.....	180
15.5.4	Component audit.....	180
15.5.5	Application notes.....	180
15.5.6	FPT_INI.1 TSF initialization.....	181
15.6	Availability of exported TSF data (FPT_ITA).....	182
15.6.1	Family Behaviour.....	182
15.6.2	Component levelling and description.....	182
15.6.3	Component management.....	182
15.6.4	Component audit.....	182
15.6.5	Application notes.....	182
15.6.6	FPT_ITA.1 Inter-TSF availability within a defined availability metric.....	182
15.7	Confidentiality of exported TSF data (FPT_ITC).....	183
15.7.1	Family Behaviour.....	183
15.7.2	Component levelling and description.....	183
15.7.3	Component management.....	183
15.7.4	Component audit.....	183
15.7.5	Application notes.....	183
15.7.6	Evaluator notes.....	184
15.7.7	FPT_ITC.1 Inter-TSF confidentiality during transmission.....	184
15.8	Integrity of exported TSF data (FPT_ITI).....	184
15.8.1	Family Behaviour.....	184
15.8.2	Component levelling and description.....	184
15.8.3	Component management.....	184
15.8.4	Component audit.....	185
15.8.5	Application notes.....	185
15.8.6	Evaluator notes.....	185
15.8.7	FPT_ITI.1 Inter-TSF detection of modification.....	185
15.8.8	FPT_ITI.2 Inter-TSF detection and correction of modification.....	186
15.9	Internal TOE TSF data transfer (FPT_ITT).....	187
15.9.1	Family Behaviour.....	187
15.9.2	Component levelling and description.....	187
15.9.3	Component management.....	187
15.9.4	Component audit.....	188
15.9.5	Application notes.....	188
15.9.6	Evaluator notes.....	188
15.9.7	FPT_ITT.1 Basic internal TSF data transfer protection.....	188
15.9.8	FPT_ITT.2 TSF data transfer separation.....	189
15.9.9	FPT_ITT.3 TSF data integrity monitoring.....	189
15.10	TSF physical protection (FPT_PHP).....	190
15.10.1	Family Behaviour.....	190
15.10.2	Component levelling and description.....	190
15.10.3	Component management.....	190
15.10.4	Component audit.....	191
15.10.5	Application notes.....	191
15.10.6	FPT_PHP.1 Passive detection of physical attack.....	191
15.10.7	FPT_PHP.2 Notification of physical attack.....	192
15.10.8	FPT_PHP.3 Resistance to physical attack.....	193
15.11	Trusted recovery (FPT_RCV).....	193
15.11.1	Family Behaviour.....	193
15.11.2	Component levelling and description.....	193

15.11.3	Component management .....	194
15.11.4	Component audit .....	194
15.11.5	Application notes .....	195
15.11.6	Evaluator notes .....	196
15.11.7	FPT_RCV.1 Manual recovery .....	196
15.11.8	FPT_RCV.2 Automated recovery .....	197
15.11.9	FPT_RCV.3 Automated recovery without undue loss .....	197
15.11.10	.....	
	FPT_RCV.4 Function recovery .....	198
15.12	Replay detection (FPT_RPL) .....	199
15.12.1	Family Behaviour .....	199
15.12.2	Component levelling and description .....	199
15.12.3	Component management .....	199
15.12.4	Component audit .....	199
15.12.5	Application notes .....	199
15.12.6	FPT_RPL.1 Replay detection .....	199
15.13	State synchrony protocol (FPT_SSP) .....	200
15.13.1	Family Behaviour .....	200
15.13.2	Component levelling and description .....	200
15.13.3	Component management .....	200
15.13.4	Component audit .....	200
15.13.5	Application notes .....	201
15.13.6	FPT_SSP.1 Simple trusted acknowledgement .....	201
15.13.7	FPT_SSP.2 Mutual trusted acknowledgement .....	201
15.14	Time stamps (FPT_STM) .....	202
15.14.1	Family Behaviour .....	202
15.14.2	Component levelling and description .....	202
15.14.3	Component management .....	202
15.14.4	Component audit .....	203
15.14.5	Application notes .....	203
15.14.6	FPT_STM.1 Reliable time stamps .....	203
15.14.7	FPT_STM.2 Time source .....	203
15.15	Inter-TSF TSF data consistency (FPT_TDC) .....	204
15.15.1	Family Behaviour .....	204
15.15.2	Component levelling and description .....	204
15.15.3	Component management .....	204
15.15.4	Component audit .....	204
15.15.5	Application notes .....	204
15.15.6	FPT_TDC.1 Inter-TSF basic TSF data consistency .....	205
15.16	Testing of external entities (FPT_TEE) .....	205
15.16.1	Family Behaviour .....	205
15.16.2	Component levelling and description .....	206
15.16.3	Component management .....	206
15.16.4	Component audit .....	206
15.16.5	Application notes .....	206
15.16.6	Evaluator notes .....	206
15.16.7	FPT_TEE.1 Testing of external entities .....	207
15.17	Internal TOE TSF data replication consistency (FPT_TRC) .....	208
15.17.1	Family Behaviour .....	208
15.17.2	Component levelling and description .....	208
15.17.3	Component management .....	208
15.17.4	Component audit .....	208
15.17.5	Application notes .....	208
15.17.6	FPT_TRC.1 Internal TSF consistency .....	209
15.18	TSF self-test (FPT_TST) .....	209
15.18.1	Family Behaviour .....	209
15.18.2	Component levelling and description .....	209
15.18.3	Component management .....	210
15.18.4	Component audit .....	210

	15.18.5 Application notes .....	210
	15.18.6 Evaluator notes.....	210
	15.18.7 FPT_TST.1 TSF self-testing.....	210
<b>16</b>	<b>Class FRU Resource utilization .....</b>	<b>211</b>
	16.1 Introduction.....	211
	16.2 Notes on class FRU .....	212
	16.3 Fault tolerance (FRU_FLT) .....	212
	16.3.1 Family Behaviour.....	212
	16.3.2 Component levelling and description .....	213
	16.3.3 Component management.....	213
	16.3.4 Component audit.....	213
	16.3.5 Application notes .....	213
	16.3.6 FRU_FLT.1 Degraded fault tolerance .....	214
	16.3.7 FRU_FLT.2 Limited fault tolerance .....	214
	16.4 Priority of service (FRU_PRS).....	215
	16.4.1 Family Behaviour.....	215
	16.4.2 Component levelling and description .....	215
	16.4.3 Component management.....	215
	16.4.4 Component audit.....	215
	16.4.5 Application notes .....	215
	16.4.6 FRU_PRS.1 Limited priority of service .....	216
	16.4.7 FRU_PRS.2 Full priority of service .....	216
	16.5 Resource allocation (FRU_RSA) .....	217
	16.5.1 Family Behaviour.....	217
	16.5.2 Component levelling and description .....	217
	16.5.3 Component management.....	217
	16.5.4 Component audit.....	217
	16.5.5 Application notes .....	217
	16.5.6 FRU_RSA.1 Maximum quotas.....	218
	16.5.7 FRU_RSA.2 Minimum and maximum quotas .....	219
<b>17</b>	<b>Class FTA TOE access .....</b>	<b>219</b>
	17.1 Introduction.....	219
	17.2 Notes on class FTA.....	221
	17.3 Limitation on scope of selectable attributes (FTA_LSA).....	221
	17.3.1 Family Behaviour.....	221
	17.3.2 Component levelling and description .....	221
	17.3.3 Component management.....	221
	17.3.4 Component audit.....	221
	17.3.5 Application notes .....	221
	17.3.6 FTA_LSA.1 Limitation on scope of selectable attributes.....	222
	17.4 Limitation on multiple concurrent sessions (FTA_MCS).....	222
	17.4.1 Family Behaviour.....	222
	17.4.2 Component levelling and description .....	222
	17.4.3 Component management.....	223
	17.4.4 Component audit.....	223
	17.4.5 Application notes .....	223
	17.4.6 FTA_MCS.1 Basic limitation on multiple concurrent sessions.....	223
	17.4.7 FTA_MCS.2 Per user attribute limitation on multiple concurrent sessions.....	224
	17.5 Session locking and termination (FTA_SSL).....	224
	17.5.1 Family Behaviour.....	224
	17.5.2 Component levelling and description .....	224
	17.5.3 Component management.....	225
	17.5.4 Component audit.....	226
	17.5.5 Application notes .....	226
	17.5.6 FTA_SSL.1 TSF-initiated session locking.....	226
	17.5.7 FTA_SSL.2 User-initiated locking.....	227
	17.5.8 FTA_SSL.3 TSF-initiated termination.....	228
	17.5.9 FTA_SSL.4 User-initiated termination.....	228

17.6	TOE access banners (FTA_TAB) .....	229
17.6.1	Family Behaviour .....	229
17.6.2	Component levelling and description .....	229
17.6.3	Component management .....	229
17.6.4	Component audit .....	229
17.6.5	Application notes .....	229
17.6.6	FTA_TAB.1 Default TOE access banners .....	229
17.7	TOE access history (FTA_TAH) .....	230
17.7.1	Family Behaviour .....	230
17.7.2	Component levelling and description .....	230
17.7.3	Component management .....	230
17.7.4	Component audit .....	230
17.7.5	Application notes .....	230
17.7.6	FTA_TAH.1 TOE access history .....	230
17.8	TOE session establishment (FTA_TSE) .....	231
17.8.1	Family Behaviour .....	231
17.8.2	Component levelling and description .....	231
17.8.3	Component management .....	231
17.8.4	Component audit .....	231
17.8.5	Application notes .....	232
17.8.6	FTA_TSE.1 TOE session establishment .....	232
<b>18</b>	<b>Class FTP Trusted path/channels .....</b>	<b>233</b>
18.1	Introduction .....	233
18.2	Notes on class FTP .....	234
18.3	Inter-TSF trusted channel (FTP_ITC) .....	234
18.3.1	Family Behaviour .....	234
18.3.2	Component levelling and description .....	234
18.3.3	Component management .....	235
18.3.4	Component audit .....	235
18.3.5	Application notes .....	235
18.3.6	FTP_ITC.1 Inter-TSF trusted channel .....	235
18.4	Trusted channel protocol (FTP_PRO) .....	236
18.4.1	Family Behaviour .....	236
18.4.2	Component levelling and description .....	236
18.4.3	Component management .....	236
18.4.4	Component audit .....	237
18.4.5	Application notes .....	237
18.4.6	FTP_PRO.1 Trusted channel protocol .....	238
18.4.7	FTP_PRO.2 Trusted channel establishment .....	239
18.4.8	FTP_PRO.3 Trusted channel data protection .....	240
18.5	Trusted path (FTP_TRP) .....	240
18.5.1	Family Behaviour .....	240
18.5.2	Component levelling and description .....	240
18.5.3	Component management .....	241
18.5.4	Component audit .....	241
18.5.5	Application notes .....	241
18.5.6	FTP_TRP.1 Trusted path .....	241
	<b>Bibliography .....</b>	<b>243</b>