ISO/IEC 23009-1:2026-07 (E)

Information technology - Dynamic adaptive streaming over HTTP (DASH) - Part 1: Media presentation description and segment formats

Contents

Page

Foreword v

Introduction vii

1 Scope 1

2 Normative references 1

3 Terms, definitions, symbols and abbreviated terms 2
3.1 Terms and definitions 2
3.2 Symbols and abbreviated terms 7
3.3 Conventions 9

4 Overview 10
4.1 System description 10
4.2 DASH Client model 11
4.3 DASH data model overview 12
4.4 Protocols 16
4.5 Media stream and Representation properties 16
4.6 Brands 19
4.7 Schemes 19

5 Media Presentation 23
5.1 General 23
5.2 Media Presentation Description 23
5.3 Hierarchical data model 28
5.4 Media Presentation Description updates 111
5.5 MPD Assembly 113
5.6 Base URL Processing 115
5.7 Program information 118
5.8 Descriptors 119
5.9 DASH metrics descriptor 141
5.10 Events 143
5.11 MPD Chaining 158
5.12 Producer Reference Time 160
5.13 Leap seconds 162
5.14 Content Popularity Rate 164
5.15 MPD Patch Framework 166
5.16 Alternative Media Presentations 171

6 Segment formats 187
6.1 General 187
6.2 Segment types 187
6.3 Segment formats for ISO base media file format 190
6.4 Segment formats for MPEG-2 transport streams 194

7 Combined semantics of MPD and Segment formats 200
7.1 Overview 200
7.2 General 200
7.3 Media Presentation based on the ISO base media file format 202
7.4 Media Presentation based on MPEG-2 TS 204

8 Profiles 206
8.1 Definition 206
8.2 Full profile 208

8.3 ISO Base media file format On Demand profile 208
8.4 ISO Base media file format live profile 210
8.5 ISO Base media file format main profile 211
8.6 MPEG-2 TS main profile 212
8.7 MPEG-2 TS simple profile 213
8.8 ISO Base media file format extended live profile 214
8.9 ISO Base media file format extended On Demand profile 216
8.10 ISO Base media file format common profile 218
8.11 ISO Base media file format broadcast TV profile 218
8.12 DASH profile for CMAF content 221
8.13 ISO Base media file format Advanced Linear profile 235
8.14 ISO Base Media File Format List Profile 238
8.15 Single-Period Static Profile 238

Annex A (informative) Example DASH Client behaviour 240

Annex B (normative) MPD schema 265

Annex C (normative) MIME type registration for MPD and other resources 266

Annex D (normative) DASH Metrics 272

Annex E (normative) Byte range requests with regular HTTP GET methods 280

Annex F (informative) Guidelines for extending DASH with other delivery formats 282

Annex G (informative) MPD Examples and MPD Usage 284

Annex H (normative) Spatial Relationship Description 324

Annex I (normative) Flexible Insertion of URL Parameters 332

Annex J (normative) Open GOP resolution change 345

Annex K (normative) DASH Service Description 346

Annex L (normative) Implementation of Nonlinear Playback 364

Annex M (normative) Addressable Resource Index Track 368

Bibliography 374