

ISO/IEC 23090-30:2026-07 (E)

Information technology - Coded representation of immersive media - Part 30: Low latency, low complexity light detection and ranging (LiDAR) coding

Contents	Page
Foreword	viii
Introduction	ix
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
3.1 General terms	1
3.2 High-level syntax and entropy coding terms	4
3.3 Tree structure terms	7
3.4 Geometry coding terms	7
3.5 Attribute coding terms	7
4 Abbreviated terms and symbols	8
4.1 Abbreviated terms	8
4.2 Symbols	8
4.3 Mnemonics	9
5 Conventions	9
5.1 General	9
5.2 Numerical representation	9
5.3 Arithmetic operators	9
5.4 Logical operators	10
5.5 Relational operators	10
5.6 Bit-wise operators	10
5.7 Assignment operators	11
5.8 Range notation	11
5.9 Mathematical functions	11
5.9.1 General	11
5.9.2 IntCos and IntSin	12
5.9.3 IntSqrt	12
5.9.4 IntRecipSqrt	13
5.9.5 Div	14
5.9.6 Morton	14
5.9.7 FromMorton	14
5.10 Order of operation precedence	15
5.11 Named expressions	15
5.11.1 General	15
5.11.2 Scope	16
5.11.3 Arguments of named expressions	17
5.11.4 Sub-expressions	17
5.11.5 Definitions with multiple statements	17
5.11.6 Textual definitions	17
5.12 Variables, syntax elements and tables	17
6 Point cloud format and relationship to coded and output representations	18
6.1 General format	18
6.2 Attributes	18
6.2.1 General	18

6.2.2	Colour	18
6.2.3	Opacity	19
6.2.4	Reflectance	19
6.2.5	Normal vector	19
6.2.6	Material identifier	19
6.2.7	Frame number/index	19
6.2.8	User defined attributes	20
6.3	Codec-derived attributes	20
6.3.1	General	20
6.3.2	Slice identifier	20
6.3.3	Slice tag	20
6.3.4	Canonical point order	20
6.3.5	Point Morton order	21
6.4	Coded point cloud format	21
6.4.1	Sequence coordinate system	21
6.4.2	Coding coordinate system	22
6.4.3	Coded point cloud sequence	22
6.4.4	Coded point cloud frame	23
6.4.5	Slice of a coded point cloud frame	23
6.4.6	Repetition of slices	24
6.4.7	Relationship between tiles and slices	24
6.4.8	Parameter sets	25
6.5	Output point cloud format	25
6.5.1	General	25
6.5.2	Coordinate system	25
6.5.3	Fixed-point conformance output	25
6.5.4	Attributes	26
6.5.5	Output point cloud sequence	26
6.5.6	Output point cloud frame	26
7	Syntax and semantics	26
7.1	Method of specifying syntax in tabular form	26
7.2	Specification of syntax functions and descriptors	27
7.3	Syntax in tabular form	28
7.3.1	General	28
7.3.2	Parameter sets, ancillary data and byte alignment	28
7.3.3	Geometry data unit	35
7.3.4	Attribute data unit	38
7.3.5	Defaulted attribute data unit syntax	40
7.4	Semantics	41
7.4.1	General	41
7.4.2	Parameter sets, ancillary data and byte alignment	41
7.4.3	Geometry data unit	53
7.4.4	Attribute data unit	55
7.4.5	Defaulted attribute data unit semantics	55
8	Decoding process	56
8.1	General decoding process	56
8.2	Frame decoding processes	56
8.2.1	General	56
8.2.2	Frame counter	56
8.3	Slice decoding processes	56
8.3.1	General	56
8.3.2	State variables	56
8.3.3	Geometry decoding process	57
8.3.4	Default attribute values	57
8.3.5	Attribute decoding process	57
8.3.6	At the end of a slice	57
9	Slice geometry	57

9.1	General	57
9.2	Sensed point sequence	58
9.2.1	General	58
9.2.2	State variables and expressions	58
9.2.3	Syntax element semantics	59
9.2.4	Contextualization of decoding elevation_offset	62
9.2.5	Reconstruction of sensed point positions	65
9.2.6	Reconstructed output point positions	74
9.2.7	Reconstructed output low latency attributes values	74
9.2.8	Reconstructed point positions for attributes decoding	74
10	Slice attributes	74
10.1	General	74
10.2	Point coordinates	74
10.2.1	General	74
10.2.2	Conversion to scaled angular coordinates	75
10.3	Syntax element semantics	75
10.4	Raw attribute decoding	76
10.5	Attribute decoding using the region-adaptive hierarchical transform	76
10.5.1	General	76
10.5.2	Transform tree	76
10.5.3	Coefficient order	79
10.5.4	Coefficient scaling	80
10.5.5	Transform domain prediction	82
10.5.6	Inverse transform	86
10.5.7	Reconstructed attribute values	88
10.6	Attribute decoding using levels of detail	88
10.6.1	General	88
10.6.2	Syntax element semantics	89
10.6.3	Reconstruction process	89
10.6.4	State variables	89
10.6.5	Levels of detail	90
10.6.6	Predictor search	96
10.6.7	Reconstruction of attribute values	102
10.6.8	Prediction mode coding	103
10.6.9	Scaling	105
10.6.10	Coefficient prediction	105
10.6.11	Transform coefficient weights	106
10.6.12	Transform	107
10.7	Attribute quantization parameters	108
10.7.1	Syntax element semantics	108
10.7.2	Per-point regional QP offset	109
10.7.3	Attribute coefficient QP	109
10.7.4	Definition of AttrQstep	109
11	Parsing process	110
11.1	General	110
11.2	Data unit buffer	111
11.2.1	General	111
11.2.2	State	111
11.2.3	Initialization at the start of parsing a data unit	112
11.2.4	Initialization at the start of parsing a geometry data unit footer	112
11.2.5	Definition of DuNextBit	112
11.3	Chunked bytestream parsing	112
11.3.1	General	112
11.3.2	Chunk syntax	113
11.3.3	Chunk semantics	113
11.3.4	State	113
11.3.5	Span of chunked bytestream data within a data unit	113
11.3.6	The chunk buffer	114
11.3.7	State update at the start of every CBS	114

11.3.8	Unpacking a single chunk	114
11.3.9	Definition of ChunkNextAeBit	114
11.3.10	Definition of ChunkNextBpBit	115
11.3.11	Boundary between spliced chunked bytestreams	115
11.3.12	Location of chunked bytestream boundaries	116
11.4	General inverse binarization processes	116
11.4.1	Parsing unsigned fixed-length codes (FL)	116
11.4.2	Parsing signed fixed-length codes (FL+S)	116
11.4.3	Parsing -th order exp-Golomb codes (EGk)	117
11.4.4	Parsing concatenated truncated unary and -th order exp-Golomb codes (TU+EGk)	117
11.4.5	Parsing concatenated bounded truncated unary and -th order exp-Golomb codes (BTU+EGk)	117
11.4.6	Parsing signed concatenated truncated unary and -th order exp-Golomb codes (TU+EGk+S)	118
11.4.7	Parsing signed concatenated bounded truncated unary and -th order exp-Golomb codes (BTU+EGk+S)	118
11.4.8	Parsing signed concatenated asymmetrically bounded truncated unary and -th order exp-Golomb codes (ABTU+EGk+S)	119
11.4.9	Parsing truncated unary codes (TU)	120
11.4.10	Mapping process for signed codes	120
11.4.11	Parsing ASN.1 object identifiers	120
11.5	CABAC parsing processes	121
11.5.1	Initialization	121
11.5.2	Definition of AeReadBin	121
11.5.3	Contextual probability models	121
11.5.4	Arithmetic decoding engine	125
11.6	Sensor Coding State	127
11.6.1	State variable	127
11.6.2	Initialization at the start of a GDU	129
11.6.3	Initialization with decoded coarse position of first sensed point	130
11.6.4	Update with azimuth_offset	131
11.6.5	Update while decoding elevation_offset	132
11.6.6	Update with sensed point coarse position	132
11.7	Parsing state memorization and restoration	133
11.7.1	General	133
11.7.2	Geometry data units	133
11.7.3	Attribute data units	134
11.7.4	Defaulted attribute data units	134
12	OBUF parsing process	134
12.1	General	134
12.2	Creation of an OBUF instance	134
12.2.1	Creation and initialization of OBUF trees	135
12.2.2	Creation and initialization of an array of OBUF ACPMs	136
12.3	Call and update of an OBUF instance	136
12.3.1	Decode and update according to OBUF trees	136
12.4	Decode of a bin based on an OBUF ACPM	137
Annex A (normative)	Profiles and levels	139
Annex B (normative)	Type-length-value encapsulated bytestream format	144
Annex C (informative)	Arithmetic encoding engine	146
Annex D (informative)	Index of named expressions and variables	149