

ISO/IEC 30178:2026-08 (E)

Internet of Things (IoT) - Data format, value and coding for interoperability

Contents	Page
FOREWORD	5
INTRODUCTION	6
1 Scope	7
2 Normative references	7
3 Terms and definitions	7
4 Abbreviated terms	10
5 Background	11
5.1 Overview	11
5.1.1 General	11
5.1.2 Sensor-related data	12
5.1.3 Source data collection	13
5.1.4 Time-resolution and sample rate	14
5.1.5 Signal-processing implications	14
5.1.6 Low-power sensors	14
5.1.7 Measurement data	15
5.1.8 Numerical component	15
5.1.9 Semantic component	15
5.1.10 Unit	15
5.1.11 Prefix	16
5.2 Sensor value metadata	17
5.2.1 General	17
5.2.2 Resolution	18
5.2.3 Precision (measurement)	18
5.2.4 Sampling time (time resolution)	18
5.2.5 Sample rate	19
5.2.6 Range	19
5.2.7 Accuracy	20
5.2.8 Unit	20
5.2.9 Data type	20
5.2.10 Physical quantity	20
5.3 Physical quantities	20
5.3.1 Overview	20
5.3.2 Occurrences	21
5.4 Examples of data models	22
5.4.1 Overview	22
5.4.2 Exchange formats	22
5.4.3 File formats	22
5.4.4 Information modelling formats	23
5.5 Interoperability challenges	23
5.5.1 System integration	23
5.5.2 Maximizing the economic value of data through reusability	24

5.5.3	Sensor lifecycle cost.....	25
5.5.4	Sensor data capital value	26
5.5.5	Scalability.....	26
5.5.6	Semantics.....	29
5.5.7	Symbol mapping	29
5.5.8	Sensor semantics	29
5.5.9	Representation versus presentation.....	31
5.5.10	Human readability	31
5.5.11	Resolving data points	32
5.5.12	Type inference and casting.....	33
5.5.13	Hard coupling	34
5.5.14	Machine-to-machine exchange	34
5.5.15	Representation	34
5.5.16	Presentation	34
5.5.17	Data translation	35
5.5.18	Errors and quality	37
5.5.19	Semantic mismatch	37
6	Core profile	37
6.1	Overview.....	37
6.2	Sensor data parameters.....	38
6.2.1	Unit	38
6.2.2	The "unit-word".....	38
6.2.3	Dimensionless units.....	39
6.2.4	Range.....	39
6.3	Physical quantity.....	40
6.3.1	Overview	40
6.3.2	Canonical representation	41
6.3.3	Operations.....	41
6.3.4	Significance-based comparison	42
7	High-level system design.....	42
7.1	Overview.....	42
7.2	Type safety	44
7.3	Conversion mechanics	44
7.3.1	Overview	44
7.3.2	Single-step conversion	44
7.3.3	Unit resolver	44
7.3.4	Magnitude resolver	45
7.3.5	Precision estimation	45
7.3.6	Time-resolution and oversampling	45
7.4	Sanity-check mechanisms.....	46
7.5	Component manufacture	46
7.6	Digitized specification	46
7.6.1	General	46
7.6.2	Measurement range.....	46
7.6.3	Accuracy	46
7.6.4	Precision	46

Annex A (informative) Single-step conversion	47
A.1 Overview.....	47
A.2 Example 1: Forward temperature conversion (Kelvin to base SI units)	47
A.3 Example 2: Forward energy conversion (nanojoules to joules)	48
A.4 List of unit-word value examples	49
A.5 Floating-point format.....	51
A.6 Examples on data point expression.....	53
Annex B (informative) Unifying sensor data and mapping with standards	54
B.1 Unifying sensor data value metadata: the type of sensor, the measurement type, and the unit.....	54
B.2 Mapping with IEC 61360-4 [3] Common Data Dictionary (CDD).....	55
B.3 Mapping with ETSI SmartM2M SAREF [4].....	56
Annex C (informative) Contextualizing sensor characteristics	58
C.1 Concerns in metrology	58
C.2 Context.....	58
C.3 Preserving data integrity	59
C.4 Example of contextual data conversion	59
Bibliography.....	60

Figure 1 – Discrimination and reduction of uncertainty of each bit within the range of an 8-bit ADC	13
Figure 2 – Sampling resolution of a signal within a given range	18
Figure 3 – Hypothetical physical entity possessing three physical quantities	20
Figure 4 – Sensors measuring a physical quantity	20
Figure 5 – Sensor attached to, and measuring, some aspect of a physical entity	21
Figure 6 – Integration of sensor (data source) and data consumer is necessary for a data stream to be possible	23
Figure 7 – Sensor and consumer interfaces not compatible	23
Figure 8 – Sensor and consumer interfaces are not compatible, but achieve compatibility through a format adapter	23
Figure 9 – Sensor and consumer already sharing the same exchange format and do not require any further adaptation	24
Figure 10 – Complete product lifecycle, from initial development to end-of-life.....	25
Figure 11 – Two separate integrations are made to accommodate full availability of interface A from interfaces B and C	26
Figure 12 – Three and five interfaces being integrated, requiring 6 and 20 (one-way) mappings, respectively	27
Figure 13 – 16 individual interfaces require 240 one-way mappings.....	27
Figure 14 – With half-step intermediary translations, the number of necessary mappings grows linearly instead of exponentially – Here 16 individual interfaces only require 32 one-way mappings	28
Figure 15 – The text-based value of 100 μm (or 0,1mm) can be represented with a big variation in both data type, value structure and scaling	30
Figure 16 – Example of consequences from change in representation	31
Figure 17 – Example of sensor measurement sample serialized as senML/JSON	32
Figure 18 – Essential properties of a physical quantity.....	38

Figure 19 – Sensor system overview, from electric measurement to pre-processing and transmission over typical IoT protocols	43
Figure A.1 – Breakdown and conversion of data points in a forward temperature conversion	47
Figure A.2 – Magnitude resolver parameters	48
Figure A.3 – Breakdown and conversion of data points in a forward energy conversion	48
Figure A.4 – Magnitude resolver parameters	49
Figure A.5 – Combination of base units into derived units	51
Figure A.6 – Floating-point format binary encoding	52
Figure C.1 – When applied on contextual data, QUDT schema definitions can map to a canonical representation of measurement/sensor data	59
Table 1 – Data source characteristics of a sensor	12
Table 2 – Examples of historical units	16
Table 3 – Prefixes of the Metric System	16
Table 4 – Costs of sensor lifecycle	25
Table 5 – Intermediary-representation design goals for physical quantities	28
Table 6 – JSON payload broken down into first-level objects	32
Table 7 – Data point breakdown	33
Table 8 – Semantic data points	36
Table 9 – Normalized data points	36
Table 10 – The "unit-word" is a compact way to store base SI unit exponents	38
Table 11 – Basic data types of a physical quantity	42
Table A.1 – List of unit-word value examples	49
Table A.2 – Examples on different representations of the physical quantity 0,000 1 m	53
Table B.1 – Subset of the sensor dictionary for energy (classification of sensor name, sensor measurement name, and unit)	54
Table B.2 – Sensor dictionary for energy mapped to IEC 61360 Common Data Dictionary	55
Table B.3 – Subset of the sensor dictionary for energy mapped with ETSI SmartM2M SAREF-Core and its extensions (SAREF4BLDG, SAREF4ENER)	57