ISO/IEC 20563:2001-06 (E)

Information technology_- 80_mm (1,23_Gbytes per side) and 120_mm (3,95_Gbytes per side) DVD-recordable disk (DVD-R)

Contents

Page

Section 1 — General **1**

1 Scope **1**

2 Conformance **1**

2.1 Optical Disk **1**
2.2 Generating system **1**
2.3 Receiving system **1**

3 Normative reference **1**

4 Terms and definitions **2**

4.1 Adhesive layer **2**
4.2 Channel bit **2**
4.3 Clamping Zone **2**
4.4 Digital Sum Value (DSV) **2**
4.5 Disk Reference Plane **2**
4.6 Dummy substrate **2**
4.7 Entrance surface **2**
4.8 Groove **2**
4.9 Land **2**
4.10 Optical disk **2**
4.11 Physical sector number **2**
4.12 Read-only disk **2**
4.13 Recording layer **2**
4.14 Reed-Solomon code **2**
4.15 Reserved field **2**
4.16 Sector **2**
4.17 Space **2**
4.18 Substrate **2**
4.19 Track **2**
4.20 Track pitch **2**
4.21 Zone **2**

5 Conventions and notations **2**

5.1 Representation of numbers **2**
5.2 Names **3**

6 List of acronyms **3**

6.1 General **3**

7 General description **3**

8 General requirements **4**

8.1 Environments **4**

8.1.1 Test environment **4**
8.1.2 Operating environment **4**
8.1.3 Storage environment **5**
8.1.4 Transportation **5**

8.2 Safety requirements **5**
8.3 Flammability **5**

9 Reference measurement devices **5**

9.1 Pick Up Head (PUH) **5**

9.1.1 PUH for measuring recorded disks **5**
9.1.2 PUH for measuring unrecorded disks **6**

9.2 Measurement conditions **7**

9.2.1 Recorded and unrecorded disk **7**
9.2.2 Recorded disk **8**
9.2.3 Unrecorded disk **8**

9.3 Normalized servo transfer function **8**
9.4 Reference servo for axial tracking **8**
9.5 Reference servo for radial tracking **9**

Section 2 — Dimensional, mechanical and physical characteristics of the disk **10**

10 Dimensional characteristics **10**

10.1 Overall dimensions **12**
10.2 First transition area **12**
10.3 Second transition area **12**
10.4 Clamping Zone **12**
10.5 Third transition area **13**
10.6 R-Information Zone **13**

10.6.1 Sub-divisions of the R-Information Zone **13**

10.7 Information Zone **13**

10.7.1 Sub-divisions of the Information zone **13**

10.8 Track geometry **14**
10.9 Channel bit length **14**
10.10 Rim area **14**
10.11 Remark on tolerances **15**
10.12 Label **15**

11 Mechanical parameters **15**

11.1 Mass **15**
11.2 Moment of inertia **15**
11.3 Dynamic imbalance **15**
11.4 Sense of rotation **15**
11.5 Runout **15**

11.5.1 Axial runout **15**
11.5.2 Radial runout **15**

12 Optical parameters **15**

12.1 Recorded and unrecorded disk parameters **15**

12.1.1 Index of refraction **15**
12.1.2 Thickness of the transparent substrate **16**
12.1.3 Angular deviation **16**
12.1.4 Birefringence of the transparent substrate **16**

12.2 Recorded disk reflectivity **16**
12.3 Unrecorded disk parameters **16**

12.3.1 Polarity of reflectivity modulation **16**
12.3.2 Recording power sensitivity variation **16**

Section 3 — Operational signals 17

13 Operational signals for recorded disk 17

13.1 Measurement conditions 17
13.2 Read conditions 17
13.3 Recorded disk high frequency (HF) signals 17

13.3.1 Modulated amplitude 17
13.3.2 Signal asymmetry 17
13.3.3 Cross-track signal 17

13.4 Quality of signals 18

13.4.1 Jitter 18
13.4.2 Random errors 18
13.4.3 Defects 18

13.5 Servo signals 18

13.5.1 Differential phase tracking error signal 18

14 Operational signals for the unrecorded disk 20

14.1 Measurement conditions 20
14.2 Recording conditions 20
14.3 Basic write strategy for media testing 20
14.4 Servo signals 21

14.4.1 Radial push-pull tracking error signal 21
14.4.2 Cross-track signal before recording (Radial Contrast = RC) 21
14.4.3 Defects 23

14.5 Addressing signals 23

14.5.1 Land Pre-pit signal 23
14.5.2 Groove wobble signal 24
14.5.3 Relation in phase between wobble and Land Pre-pit 24

Section 4 — Data format 25

15 General 25

16 Data Frames 25

16.1 Identification Data (ID) 26
16.2 ID Error Detection Code 27
16.3 Copyright Management Information (CPR_MAI) 27
16.4 Error Detection Code 27

17 Scrambled Frames 27

18 ECC Block configuration 28

19 Recording Frames 30

20 Modulation 30

21 Physical Sectors 31

22 Suppress control of the d.c. component 32

23 Linking scheme 33

23.1 Linking sector 33
23.2 Linking loss area 33

23.2.1 Padding sectors 33

Section 5 — Format of the Information Zone 35

24 General description of the Information Zone 35

24.1 Layout of the Information Zone 35
24.2 Physical sector numbering 35

25 Lead-in Zone and Lead-out Zone 36

25.1 Lead-in Zone 36

25.1.1 Initial Zone 37
25.1.2 Reference Code Zone 37
25.1.3 Buffer Zone 1 38
25.1.4 Buffer Zone 2 38

25.2 Control Data Zone 38

25.2.1 Physical format information 38
25.2.2 Disk manufacturing information 40
25.2.3 Reserved 40

25.3 Lead-out Zone 40

Section 6 — Format of the Unrecorded Zone 40

26 General description of the Unrecorded Zone 40

26.1 Layout of the Unrecorded Zone 41
26.2 ECC block address 41
26.3 ECC block numbering 41

27 Pre-pit Data format 41

27.1 General description 41
27.2 Pre-pit block structure 44
27.3 Pre-pit data block configuration 46

27.3.1 Relative address 46
27.3.2 ECC block address data configuration 47
27.3.3 Parity A and Parity B 47
27.3.4 Field ID0 47
27.3.5 Field ID1 48
27.3.7 Field ID3 to Field ID5 53

28 Data structure of R-Information Zone 55

28.1 Layout of Power Calibration Area and Recording Management Area 55
28.2 Structure of the Power Calibration Area 55
28.3 Data configuration of the Recording Management Area (RMA) 56

28.3.1 Sector format of the Recording Management Area 56
28.3.2 Recording Management Data (RMD) 57

Annexes

A - Measurement of the angular deviation α 63

B - Measurement of birefringence 65

C - Measurement of the differential phase tracking error 67

D - Measurement of light reflectance 71

E - Tapered cone for disk clamping 73

F - Measurement of jitter 74

G - 8-to-16 Modulation with RLL (2,10) requirements 77

H - Border Zone **87**
J - Optimum Power Control **91**
K - Wavelength dependency **92**
L - Light fastness of the disk **93**
M - Measurement of the groove wobble amplitude **94**
N - Measurement methods for the operational signals for an unrecorded disk **96**
P - Variation of the Write Strategy **97**
Q - Measurement method of the Land Pre-Pit signal **98**
R - Note on the Reference Code **99**
S - Running OPC **100**
T - Transportation **101**