

# ISO/IEC 15437:2001-08 (E)

## Information technology - Enhancements to LOTOS (E-LOTOS)

---

<b>Contents</b>		<b>Page</b>
<b>1</b>	<b>Scope .....</b>	<b>1</b>
<b>2</b>	<b>Conformance .....</b>	<b>1</b>
<b>3</b>	<b>Normative reference .....</b>	<b>1</b>
<b>4</b>	<b>Terms, definitions and notation .....</b>	<b>1</b>
<b>5</b>	<b>E-LOTOS grammar .....</b>	<b>2</b>
<b>5.1</b>	<b>Lexical Structure .....</b>	<b>2</b>
<b>5.1.1</b>	<b>Character set .....</b>	<b>2</b>
<b>5.1.2</b>	<b>Comments and separators .....</b>	<b>3</b>
<b>5.1.3</b>	<b>Identifiers .....</b>	<b>3</b>
<b>5.1.4</b>	<b>Reserved words .....</b>	<b>3</b>
<b>5.1.5</b>	<b>Identifiers classes .....</b>	<b>4</b>
<b>5.1.6</b>	<b>Non-terminals classes .....</b>	<b>4</b>
<b>5.2</b>	<b>Syntax of the language .....</b>	<b>5</b>
<b>5.2.1</b>	<b>Specification .....</b>	<b>5</b>
<b>5.2.2</b>	<b>Top-level declaration .....</b>	<b>6</b>
<b>5.2.3</b>	<b>Module body .....</b>	<b>6</b>
<b>5.2.4</b>	<b>Module expression .....</b>	<b>6</b>
<b>5.2.5</b>	<b>Module formal parameters .....</b>	<b>6</b>
<b>5.2.6</b>	<b>Interface expressions .....</b>	<b>6</b>
<b>5.2.7</b>	<b>Record module expression .....</b>	<b>6</b>
<b>5.2.8</b>	<b>Interface body .....</b>	<b>7</b>
<b>5.2.9</b>	<b>Formal parameter list .....</b>	<b>7</b>
<b>5.2.10</b>	<b>Renaming/Instantiation .....</b>	<b>7</b>
<b>5.2.11</b>	<b>Equations declaration .....</b>	<b>7</b>
<b>5.2.12</b>	<b>Simple equations declaration .....</b>	<b>8</b>
<b>5.2.13</b>	<b>Declarations .....</b>	<b>8</b>
<b>5.2.14</b>	<b>Expressions .....</b>	<b>8</b>
<b>5.2.15</b>	<b>Expression Atoms .....</b>	<b>8</b>
<b>5.2.16</b>	<b>Behaviour expressions .....</b>	<b>9</b>
<b>5.2.17</b>	<b>Disabling behaviour expression .....</b>	<b>10</b>
<b>5.2.18</b>	<b>Synchronization behaviour expression .....</b>	<b>10</b>
<b>5.2.19</b>	<b>Concurrency behaviour expression .....</b>	<b>10</b>
<b>5.2.20</b>	<b>Selection behaviour expression .....</b>	<b>10</b>
<b>5.2.21</b>	<b>Suspend/Resume behaviour expression .....</b>	<b>10</b>
<b>5.2.22</b>	<b>Interleaving behaviour expression .....</b>	<b>10</b>
<b>5.2.23</b>	<b>Behaviour term .....</b>	<b>10</b>
<b>5.2.24</b>	<b>Behaviour atom .....</b>	<b>11</b>
<b>5.2.25</b>	<b>Type expressions .....</b>	<b>12</b>
<b>5.2.26</b>	<b>Record type expressions .....</b>	<b>12</b>
<b>5.2.27</b>	<b>Value expressions .....</b>	<b>12</b>
<b>5.2.28</b>	<b>Record value expressions .....</b>	<b>13</b>
<b>5.2.29</b>	<b>Patterns .....</b>	<b>13</b>
<b>5.2.30</b>	<b>Gate parameter list .....</b>	<b>13</b>
<b>5.2.31</b>	<b>Actual parameter list .....</b>	<b>13</b>
<b>5.2.32</b>	<b>Exception parameter list .....</b>	<b>13</b>
<b>5.2.33</b>	<b>Record patterns .....</b>	<b>14</b>
<b>5.2.34</b>	<b>Behaviour pattern matching .....</b>	<b>14</b>
<b>5.2.35</b>	<b>Expression pattern matching .....</b>	<b>14</b>

5.2.36	In parameter list .....	14
5.2.37	In parameter .....	14
6	E-LOTOS abstract syntax .....	14
6.1	Overview .....	14
6.1.1	Syntactic sugar .....	15
6.1.2	Abstract syntax .....	15
6.2	Concrete to abstract syntactic translation .....	16
6.2.1	Interface body .....	16
6.2.2	Formal parameter list .....	18
6.2.3	Declarations .....	18
6.2.4	Expressions .....	21
6.2.5	Expression atoms .....	21
6.2.6	Behaviour expressions .....	24
6.2.7	Interleaving behaviour expression .....	24
6.2.8	Behaviour atom .....	25
6.2.9	Type expressions .....	31
6.2.10	Record type expressions .....	32
6.2.11	Record value expressions .....	32
6.2.12	Gate parameter list .....	33
6.2.13	Actual parameter list .....	33
6.2.14	Exception parameter list .....	33
6.2.15	Record patterns .....	33
6.2.16	In parameter list .....	34
6.2.17	In parameter .....	34
7	E-LOTOS semantics .....	35
7.1	Overview .....	35
7.2	Static Semantics .....	36
7.2.1	Static semantic objects for Base .....	36
7.2.2	Judgements on static semantics for Base .....	37
7.2.3	Extended identifiers .....	38
7.2.4	Static semantic objects for Modules .....	39
7.2.5	Judgements on static semantics for Modules .....	39
7.2.6	Cycle freedom .....	40
7.2.7	Context morphism .....	40
7.2.8	Realization .....	40
7.2.9	Interface Instantiation .....	40
7.2.10	Interface Matching .....	41
7.2.11	Renaming/Instantiation .....	41
7.3	Untimed dynamic semantics .....	44
7.3.1	Untimed dynamic semantic objects for Base .....	44
7.3.2	Judgements on untimed dynamic semantics for Base .....	45
7.3.3	Dynamic semantic objects for Modules .....	46
7.3.4	Judgements on untimed dynamic semantics for Modules .....	47
7.3.5	Environment morphism .....	48
7.3.6	Signature Instantiation .....	48
7.3.7	Renaming/Instantiation .....	48
7.4	Timed dynamic semantics .....	48
7.4.1	Judgements on timed dynamic semantics .....	49
7.5	Write-many variables: the value substitution operator .....	49
8	The E-LOTOS modules .....	52
8.1	Specification .....	52
8.1.1	Specification .....	52
8.2	Top-level declaration .....	53
8.2.1	Module not constrained by an interface .....	53
8.2.2	Module constrained by an interface .....	53
8.2.3	Generic module not constrained by an interface .....	54
8.2.4	Generic module constrained by an interface .....	55
8.2.5	Interface declaration .....	55
8.2.6	Sequential top declaration .....	56

8.3	Module body .....	56
8.3.1	Block declaration .....	56
8.3.2	Module Expression .....	57
8.4	Module expression .....	57
8.4.1	Module aliasing not constrained by an interface .....	57
8.4.2	Module aliasing constrained by an interface .....	58
8.4.3	Generic module actualization not constrained by an interface .....	58
8.4.4	Generic module actualization constrained by an interface .....	59
8.4.5	Generic module renaming/instantiation .....	59
8.5	Module formal parameters .....	60
8.5.1	Single .....	60
8.5.2	Disjoint union .....	60
8.6	Interface expressions .....	61
8.6.1	Interface identifier .....	61
8.6.2	Simple renaming .....	61
8.6.3	Explicit body .....	61
8.7	Interface body .....	62
8.7.1	Type hiding the implementation .....	62
8.7.2	Type synonym .....	62
8.7.3	Constructed type .....	62
8.7.4	Named record type .....	63
8.7.5	Process declaration .....	63
8.7.6	Equations .....	64
8.7.7	Sequential declaration .....	64
8.8	Record module expression .....	64
8.8.1	Single .....	64
8.8.2	Disjoint union .....	65
8.8.3	Renaming tuple .....	65
8.9	Equation declarations .....	65
8.9.1	Equations declaration .....	65
8.9.2	Sequential .....	66
8.10	Simple equation declaration .....	66
8.11	Declarations .....	66
8.11.1	Type synonym .....	66
8.11.2	Type declaration .....	66
8.11.3	Named record type .....	67
8.11.4	Process declaration .....	67
8.11.5	Sequential declarations .....	68
9	The E-LOTOS base language .....	69
9.1	Introduction .....	69
9.2	Behaviours .....	69
9.2.1	Disabling behaviour expression .....	69
9.2.2	Synchronization behaviour expression .....	70
9.2.3	Concurrency behaviour expression .....	71
9.2.4	Selection behaviour expression .....	73
9.2.5	Suspend/Resume behaviour expression .....	73
9.2.6	Sequential composition .....	74
9.2.7	Action .....	75
9.2.8	Internal action .....	76
9.2.9	Successful termination without values .....	76
9.2.10	Successful termination .....	76
9.2.11	Inaction .....	77
9.2.12	Time block .....	77
9.2.13	Delay .....	77
9.2.14	Assignment .....	78
9.2.15	Nondeterministic Assignment .....	78
9.2.16	Choice over values .....	79
9.2.17	Trap .....	80
9.2.18	General parallel .....	81
9.2.19	Parallel over values .....	83
9.2.20	Variable declaration .....	84

9.2.21	Gate hiding .....	84
9.2.22	Renaming .....	85
9.2.23	Process instantiation .....	87
9.2.24	loop iteration .....	87
9.2.25	Case .....	88
9.2.26	Case with tuples .....	88
9.2.27	Signalling .....	89
9.3	Type expressions .....	90
9.3.1	Type identifier .....	90
9.3.2	Empty type .....	90
9.3.3	Universal type .....	90
9.3.4	Record type .....	90
9.4	Record type expressions .....	91
9.4.1	Singleton record .....	91
9.4.2	Universal record .....	91
9.4.3	Record disjoint union .....	91
9.4.4	Empty record .....	92
9.5	Value expressions .....	92
9.5.1	Primitive constants .....	92
9.5.2	Variables .....	92
9.5.3	Record values .....	92
9.5.4	Constructor application .....	93
9.6	Record value expressions .....	93
9.6.1	Singleton record .....	93
9.6.2	Record disjoint union .....	93
9.6.3	Empty record .....	93
9.7	Patterns .....	94
9.7.1	Record pattern .....	94
9.7.2	Wildcard .....	94
9.7.3	Variable binding .....	94
9.7.4	Expression pattern .....	95
9.7.5	Constructor application .....	95
9.7.6	Explicit typing .....	96
9.8	Record patterns .....	96
9.8.1	Singleton record pattern .....	97
9.8.2	Record wildcard .....	97
9.8.3	Record match .....	97
9.8.4	Record disjoint union .....	98
9.8.5	Empty record pattern .....	98
9.9	Record of variables .....	98
9.9.1	Singleton record variable .....	98
9.9.2	Record disjoint union .....	98
9.10	Behaviour pattern-matching .....	99
9.10.1	Single match .....	99
9.10.2	Multiple match .....	100
10	Predefined library .....	100
10.1	Booleans .....	101
10.2	Natural Numbers .....	103
10.3	Integral Numbers .....	106
10.4	Rational Numbers .....	109
10.5	Floating Point Numbers .....	112
10.6	Characters .....	113
10.7	Strings .....	114
10.8	Enumerated Type Scheme .....	114
10.9	Record Type Scheme .....	116
10.10	Set Type Scheme .....	117
10.11	List Type Scheme .....	120
A	Tutorial .....	122
A.1	The base language .....	122
A.1.1	Basic concepts .....	124

<b>A.2</b>	<b>The module language .....</b>	<b>145</b>
<b>A.2.1</b>	<b>Basic concepts .....</b>	<b>148</b>
<b>A.3</b>	<b>An E-LOTOS specification of the ODP trader .....</b>	<b>156</b>
<b>A.3.1</b>	<b>Introduction .....</b>	<b>156</b>
<b>A.3.2</b>	<b>An overview of the ODP Trader .....</b>	<b>156</b>
<b>A.3.3</b>	<b>E-LOTOS Specification of the trader .....</b>	<b>158</b>
<b>A.3.4</b>	<b>The complete specification .....</b>	<b>161</b>
<b>B</b>	<b>Guidelines for LOTOS to E-LOTOS translation .....</b>	<b>179</b>
<b>B.1</b>	<b>Introduction .....</b>	<b>179</b>
<b>B.1.1</b>	<b>Specification and process definition .....</b>	<b>180</b>
<b>B.1.2</b>	<b>Basic LOTOS .....</b>	<b>180</b>
<b>B.1.3</b>	<b>Data Types .....</b>	<b>181</b>
<b>B.1.4</b>	<b>Full LOTOS .....</b>	<b>184</b>