

# ISO/IEC TR 21890:2001-10 (E)

## Information technology\_ - Telecommunications and information exchange between systems\_ - Interoperation of PISNs with IP\_networks

---

### Contents

Foreword	vi
Introduction	vii
<b>1</b> Scope	<b>1</b>
<b>2</b> Normative references	<b>1</b>
<b>3</b> Definitions	<b>3</b>
<b>3.1</b> Corporate telecommunication Network (CN)	<b>3</b>
<b>3.2</b> Internet	<b>3</b>
<b>3.3</b> Intranet	<b>3</b>
<b>3.4</b> Internet Protocol (IP)	<b>3</b>
<b>3.5</b> IP network	<b>3</b>
<b>3.6</b> Private Integrated Services Network (PISN)	<b>3</b>
<b>3.7</b> Private Integrated services Network eXchange (PINX)	<b>3</b>
<b>3.8</b> Switched Circuit Network (SCN)	<b>3</b>
<b>3.9</b> Tunnelling	<b>3</b>
<b>4</b> Acronyms	<b>3</b>
<b>5</b> Introduction	<b>5</b>
<b>5.1</b> Background	<b>5</b>
<b>5.2</b> Types of network	<b>6</b>
<b>5.3</b> Arrangements for interworking of SCNs and IP networks	<b>7</b>
<b>5.4</b> Arrangements for interconnection of SCN components over IP networks	<b>8</b>
<b>6</b> General principles of multimedia communication over an IP network	<b>8</b>
<b>6.1</b> Architecture	<b>9</b>
<b>6.1.1</b> Media processing and packetization (MPP) functional entity	<b>9</b>
<b>6.1.2</b> Resource control (RC) functional entity	<b>9</b>
<b>6.1.3</b> Session control (SC) functional entity	<b>10</b>
<b>6.1.4</b> SC-redirect (SC-R), SC-proxy (SC-P) and RC-proxy (RC-P) functional entities	<b>10</b>
<b>6.1.5</b> Admission control (AC) functional entities	<b>11</b>
<b>6.1.6</b> Identity resolution (IR) functional entity	<b>11</b>
<b>6.1.7</b> Registrar (RGR) and registrant (RGT) functional entities	<b>11</b>
<b>6.1.8</b> Generic functional architecture (non-interworking)	<b>11</b>
<b>6.1.9</b> Physical realizations of generic functional architecture for multimedia communication over an IP network (non-interworking)	<b>12</b>
<b>6.1.10</b> Generic functional architecture for interworking with an SCN	<b>13</b>
<b>6.1.11</b> Physical realizations of generic functional architecture for interworking with an SCN	<b>13</b>
<b>6.1.12</b> Simple terminals	<b>15</b>
<b>6.2</b> Naming and addressing	<b>16</b>
<b>6.3</b> Security	<b>16</b>
<b>6.4</b> Quality of service (QoS)	<b>17</b>
<b>6.5</b> Mobility	<b>18</b>
<b>7</b> Standards for multimedia communication over an IP network	<b>18</b>
<b>7.1</b> Overview	<b>18</b>
<b>7.2</b> The ITU-T H.323 family of recommendations	<b>19</b>
<b>7.2.1</b> Functional architecture	<b>19</b>
<b>7.2.2</b> Naming and addressing	<b>20</b>
<b>7.2.3</b> Supplementary services	<b>20</b>

7.2.4	Security	21
7.2.5	Quality of service	22
7.2.6	Mobility	22
7.3	Other ITU-T standards	22
7.3.1	H.248	22
7.3.2	BICC	23
7.4	IETF specifications for IP telephony	23
7.4.1	Functional architecture	23
7.4.2	Main protocols	24
7.4.3	Naming and addressing	24
7.4.4	Supplementary services	25
7.4.5	Security	25
7.4.6	Quality of service	26
7.4.7	Mobility	26
7.5	ETSI TIPHON specifications	26
7.6	Terminal specifications from TIA TR-41.3.4	26
8	Interworking of PISNs and IP networks via a gateway	26
8.1	Architecture	27
8.2	Signalling	28
8.3	Naming and addressing	28
8.3.1	Naming and addressing in PISNs	28
8.3.2	Naming and addressing in IP networks	28
8.3.3	Naming and addressing interworking when H.323 used in the IP network	28
8.3.4	Naming and addressing interworking when SIP used in the IP network	29
8.4	Supplementary services	29
8.4.1	H.323 supplementary services	29
8.4.2	SIP supplementary services	29
8.5	Security	29
8.6	Quality of service	29
8.7	Mobility	29
8.8	Network management	29
8.9	Aspects requiring further study or standardization work	30
9	Interconnection of remote PISNs via an IP network	30
9.1	Classification of scenarios for the interconnection of PISNs	30
9.2	Solutions for the interconnection of remote PISNs via an IP network	31
9.3	Solution 1 – QSIG tunnelling over IP network transport layer protocol	32
9.3.1	Architecture	32
9.3.2	Aspects requiring further study or standardization work	33
9.4	Solution 2 – QSIG tunnelling over IP network session control protocol	33
9.4.1	Architecture	33
9.4.2	Aspects requiring further study or standardization work	34
9.5	Solution 3 – enhanced QSIG in the IP network	34
9.5.1	Architecture	34
9.5.2	Aspects requiring further study or standardization work	34
10	Connection of telephones to a PINX via an IP network	35
10.1	Architecture	35

<b>10.2</b>	Aspect requiring standardization work	<b>37</b>
<b>11</b>	Summary	<b>37</b>
<b>Annexes</b>		
<b>A</b>	Overview and status of H.323	<b>39</b>
<b>B</b>	Overview and status of SIP	<b>42</b>
<b>C</b>	Overview of H.248 / MEGACO protocol	<b>45</b>
<b>D</b>	Architecture for Signalling Transport over IP-networks (SIGTRAN)	<b>46</b>