

ISO/IEC TR 21890:2001-10 (E)

Information technology_ - Telecommunications and information exchange between systems_ - Interoperation of PISNs with IP_networks

Contents

| | |
|--|-----------|
| Foreword | vi |
| Introduction | vii |
| 1 Scope | 1 |
| 2 Normative references | 1 |
| 3 Definitions | 3 |
| 3.1 Corporate telecommunication Network (CN) | 3 |
| 3.2 Internet | 3 |
| 3.3 Intranet | 3 |
| 3.4 Internet Protocol (IP) | 3 |
| 3.5 IP network | 3 |
| 3.6 Private Integrated Services Network (PISN) | 3 |
| 3.7 Private Integrated services Network eXchange (PINX) | 3 |
| 3.8 Switched Circuit Network (SCN) | 3 |
| 3.9 Tunnelling | 3 |
| 4 Acronyms | 3 |
| 5 Introduction | 5 |
| 5.1 Background | 5 |
| 5.2 Types of network | 6 |
| 5.3 Arrangements for interworking of SCNs and IP networks | 7 |
| 5.4 Arrangements for interconnection of SCN components over IP networks | 8 |
| 6 General principles of multimedia communication over an IP network | 8 |
| 6.1 Architecture | 9 |
| 6.1.1 Media processing and packetization (MPP) functional entity | 9 |
| 6.1.2 Resource control (RC) functional entity | 9 |
| 6.1.3 Session control (SC) functional entity | 10 |
| 6.1.4 SC-redirect (SC-R), SC-proxy (SC-P) and RC-proxy (RC-P) functional entities | 10 |
| 6.1.5 Admission control (AC) functional entities | 11 |
| 6.1.6 Identity resolution (IR) functional entity | 11 |
| 6.1.7 Registrar (RGR) and registrant (RGT) functional entities | 11 |
| 6.1.8 Generic functional architecture (non-interworking) | 11 |
| 6.1.9 Physical realizations of generic functional architecture for multimedia communication over an IP network (non-interworking) | 12 |
| 6.1.10 Generic functional architecture for interworking with an SCN | 13 |
| 6.1.11 Physical realizations of generic functional architecture for interworking with an SCN | 13 |
| 6.1.12 Simple terminals | 15 |
| 6.2 Naming and addressing | 16 |
| 6.3 Security | 16 |
| 6.4 Quality of service (QoS) | 17 |
| 6.5 Mobility | 18 |
| 7 Standards for multimedia communication over an IP network | 18 |
| 7.1 Overview | 18 |
| 7.2 The ITU-T H.323 family of recommendations | 19 |
| 7.2.1 Functional architecture | 19 |
| 7.2.2 Naming and addressing | 20 |
| 7.2.3 Supplementary services | 20 |

| | | |
|-------|---|----|
| 7.2.4 | Security | 21 |
| 7.2.5 | Quality of service | 22 |
| 7.2.6 | Mobility | 22 |
| 7.3 | Other ITU-T standards | 22 |
| 7.3.1 | H.248 | 22 |
| 7.3.2 | BICC | 23 |
| 7.4 | IETF specifications for IP telephony | 23 |
| 7.4.1 | Functional architecture | 23 |
| 7.4.2 | Main protocols | 24 |
| 7.4.3 | Naming and addressing | 24 |
| 7.4.4 | Supplementary services | 25 |
| 7.4.5 | Security | 25 |
| 7.4.6 | Quality of service | 26 |
| 7.4.7 | Mobility | 26 |
| 7.5 | ETSI TIPHON specifications | 26 |
| 7.6 | Terminal specifications from TIA TR-41.3.4 | 26 |
| 8 | Interworking of PISNs and IP networks via a gateway | 26 |
| 8.1 | Architecture | 27 |
| 8.2 | Signalling | 28 |
| 8.3 | Naming and addressing | 28 |
| 8.3.1 | Naming and addressing in PISNs | 28 |
| 8.3.2 | Naming and addressing in IP networks | 28 |
| 8.3.3 | Naming and addressing interworking when H.323 used in the IP network | 28 |
| 8.3.4 | Naming and addressing interworking when SIP used in the IP network | 29 |
| 8.4 | Supplementary services | 29 |
| 8.4.1 | H.323 supplementary services | 29 |
| 8.4.2 | SIP supplementary services | 29 |
| 8.5 | Security | 29 |
| 8.6 | Quality of service | 29 |
| 8.7 | Mobility | 29 |
| 8.8 | Network management | 29 |
| 8.9 | Aspects requiring further study or standardization work | 30 |
| 9 | Interconnection of remote PISNs via an IP network | 30 |
| 9.1 | Classification of scenarios for the interconnection of PISNs | 30 |
| 9.2 | Solutions for the interconnection of remote PISNs via an IP network | 31 |
| 9.3 | Solution 1 – QSIG tunnelling over IP network transport layer protocol | 32 |
| 9.3.1 | Architecture | 32 |
| 9.3.2 | Aspects requiring further study or standardization work | 33 |
| 9.4 | Solution 2 – QSIG tunnelling over IP network session control protocol | 33 |
| 9.4.1 | Architecture | 33 |
| 9.4.2 | Aspects requiring further study or standardization work | 34 |
| 9.5 | Solution 3 – enhanced QSIG in the IP network | 34 |
| 9.5.1 | Architecture | 34 |
| 9.5.2 | Aspects requiring further study or standardization work | 34 |
| 10 | Connection of telephones to a PINX via an IP network | 35 |
| 10.1 | Architecture | 35 |

| | | |
|----------------|--|-----------|
| 10.2 | Aspect requiring standardization work | 37 |
| 11 | Summary | 37 |
| Annexes | | |
| A | Overview and status of H.323 | 39 |
| B | Overview and status of SIP | 42 |
| C | Overview of H.248 / MEGACO protocol | 45 |
| D | Architecture for Signalling Transport over IP-networks (SIGTRAN) | 46 |