ISO/IEC 14492:2001-12 (E)

Information technology - Lossy/lossless coding of bi-level images

Contents

Page

Reference number INTERNATIONAL STANDARD 14492 First edition 2001-12-15 Information technology -- Lossy/lossless coding of bi-level images Technologies de l'information -- Codage avec/sans perte d'images à deux niveaux PDF disclaimer This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area. Adobe is a trademark of Adobe Systems Incorporated. Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below. or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester. ISO copyright office Case postale 56 · CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.ch Web www.iso.ch CONTENTS 0 Introduction viii

0.1 Interpretation and use of the requirements viii
0.1.1 Subject matter for JBIG2 coding viii
0.1.2 Relationship between segments and documents ix
0.1.3 Structure and use of segments ix
0.1.4 Internal representations ix
0.1.5 Decoding results xi
0.1.6 Decoding procedures xi
0.2 Lossy coding xii
0.2.1 Symbol coding xii
0.2.2 Generic coding xii
0.2.3 Halftone coding xiii
0.2.4 Consequences of inadequate segmentation xiii

1 Scope 1

2 Normative References 1

3 Terms and Definitions 1

4 Symbols and Abbreviations 3
4.1 Abbreviations 3
4.2 Symbol definitions 4
4.3 Operator definitions 10

5 Conventions 10
5.1 Typographic conventions 10
5.2 Binary notation 10
5.3 Hexadecimal notation 11
5.4 Integer value syntax 11
5.4.1 Bit packing 11
5.4.2 Multi-byte values 11
5.4.3 Bit numbering 11
5.4.4 Signedness 11
5.5 Array notation and conventions 11

5.6 Image and bitmap conventions 11

6 Decoding Procedures 12
6.1 Introduction to decoding procedures 12
6.2 Generic region decoding procedure 13
6.2.1 General description 13
6.2.2 Input parameters 13
6.2.3 Return value 13
6.2.4 Variables used in decoding 14
6.2.5 Decoding using a template and arithmetic coding 14
6.2.6 Decoding using MMR coding 18
6.3 Generic Refinement Region Decoding Procedure 19
6.3.1 General description 19
6.3.2 Input parameters 19
6.3.3 Return value 19
6.3.4 Variables used in decoding 20
6.3.5 Decoding using a template and arithmetic coding 20
6.4 Text Region Decoding Procedure 23
6.4.1 General description 23
6.4.2 Input parameters 23
6.4.3 Return value 24
6.4.4 Variables used in decoding 24
6.4.5 Decoding the text region 25
6.4.6 Strip delta T 28
6.4.7 First symbol instance S coordinate 28
6.4.8 Subsequent symbol instance S coordinate 28
6.4.9 Symbol instance T coordinate 29
6.4.10 Symbol instance symbol ID 29
6.4.11 Symbol instance bitmap 29
6.5 Symbol Dictionary Decoding Procedure 30
6.5.1 General description 30
6.5.2 Input parameters 30
6.5.3 Return value 30
6.5.4 Variables used in decoding 30
6.5.5 Decoding the symbol dictionary 32
6.5.6 Height class delta height 34
6.5.7 Delta width 34
6.5.8 Symbol bitmap 34
6.5.9 Height class collective bitmap 37
6.5.10 Exported symbols 37
6.6 Halftone Region Decoding Procedure 38
6.6.1 General description 38
6.6.2 Input parameters 38
6.6.3 Return value 39
6.6.4 Variables used in decoding 39
6.6.5 Decoding the halftone region 39
6.7 Pattern Dictionary Decoding Procedure 42
6.7.1 General description 42
6.7.2 Input parameters 42
6.7.3 Return value 42
6.7.4 Variables used in decoding 43
6.7.5 Decoding the pattern dictionary 43

7 Control Decoding Procedure 44
7.1 General description 44
7.2 Segment header syntax 45
7.2.1 Segment header fields 45
7.2.2 Segment number 45
7.2.3 Segment header flags 45
7.2.4 Referred-to segment count and retention flags 45
7.2.5 Referred-to segment numbers 47
7.2.6 Segment page association 47

7.2.7 Segment data length 47
7.2.8 Segment header example 47
7.3 Segment types 48
7.3.1 Rules for segment references 49
7.3.2 Rules for page associations 50
7.4 Segment syntaxes 50
7.4.1 Region segment information field 50
7.4.2 Symbol dictionary segment syntax 51
7.4.3 Text region segment syntax 56
7.4.4 Pattern dictionary segment syntax 66
7.4.5 Halftone region segment syntax 67
7.4.6 Generic region segment syntax 70
7.4.7 Generic refinement region syntax 72
7.4.8 Page information segment syntax 73
7.4.9 End of page segment syntax 76
7.4.10 End of stripe segment syntax 76
7.4.11 End of file segment syntax 76
7.4.12 Profiles segment syntax 76
7.4.13 Code table segment syntax 77
7.4.14 Extension segment syntax 77
7.4.15 Defined extension types 77

8 Page Make-up 78
8.1 Decoder model 78
8.2 Page image composition 78

Annex A - Arithmetic Integer Decoding Procedure 82

A.1 General description 82
A.2 Procedure for decoding values (except IAID) 82
A.3 The IAID decoding procedure 84

Annex B - Huffman Table Decoding Procedure 86

B.1 General description 86
B.2 Code table structure 86
B.2.1 Code table flags 87
B.2.2 Code table lowest value 87
B.2.3 Code table highest value 87
B.3 Assigning the prefix codes 87
B.4 Using a Huffman table 88
B.5 Standard Huffman tables 89

Annex C - Gray-scale Image Decoding Procedure 97

C.1 General description 97
C.2 Input parameters 97
C.3 Return value 97
C.4 Variables used in decoding 97
C.5 Decoding the gray-scale image 98

Annex D - File Formats 99

D.1 Sequential organisation 99
D.2 Random-access organisation 99
D.3 Embedded organisation 100
D.4 File header syntax 100
D.4.1 ID string 100
D.4.2 File header flags 100
D.4.3 Number of pages 100

Annex E - Arithmetic Coding 101

E.1 Binary encoding 101
E.1.1 Recursive interval subdivision 101
E.1.2 Coding conventions and approximations 101
E.2 Description of the arithmetic encoder 102
E.2.1 Encoder code register conventions 103
E.2.2 Encoding a decision (ENCODE) 103
E.2.3 Encoding a 1 or 0 (CODE1 and CODE0) 103
E.2.4 Encoding an MPS or LPS (CODEMPS and CODELPS) 104
E.2.5 Probability estimation 105
E.2.6 Renormalisation in the encoder (RENORME) 105
E.2.7 Compressed data output (BYTEOUT) 106
E.2.8 Initialisation of the encoder (INITENC) 107
E.2.9 Termination of encoding (FLUSH) 107
E.2.10 Minimisation of the compressed data 107
E.3 Arithmetic decoding procedure 109
E.3.1 Decoder code register conventions 111
E.3.2 Decoding a decision (DECODE) 111
E.3.3 Renormalisation in the decoder (RENORMD) 111
E.3.4 Compressed data input (BYTEIN) 111
E.3.5 Initialisation of the decoder (INITDEC) 114
E.3.6 Resynchronisation of the decoder 114
E.3.7 Resetting arithmetic coding statistics 115
E.3.8 Saving arithmetic coding statistics 115

Annex F - Profiles 116

Annex G - Arithmetic Decoding Procedure (Software Conventions) 119

Annex H - Datastream Example and Test Sequence 121

H.1 Datastream example 121
H.2 Test sequence for arithmetic coder 142

Bibliography 149

Annex I - Patents 147