

# ISO/IEC 10589:2002-11 (E)

Information technology - Telecommunications and information exchange between systems -  
Intermediate system to intermediate system intra-domain routing information exchange protocol for  
use in conjunction with the protocol for providing the connectionless-mode network service  
(ISO\_8473)

---

## Contents

<b>1</b>	<b>Scope</b>	<b>1</b>
<b>2</b>	<b>Normative references</b>	<b>1</b>
<b>3</b>	<b>Definitions</b>	<b>3</b>
3.1	Reference model definitions	3
3.2	Network layer architecture definitions	3
3.3	Network layer addressing definitions	3
3.4	Local area network definitions	3
3.5	Routing framework definitions	3
3.6	Additional definitions	3
<b>4</b>	<b>Symbols and abbreviations</b>	<b>5</b>
4.1	Data units	5
4.2	Protocol data units	5
4.3	Addresses	5
4.4	Miscellaneous	5
<b>5</b>	<b>Typographical conventions</b>	<b>6</b>
<b>6</b>	<b>Overview of the protocol</b>	<b>6</b>
6.1	System types	6
6.2	Subnetwork types	7
6.3	Topologies	7
6.4	Addresses	8
6.5	Functional organisation	8
6.6	Design goals and non-goals	9
6.7	Environmental requirements	11
6.8	Functional organisation of subnetwork independent components	12
<b>7</b>	<b>Subnetwork independent functions</b>	<b>14</b>
7.1	Addresses	15
7.2	Decision process	18
7.3	Update process	26
7.4	Forwarding process	45
7.5	Routing constants and parameters	48
<b>8</b>	<b>Subnetwork dependent functions</b>	<b>49</b>
<b>8.1</b>	<b>Multi-destination circuits on ISs at a domain boundary</b>	<b>49</b>
8.2	Point-to-point subnetworks	50
8.3	ISO 8208 subnetworks	54
8.4	Broadcast subnetworks	59

<b>9</b>	<b><i>Structure and encoding of PDUs</i></b>	<b>65</b>
9.1	General encoding rules	65
9.2	Encoding of network layer addresses	65
9.3	Encoding of SNPA addresses	65
9.4	PDU types	66
9.5	Level 1 LAN IS to IS hello PDU	66
9.6	Level 2 LAN IS to IS hello PDU	69
9.7	Point-to-point IS to IS hello PDU	72
9.8	Level 1 link state PDU	75
9.9	Level 2 link state PDU	79
9.10	Level 1 complete sequence numbers PDU	84
9.11	Level 2 complete sequence numbers PDU	86
9.12	Level 1 partial sequence numbers PDU	88
9.13	Level 2 partial sequence numbers PDU	90
<b>10</b>	<b><i>System environment</i></b>	<b>91</b>
10.1	Generating jitter on timers	91
10.2	Resolution of timers	92
10.3	Requirements on the operation of ISO 9542	93
10.4	Requirements on the operation of ISO 8473	93
<b>11</b>	<b><i>System management</i></b>	<b>93</b>
11.1	General	93
--11.2	<i>GDMO definition</i>	94
--11.2.1	Common GDMO definitions	94
--11.3	ASN1 modules	127
<b>12</b>	<b><i>Conformance</i></b>	<b>129</b>
12.1	Conformance for protocol implementation	129
12.1.2	Dynamic conformance	131
12.2	Conformance for management information implementation	133
<b>Annex A</b>		<b>135</b>
A.1	Introduction	135
A.2	Abbreviations and special symbols	135
A.3	Instructions for completing the pics pro formas	135
A.4	Identification	138
A.5	Protocol summary: ISO 10589 general	139
A.6	Protocol summary: ISO 10589 level 1 specific functions	143
A.7	Protocol summary: ISO 10589 level 2 specific functions	144

<b><i>Annex B</i></b>	<b>146</b>
<b>B.1 Addressing and routing</b>	<b>146</b>
<b>B.2 Use of the area address field in intra-domain routing</b>	<b>148</b>
<b><i>Annex C</i></b>	<b>150</b>
<b>C.1 Routing databases</b>	<b>150</b>
<b>C.3 Forwarding process</b>	<b>156</b>
<b><i>Annex D</i></b>	<b>158</b>
<b>D.1 Congestion control</b>	<b>158</b>
<b>D.2 Congestion avoidance</b>	<b>159</b>
<b><i>Annex E</i></b>	<b>160</b>
<b>--E.1 Generic managed object class definitions</b>	<b>160</b>
<b>--E.2 ASN.1 definitions</b>	<b>167</b>
<b><i>Annex F</i></b>	<b>169</b>
<b><i>Annex G</i></b>	<b>170</b>
<b>G.1 Introduction</b>	<b>170</b>
<b>G.2 Identification of the implementation</b>	<b>171</b>
<b>G.3 Identification of the International Standard in which the management information is defined</b>	<b>171</b>
<b><i>Annex H</i></b>	<b>175</b>
<b>H.1 Introduction</b>	<b>175</b>
<b>H.2 Instructions for completing the MICS proforma to produce a MICS</b>	<b>175</b>
<b>H.3 Symbols, abbreviates and terms</b>	<b>175</b>
<b>H.4 Statement of Conformance to the management information</b>	<b>175</b>
<b><i>Annex I</i></b>	<b>182</b>
<b>I.1 Introduction</b>	<b>182</b>
<b>I.2 Adjacency managed object</b>	<b>182</b>
<b>I.3 Virtual adjacency managed object</b>	<b>185</b>
<b>I.4 Destination system managed object</b>	<b>187</b>
<b>I.5 Destination area managed object</b>	<b>188</b>
<b>I.6 reachableAddress [“ISO/IEC 10589”]</b>	<b>190</b>
<b><i>Annex J</i></b>	<b>195</b>
<b>J.1 Introduction</b>	<b>195</b>
<b>J.2 Instructions for completing the MRCS proforma for name binding to produce a MRCS</b>	<b>195</b>
<b>J.3 Statement of conformance to the name binding</b>	<b>195</b>
<b><i>Index</i></b>	<b>197</b>