

# ISO/IEC 15054:2003-04 (E)

Information technology — Telecommunications and information exchange between systems —  
Private Integrated Services Network — Inter-exchange signalling protocol —  
Call interception additional network feature

---

## Contents

Foreword	v
Introduction	vi
1 Scope	1
2 Conformance	1
3 Normative references	1
4 Terms and definitions	2
4.1 External definitions	2
4.2 Other definitions	3
4.2.1 Forward switching	3
4.2.2 Intercepting PINX	3
4.2.3 Intercepted-to PINX	3
4.2.4 Intercepted-to user	3
4.2.5 Interception immediate	3
4.2.6 Interception delayed	3
4.2.7 Call failure	3
4.2.8 Waiting on busy	3
5 List of acronyms	3
6 Signalling protocol for the support of ANF-CINT	3
6.1 ANF-CINT description	3
6.2 ANF-CINT operational requirements	4
6.2.1 Requirements on an Originating PINX	4
6.2.2 Requirements on a Terminating PINX	4
6.2.3 Requirements on an Intercepted-to PINX	4
6.2.4 Requirements on a Transit PINX	4
6.2.5 Requirements on an Intercepting PINX	4
6.3 ANF-CINT coding requirements	5
6.3.1 Operations	5
6.3.2 Information elements	8
6.3.3 Messages	8
6.4 ANF-CINT state definitions	8
6.4.1 States at the Originating PINX	8
6.4.2 States at the Intercepting PINX	8
6.4.3 States at the Intercepted-to PINX	8
6.4.4 States at a Transit PINX	8
6.4.5 States at the Terminating PINX	8
6.5 ANF-CINT Signalling procedures for activation, deactivation, registration and interrogation	8
6.6 ANF-CINT Signalling procedures for invocation and operation	9
6.6.1 Actions at a Terminating PINX	9
6.6.2 Actions at a Transit PINX	9
6.6.3 Actions at the Originating PINX	9
6.6.4 Actions at an Intercepting PINX for interception immediate	10
6.6.5 Actions at an Intercepting PINX for interception delayed	11
6.6.6 Actions at an Intercepted-to PINX	12

<b>6.7</b>	ANF-CINT Impact of interworking with a public ISDN	<b>12</b>
<b>6.7.1</b>	Incoming Gateway PINX	<b>12</b>
<b>6.7.2</b>	Outgoing Gateway PINX	<b>12</b>
<b>6.8</b>	ANF-CINT Impact of interworking with a non-ISDN	<b>13</b>
<b>6.8.1</b>	Incoming Gateway PINX	<b>13</b>
<b>6.8.2</b>	Outgoing Gateway PINX	<b>13</b>
<b>6.9</b>	Protocol interaction between ANF-CINT and other supplementary services and ANFs	<b>13</b>
<b>6.9.1</b>	Interaction with Calling Name Identification Presentation (SS-CNIP)	<b>13</b>
<b>6.9.2</b>	Interaction with Connected Name Identification Presentation (SS-CONP)	<b>13</b>
<b>6.9.3</b>	Interaction with Call Forwarding Unconditional (SS-CFU)	<b>13</b>
<b>6.9.4</b>	Interaction with Call Forwarding Busy (SS-CFB)	<b>14</b>
<b>6.9.5</b>	Interaction with Call Forwarding No Reply (SS-CFNR)	<b>14</b>
<b>6.9.6</b>	Interaction with Do Not Disturb (SS-DND)	<b>14</b>
<b>6.9.7</b>	Interaction with Do Not Disturb Override (SS-DNDO)	<b>14</b>
<b>6.9.8</b>	Interaction with Call Completion To Busy Subscriber (SS-CCBS)	<b>14</b>
<b>6.9.9</b>	Interaction with Call Completion On No Reply (SS-CCNR)	<b>14</b>
<b>6.9.10</b>	Interaction with Call Offer (SS-CO)	<b>15</b>
<b>6.9.11</b>	Interaction with Call Intrusion (SS-CI)	<b>15</b>
<b>6.9.12</b>	Interaction with Call Transfer (SS-CT)	<b>15</b>
<b>6.9.13</b>	Interaction with Path Replacement (ANF-PR)	<b>16</b>
<b>6.9.14</b>	Interaction with Recall (SS-RE)	<b>16</b>
<b>6.9.15</b>	Interaction with Advice Of Charge (SS-AOC)	<b>16</b>
<b>Annexes</b>		
<b>A</b>	Protocol Implementation Conformance Statement (PICS) proforma	<b>17</b>
<b>B</b>	Examples of message sequences	<b>28</b>
<b>C</b>	Specification and Description Language (SDL) Representation of procedures	<b>34</b>
<b>D</b>	ASN.1 definitions according to ITU-T Recs. X.208 / X.209	<b>40</b>