

# ISO/IEC 17876:2003-04 (E)

Information technology — Telecommunications and information exchange between systems —  
Private Integrated Services Network — Inter-exchange signalling protocol —  
Private User Mobility (PUM) — Registration supplementary service

---

## Contents

Foreword	v
Introduction	vi
1 Scope	1
2 Conformance	1
3 Normative references	1
4 Terms and definitions	2
4.1 External definitions	2
4.2 Remote PINX	3
4.3 Previous Visitor PINX	3
4.4 Alternative identifier	3
4.5 Activating user	3
5 List of acronyms	3
6 Signalling protocol for the support of SS-PUMR	4
6.1 SS-PUMR description	4
6.2 SS-PUMR operational requirements	4
6.2.1 Requirements on the Visitor PINX	4
6.2.2 Requirements on the Home PINX	4
6.2.3 Requirements on the Previous Visitor PINX	4
6.2.4 Requirements on a Transit PINX	4
6.2.5 Requirements on the Directory PINX	4
6.2.6 Requirements on the Remote PINX	4
6.3 SS-PUMR coding requirements	5
6.3.1 Operations	5
6.3.2 Information elements	9
6.3.3 Messages	9
6.4 SS-PUMR state definitions	9
6.4.1 States at the Visitor PINX	9
6.4.2 States at the Home PINX	9
6.4.3 States at the Directory PINX	10
6.4.4 States at the Previous Visitor PINX	10
6.4.5 States at the Remote PINX	10
6.5 SS-PUMR signalling procedures for registration	10
6.5.1 Actions at the Visitor PINX for registration	10
6.5.2 Additional actions at the Visitor PINX in case of remote registration	11
6.5.3 Actions at the Home PINX for registration	12
6.5.4 Actions at a Transit PINX for registration	12
6.5.5 Actions at the previous Visitor PINX for registration	13
6.5.6 Actions at the Remote PINX for registration	13
6.6 SS-PUMR signalling procedures for de-registration	13
6.6.1 Actions at the Visitor PINX for de-registration	14
6.6.2 Actions at the Home PINX for de-registration	15
6.6.3 Actions at a Transit PINX for de-registration	16
6.6.4 Actions at the Remote PINX for de-registration	16

<b>6.7</b>	SS-PUMR signalling procedures for interrogation	<b>16</b>
<b>6.7.1</b>	Actions at the Visitor PINX for interrogation	<b>16</b>
<b>6.7.2</b>	Actions at the Home PINX for interrogation	<b>17</b>
<b>6.7.3</b>	Actions at the Remote PINX for interrogation	<b>18</b>
<b>6.8</b>	Signalling procedures for enquiry to a Directory PINX	<b>19</b>
<b>6.8.1</b>	Actions at a PINX for enquiry to a Directory PINX	<b>19</b>
<b>6.8.2</b>	Actions at the Directory PINX for enquiry	<b>19</b>
<b>6.9</b>	SS-PUMR impact of interworking with public ISDNs	<b>19</b>
<b>6.10</b>	SS-PUMR impact of interworking with non-ISDNs	<b>19</b>
<b>6.11</b>	Protocol interactions between SS-PUMR and other supplementary services and ANFs	<b>20</b>
<b>6.11.1</b>	Interaction with Calling Name Identification Presentation (SS-CNIP)	<b>20</b>
<b>6.11.2</b>	Interaction with Connected Name Identification Presentation (SS-CONP)	<b>20</b>
<b>6.11.3</b>	Interaction with Call Forwarding Unconditional (SS-CFU)	<b>20</b>
<b>6.11.4</b>	Interaction with Call Forwarding Busy (SS-CFB)	<b>20</b>
<b>6.11.5</b>	Interaction with Call Forwarding No Reply (SS-CFNR)	<b>20</b>
<b>6.11.6</b>	Interaction with Call Deflection (SS-CD)	<b>20</b>
<b>6.11.7</b>	Interaction with Path Replacement (ANF-PR)	<b>20</b>
<b>6.11.8</b>	Interaction with Call Transfer (SS-CT)	<b>20</b>
<b>6.11.9</b>	Interaction with Call Completion to Busy Subscriber (SS-CCBS)	<b>20</b>
<b>6.11.10</b>	Interaction with Call Completion on No Reply (SS-CCNR)	<b>20</b>
<b>6.11.11</b>	Interaction with Call Offer (SS-CO)	<b>20</b>
<b>6.11.12</b>	Interaction with Do Not Disturb (SS-DND)	<b>20</b>
<b>6.11.13</b>	Interaction with Do Not Disturb Override (SS-DNDO)	<b>20</b>
<b>6.11.14</b>	Interaction with Call Intrusion (SS-CI)	<b>20</b>
<b>6.11.15</b>	Interaction with Call Interception (ANF-CINT)	<b>20</b>
<b>6.11.16</b>	Interaction with Transit Counter (ANF-TC)	<b>20</b>
<b>6.11.17</b>	Interaction with Recall (SS-RE)	<b>21</b>
<b>6.11.18</b>	Interaction with Advice Of Charge (SS-AOC)	<b>21</b>
<b>6.11.19</b>	Interaction with Wireless Terminal Incoming Call (SS-WTMI)	<b>21</b>
<b>6.11.20</b>	Interactions with Wireless Terminal Outgoing call (SS-WTMO)	<b>21</b>
<b>6.11.21</b>	Interactions with Wireless Terminal Location Registration (SS-WTLR)	<b>21</b>
<b>6.11.22</b>	Interactions with Wireless Terminal Authentication of the WTM User (SS-WTAT)	<b>21</b>
<b>6.11.23</b>	Interactions with Wireless Terminal Authentication of the PISN (SS-WTAN)	<b>21</b>
<b>6.11.24</b>	Interactions with Message Waiting Indication (SS-MWI)	<b>21</b>
<b>6.11.25</b>	Interactions with Common Information (ANF-CMN)	<b>22</b>
<b>6.11.26</b>	Interactions with Call Priority Interruption (SS-CPI)	<b>22</b>
<b>6.11.27</b>	Interactions with Call Priority Interruption Protection (SS-CPIP)	<b>22</b>
<b>6.12</b>	SS-PUMR parameter values (timers)	<b>22</b>
<b>6.12.1</b>	Timer T1	<b>22</b>
<b>6.12.2</b>	Timer T2	<b>22</b>
<b>6.12.3</b>	Timer T3	<b>22</b>
<b>6.12.4</b>	Timer T4	<b>22</b>
<b>6.12.5</b>	Timer T5	<b>22</b>
<b>Annexes</b>		
<b>A</b>	Protocol Implementation Conformance Statement (PICS) proforma	<b>23</b>
<b>B</b>	Examples of Message Sequences	<b>30</b>
<b>C</b>	Specification and Description Language (SDL) representation of procedures	<b>43</b>
<b>D</b>	Imported ASN.1 Definitions	<b>59</b>
<b>E</b>	ASN.1 definitions according to ITU-T Recs. X.208 / X.209	<b>60</b>