

# ISO/IEC 17878:2003-04 (E)

Information technology — Telecommunications and information exchange between systems —  
Private Integrated Services Network — Inter-exchange signalling protocol —  
Private User Mobility (PUM) — Call handling additional network features

---

## Contents

Foreword	vi	
Introduction	vii	
1	Scope	1
2	Conformance	1
3	Normative references	1
4	Terms and definitions	3
4.1	External definitions	3
4.2	Alternative identifier	3
4.3	Home data base (HDB)	4
4.4	Rerouteing PINX	4
4.5	PUMI-detect PINX	4
4.6	Terminal equipment (TE)	4
4.7	Visitor data base (VDB)	4
5	List of acronyms	4
6	Signalling protocol for the support of ANF-PUMI	5
6.1	ANF-PUMI description	5
6.2	ANF-PUMI operational requirements	5
6.2.1	Requirements on the Rerouteing PINX	5
6.2.2	Requirements on the PUMI-detect PINX	5
6.2.3	Requirements on the Home PINX	5
6.2.4	Requirements on the Visitor PINX	5
6.2.5	Requirements on a Transit PINX	5
6.3	ANF-PUMI coding requirements	6
6.3.1	Operations	6
6.3.2	Information elements	8
6.3.3	Messages	9
6.4	ANF-PUMI state definitions	9
6.4.1	States at the Rerouteing PINX	9
6.4.2	States at the PUMI-detect PINX	9
6.4.3	States at the Home PINX	9
6.4.4	States at the Visitor PINX	9
6.5	ANF-PUMI signalling procedures for invocation and operation	9
6.5.1	Actions at the Rerouteing PINX	9
6.5.2	Actions at the PUMI-detect PINX	10
6.5.3	Actions at the Home PINX	11
6.5.4	Actions at the Visitor PINX	12
6.5.5	Actions at a Transit PINX	12
6.5.6	Actions at an Originating PINX	12
6.6	ANF-PUMI impact of interworking with public ISDNs	12
6.7	ANF-PUMI impact of interworking with non-ISDNs	12
6.8	Protocol interactions between ANF-PUMI and other supplementary services and ANFs	12
6.8.1	Interaction with Calling Name Identification Presentation (SS-CNIP)	13
6.8.2	Interaction with Connected Name Identification Presentation (SS-CONP)	13

6.8.3	Interaction with Call Completion to Busy Subscriber (SS-CCBS)	13
6.8.4	Interaction with Call Completion on No Reply (SS-CCNR)	13
6.8.5	Interaction with Call Transfer (SS-CT)	13
6.8.6	Interaction with Call Forwarding Unconditional (SS-CFU)	13
6.8.7	Interaction with Call Forwarding Busy (SS-CFB)	13
6.8.8	Interaction with Call Forwarding No Reply (SS-CFNR)	13
6.8.9	Interaction with Call Deflection (SS-CD)	13
6.8.10	Interaction with Path Replacement (ANF-PR)	13
6.8.11	Interaction with Call Offer (SS-CO)	13
6.8.12	Interaction with Call Intrusion (SS-CI)	13
6.8.13	Interaction with Do Not Disturb (SS-DND)	14
6.8.14	Interaction with Do Not Disturb Override (SS-DNDO)	14
6.8.15	Interaction with Advice Of Charge (SS-AOC)	14
6.8.16	Interaction with Recall (SS-RE)	14
6.8.17	Interaction with Call Interception (ANF-CINT)	14
6.8.18	Interaction with Transit Counter (ANF-TC)	14
6.8.19	Interaction with Route Restriction Class (ANF-RRC)	14
6.8.20	Interaction with Message Waiting Indication (SS-MWI)	15
6.8.21	Interaction with Wireless Terminal Location Registration (SS-WTLR)	15
6.8.22	Interaction with Wireless Terminal Incoming Call (ANF-WTMI)	15
6.8.23	Interaction with Wireless Terminal Outgoing Call (ANF-WTMO)	16
6.8.24	Interaction with Wireless Terminal Authentication of the Terminal (SS-WTAT)	16
6.8.25	Interaction with Wireless Terminal Authentication of the Network (SS-WTAN)	16
6.8.26	Interaction with Private User Mobility Registration (ANF-PUMR)	16
6.8.27	Interaction with Private User Mobility Outgoing Call (ANF-PUMO)	16
6.8.28	Interactions with Common Information (ANF-CMN)	16
6.8.29	Interaction with Call Priority Interruption (Protection) (SS-CPI(P))	16
6.9	ANF-PUMI parameter values (timers)	16
6.9.1	Timer T1	16
6.9.2	Timer T2	16
7	Signalling protocol for the support of ANF-PUMO	16
7.1	ANF-PUMO description	16
7.2	ANF-PUMO operational requirements	17
7.2.1	Requirements on the Originating PINX	17
7.2.2	Requirements on the Home PINX	17
7.2.3	Requirements on a Transit PINX	17
7.3	ANF-PUMO coding requirements	17
7.3.1	Operations	17
7.3.2	Information elements	17
7.3.3	Messages	17
7.4	ANF-PUMO State definitions	17
7.4.1	States at the Originating PINX	17
7.4.2	States at the Home PINX	17
7.5	ANF-PUMO signalling procedures	18
7.5.1	Actions at the Originating PINX	18
7.5.2	Actions at the Home PINX	18
7.5.3	Actions at the Transit PINX	19
7.6	ANF-PUMO impact of interworking with public ISDNs	19
7.7	ANF-PUMO impact of interworking with non-ISDNs	19
7.8	Protocol interactions between ANF-PUMO and other supplementary services and ANFs	19

<b>7.8.1</b>	Interaction with Calling Name Identification Presentation (SS-CNIP)	<b>19</b>
<b>7.8.2</b>	Interaction with Connected Name Identification Presentation (SS-CONP)	<b>19</b>
<b>7.8.3</b>	Interaction with Call Completion to Busy Subscriber (SS-CCBS)	<b>19</b>
<b>7.8.4</b>	Interaction with Call Completion on No Reply (SS-CCNR)	<b>19</b>
<b>7.8.5</b>	Interaction with Call Transfer (SS-WT)	<b>19</b>
<b>7.8.6</b>	Interaction with Call Diversion (SS-CFU, SS-CFB, SS-CFNR, SS-CD)	<b>19</b>
<b>7.8.7</b>	Interaction with Path Replacement (ANF-PR)	<b>19</b>
<b>7.8.8</b>	Interaction with Call Offer (SS-CO)	<b>19</b>
<b>7.8.9</b>	Interaction with Call Intrusion (SS-CI)	<b>20</b>
<b>7.8.10</b>	Interaction with Do Not Disturb (SS-DND)	<b>20</b>
<b>7.8.11</b>	Interaction with Do Not Disturb Override (SS-DNDO)	<b>20</b>
<b>7.8.12</b>	Interaction with Advice of Charge (SS-AOC)	<b>20</b>
<b>7.8.13</b>	Interaction with Recall (SS-RE)	<b>20</b>
<b>7.8.14</b>	Interaction with Call Interception (ANF-CINT)	<b>20</b>
<b>7.8.15</b>	Interaction with Transit Counter (ANF-TC)	<b>20</b>
<b>7.8.16</b>	Interaction with Route Restriction Class (ANF-RRC)	<b>20</b>
<b>7.8.17</b>	Interaction with Message Waiting Indication (SS-MWI)	<b>20</b>
<b>7.8.18</b>	Interaction with Wireless Terminal Location Registration (SS-WTLR)	<b>20</b>
<b>7.8.19</b>	Interaction with Wireless Terminal Incoming Call (ANF-WTMI)	<b>20</b>
<b>7.8.20</b>	Interaction with Wireless Terminal Outgoing Call (ANF-WTMO)	<b>20</b>
<b>7.8.21</b>	Interaction with Wireless Terminal Authentication of the Terminal (SS-WTAT)	<b>20</b>
<b>7.8.22</b>	Interaction with Wireless Terminal Authentication of the Network (SS-WTAN)	<b>20</b>
<b>7.8.23</b>	Interaction with Private User Mobility Registration (ANF-PUMR)	<b>20</b>
<b>7.8.24</b>	Interaction with Private User Mobility Incoming Call (ANF-PUMI)	<b>20</b>
<b>7.8.25</b>	Interaction with Common Information (ANF-CMN)	<b>20</b>
<b>7.8.26</b>	Interaction with Call Priority Interruption (Protection) (SS-CPI(P))	<b>21</b>
<b>7.9</b>	Parameter values (timers)	<b>21</b>
<b>7.9.1</b>	Timers at the Originating PINX	<b>21</b>
<b>7.9.2</b>	Timers at the Home PINX	<b>21</b>
<b>Annexes</b>		
<b>A</b>	Protocol Implementation Conformance Statement (PICS) proforma	<b>22</b>
<b>B</b>	Imported ASN.1 definitions	<b>33</b>
<b>C</b>	Examples of Message Sequences	<b>34</b>
<b>D</b>	Specification and Description Language (SDL) representation of procedures	<b>39</b>
<b>E</b>	Additional feature identifier in module Common-Information-Operations	<b>47</b>
<b>F</b>	ASN.1 definitions according to ITU-T Recs. X.208 / X.209	<b>48</b>