

ISO/IEC 15431:2003-04 (E)

Information technology — Telecommunications and information exchange between systems — Private Integrated Services Network — Inter-exchange signalling protocol — Wireless terminal call handling additional network features

Contents

Foreword	vi
Introduction	vii
1 Scope	1
2 Conformance	1
3 Normative references	1
4 Terms and definitions	2
4.1 External definitions	2
4.2 Other definitions	3
4.2.1 Alternative identifier	3
4.2.2 Home data base (HDB)	3
4.2.3 Home PINX	3
4.2.4 Rerouteing PINX	3
4.2.5 Visitor data base (VDB)	3
4.2.6 Visitor PINX	3
4.2.7 WTMI-detect PINX	3
5 Symbols and abbreviated terms	4
6 Signalling protocol for the support of ANF-WTMI	4
6.1 ANF-WTMI description	4
6.2 ANF-WTMI operational requirements	5
6.2.1 Requirements on the Rerouteing PINX	5
6.2.2 Requirements on the WTMI-detect PINX	5
6.2.3 Requirements on the Home PINX	5
6.2.4 Requirements on the Visitor PINX	5
6.2.5 Requirements on a Transit PINX	5
6.3 ANF-WTMI coding requirements	6
6.3.1 Operations	6
6.3.2 Information elements	8
6.3.3 Messages	9
6.4 ANF-WTMI state definitions	9
6.4.1 States at the Rerouteing PINX	9
6.4.2 States at the WTMI-detect PINX	9
6.4.3 States at the Home PINX	9
6.4.4 States at the Visitor PINX	9
6.5 ANF-WTMI signalling procedures for invocation and operation	9
6.5.1 Actions at the Rerouteing PINX	9
6.5.2 Actions at the WTMI-detect PINX	10
6.5.3 Actions at the Home PINX	11
6.5.4 Actions at the Visitor PINX	12
6.5.5 Actions at a Transit PINX	12
6.5.6 Actions at an Originating PINX	12
6.6 ANF-WTMI impact of interworking with public ISDNs	12
6.7 ANF-WTMI impact of interworking with non-ISDNs	13
6.8 Protocol interactions between ANF-WTMI and other supplementary services and ANFs	13

6.8.1	Interaction with Calling Name Identification Presentation (SS-CNIP)	13
6.8.2	Interaction with Connected Name Identification Presentation (SS-CONP)	13
6.8.3	Interaction with Call Completion to Busy Subscriber (SS-CCBS)	13
6.8.4	Interaction with Call Completion on No Reply (SS-CCNR)	13
6.8.5	Interaction with Call Transfer (SS-CT)	13
6.8.6	Interaction with Call Forwarding Unconditional (SS-CFU)	13
6.8.7	Interaction with Call Forwarding Busy (SS-CFB)	13
6.8.8	Interaction with Call Forwarding No Reply (SS-CFNR)	13
6.8.9	Interaction with Call Deflection (SS-CD)	13
6.8.10	Interaction with Path Replacement (ANF-PR)	13
6.8.11	Interaction with Call Offer (SS-CO)	13
6.8.12	Interaction with Call Intrusion (SS-CI)	14
6.8.13	Interaction with Do Not Disturb (SS-DND)	14
6.8.14	Interaction with Do Not Disturb Override (SS-DNDO)	14
6.8.15	Interaction with Advice Of Charge (SS-AOC)	14
6.8.16	Interaction with Recall (SS-RE)	14
6.8.17	Interaction with Call Interception (ANF-CINT)	14
6.8.18	Interaction with Transit Counter (ANF-TC)	14
6.8.19	Interaction with Route Restriction Class (ANF-RRC)	14
6.8.20	Interaction with Message Waiting Indication (SS-MWI)	15
6.8.21	Interaction with Wireless Terminal Location Registration (SS-WTLR)	15
6.8.22	Interaction with Wireless Terminal Information (ANF-WTINFO)	15
6.8.23	Interaction with Wireless Terminal Outgoing Call (ANF-WTMO)	15
6.8.24	Interaction with Wireless Terminal Authentication of the Terminal (SS-WTAT)	15
6.8.25	Interaction with Wireless Terminal Authentication of the Network (SS-WTAN)	15
6.9	ANF-WTMI parameter values (timers)	16
6.9.1	Timer T1	16
6.9.2	Timer T2	16
7	Signalling protocol for the support of ANF-WTMO	16
7.1	ANF-WTMO description	16
7.2	ANF-WTMO operational requirements	16
7.2.1	Requirements on the Originating PINX	16
7.2.2	Requirements on the Home PINX	16
7.2.3	Requirements on a Transit PINX	16
7.3	ANF-WTMO coding requirements	16
7.3.1	Operations	16
7.3.2	Information elements	16
7.3.3	Messages	16
7.4	ANF-WTMO state definitions	17
7.4.1	States at the Originating PINX	17
7.4.2	States at the Home PINX	17
7.5	ANF-WTMO signalling procedures	17
7.5.1	Actions at the Originating PINX	17
7.5.2	Actions at the Home PINX	17
7.5.3	Actions at the Transit PINX	18
7.6	ANF-WTMO impact of interworking with public ISDNs	18
7.7	ANF-WTMO impact of interworking with non-ISDNs	18
7.8	Protocol interactions between ANF-WTMO and other supplementary services and ANFs	18
7.8.1	Interaction with Calling Name Identification Presentation (SS-CNIP)	18
7.8.2	Interaction with Connected Name Identification Presentation (SS-CONP)	18

7.8.3	Interaction with Call Completion to Busy Subscriber (SS-CCBS)	18
7.8.4	Interaction with Call Completion on No Reply (SS-CCNR)	18
7.8.5	Interaction with Call Transfer (SS-CT)	18
7.8.6	Interaction with Call Diversion (SS-CFU, SS-CFB, SS-CFNR, SS-CD)	18
7.8.7	Interaction with Path Replacement (ANF-PR)	19
7.8.8	Interaction with Call Offer (SS-CO)	19
7.8.9	Interaction with Call Intrusion (SS-CI)	19
7.8.10	Interaction with Do Not Disturb (SS-DND)	19
7.8.11	Interaction with Do Not Disturb Override (SS-DNDO)	19
7.8.12	Interaction with Advice of Charge (SS-AOC)	19
7.8.13	Interaction with Recall (SS-RE)	19
7.8.14	Interaction with Call Interception (ANF-CINT)	19
7.8.15	Interaction with Transit Counter (ANF-TC)	19
7.8.16	Interaction with Route Restriction Class (ANF-RRC)	19
7.8.17	Interaction with Message Waiting Indication (SS-MWI)	19
7.8.18	Interaction with Wireless Terminal Location Registration (SS-WTLR)	19
7.8.19	Interaction with Wireless Terminal Information (ANF-WTINFO)	19
7.8.20	Interaction with Wireless Terminal Incoming Call (ANF-WTMI)	19
7.8.21	Interaction with Wireless Terminal Authentication of the Terminal (SS-WTAT)	19
7.8.22	Interaction with Wireless Terminal Authentication of the Network (SS-WTAN)	20
7.9	Parameter values (timers)	20
7.9.1	Timers at the Originating PINX	20
7.9.2	Timers at the Home PINX	20
Annexes		
A	Protocol Implementation Conformance Statement (PICS) proforma	21
B	Imported ASN.1 definitions	31
C	Examples of Message Sequences	32
D	Specification and Description Language (SDL) representation of procedures	37
E	ASN.1 definitions according to ITU-T Recs. X.208 / X.209	45