ISO/IEC 15433:2003-04 (E)

Information technology — Telecommunications and information exchange between systems — Private Integrated Services Network — Inter-exchange signalling protocol — Wireless Terminal Authentication supplementary services

Contents

Foreword		**vi**
Introduction		**vii**
1	Scope	**1**
2	Conformance	**1**
3	Normative references	**1**
4	Terms and definitions	**2**
4.1	External definitions	**2**
4.2	Other definitions	**3**
4.2.1	Authentication Server PINX	**3**
5	Symbols and abbreviated terms	**3**
6	Signalling protocol for the support of SS-WTAT	**3**
6.1	SS-WTAT description	**3**
6.2	SS-WTAT operational requirements	**3**
6.2.1	Requirements on a Visitor PINX	**3**
6.2.2	Requirements on a Home PINX	**3**
6.2.3	Requirements on the Authentication Server PINX	**3**
6.2.4	Requirements on a Transit PINX	**3**
6.3	SS-WTAT coding requirements	**4**
6.3.1	Operations	**4**
6.3.2	Information elements	**7**
6.3.3	Messages	**7**
6.4	SS-WTAT state definitions	**7**
6.4.1	States at the Home PINX for initiation of SS-WTAT	**7**
6.4.2	States at the Home PINX for requesting authentication parameters	**8**
6.4.3	States at the Home PINX when fetching authentication parameters	**8**
6.4.4	States at the Visitor PINX for execution of SS-WTAT	**8**
6.4.5	States at the Visitor PINX for requesting authentication parameters	**8**
6.4.6	States at the Authentication Server PINX	**8**
6.5	SS-WTAT Signalling procedures	**8**
6.5.1	Actions at the Home PINX for initiation of SS-WTAT	**8**
6.5.2	Actions at the Home PINX for requesting authentication parameters	**9**
6.5.3	Actions at the Home PINX when fetching authentication parameters	**9**
6.5.4	Actions at the Visitor PINX for local initiation of SS-WTAT	**10**
6.5.5	Actions at the Visitor PINX for execution of SS-WTAT	**10**
6.5.6	Actions at the Visitor PINX for requesting authentication parameters	**11**
6.5.7	Actions at the Authentication Server PINX	**11**
6.5.8	Actions at a Transit PINX	**12**
6.6	SS-WTAT Impact of interworking with public ISDNs	**12**
6.7	SS-WTAT Impact of interworking with non-ISDNs	**12**
6.8	Protocol interactions between SS-WTAT and other supplementary services and ANFs	**12**
6.8.1	Interaction with Calling Name Identification Presentation (SS-CNIP)	**12**
6.8.2	Interaction with Connected Name Identification Presentation (SS-CONP)	**12**

6.8.3 Interaction with Completion of Calls to Busy Subscriber (SS-CCBS) **12**
6.8.4 Interaction with Completion of Calls on No Reply (SS-CCNR) **12**
6.8.5 Interaction with Call Transfer (SS-CT) **12**
6.8.6 Interaction with Call Forwarding Unconditional (SS-CFU) **12**
6.8.7 Interaction with Call Forwarding Busy (SS-CFB) **12**
6.8.8 Interaction with Call Forwarding No Reply (SS-CFNR) **12**
6.8.9 Interaction with Call Deflection (SS-CD) **12**
6.8.10 Interaction with Path Replacement (ANF-PR) **12**
6.8.11 Interaction with Call Offer (SS-CO) **13**
6.8.12 Interaction with Call Intrusion (SS-CI) **13**
6.8.13 Interaction with Do Not Disturb (SS-DND) **13**
6.8.14 Interaction with Do Not Disturb Override (SS-DNDO) **13**
6.8.15 Interaction with Advice Of Charge (SS-AOC) **13**
6.8.16 Interaction with Recall (SS-RE) **13**
6.8.17 Interaction with Call Interception (ANF-CINT) **13**
6.8.18 Interaction with Transit Counter (ANF-TC) **13**
6.8.19 Interaction with Route Restriction Class (ANF-RRC) **13**
6.8.20 Interaction with Message Waiting Information (SS-MWI) **13**
6.8.21 Interaction with Wireless Terminal Location Registration (SS-WTLR) **13**
6.8.22 Interaction with Wireless Terminal information exchange (ANF-WTINFO) **13**
6.8.23 Interaction with Wireless Terminal Incoming Call (ANF-WTMI) **13**
6.8.24 Interaction with Wireless Terminal Outgoing Call (ANF-WTMO) **13**
6.8.25 Interaction with Authentication of the PISN (SS-WTAN) **13**

6.9 SS-WTAT parameter values (timers) **13**

6.9.1 Timer T1 **13**
6.9.2 Timer T2 **14**
6.9.3 Timer T3 **14**

7 Signalling protocol for the support of SS-WTAN **14**

7.1 SS-WTAN description **14**
7.2 SS-WTAN operational requirements **14**

7.2.1 Requirements on the Visitor PINX **14**
7.2.2 Requirements on the Home PINX **14**
7.2.3 Requirements on the Authentication Server PINX **14**
7.2.4 Requirements on a Transit PINX **14**

7.3 SS-WTAN coding requirements **14**

7.3.1 Operations **14**
7.3.2 Information elements **14**
7.3.3 Messages **14**

7.4 SS-WTAN state definitions **15**

7.4.1 States at the Visitor PINX **15**
7.4.2 States at the Home PINX **15**
7.4.3 States at the Authentication Server PINX **15**

7.5 SS-WTAN signalling procedures **15**

7.5.1 Actions at the Visitor PINX **15**
7.5.2 Actions at the Home PINX **16**
7.5.3 Actions at the Authentication Server PINX **16**
7.5.4 Actions at a Transit PINX for authentication of a PISN **17**

7.6 SS-WTAN impact of interworking with public ISDNs **17**
7.7 SS-WTAN impact of interworking with non-ISDNs **17**
7.8 Protocol interactions between SS-WTAN and other supplementary services and ANFs **17**

7.8.1 Interaction with Calling Name Identification Presentation (SS-CNIP) **17**
7.8.2 Interaction with Connected Name Identification Presentation (SS-CONP) **17**
7.8.3 Interaction with Completion of Calls to Busy Subscriber (SS-CCBS) **17**
7.8.4 Interaction with Completion of Calls on No Reply (SS-CCNR) **17**
7.8.5 Interaction with Call Transfer (SS-CT) **17**
7.8.6 Interaction with Call Forwarding Unconditional (SS-CFU) **18**
7.8.7 Interaction with Call Forwarding Busy (SS-CFB) **18**
7.8.8 Interaction with Call Forwarding No Reply (SS-CFNR) **18**
7.8.9 Interaction with Call Deflection (SS-CD) **18**
7.8.10 Interaction with Path Replacement (ANF-PR) **18**
7.8.11 Interaction with Call Offer (SS-CO) **18**
7.8.12 Interaction with Call Intrusion (SS-CI) **18**
7.8.13 Interaction with Do Not Disturb (SS-DND) **18**
7.8.14 Interaction with Do Not Disturb Override (SS-DNDO) **18**
7.8.15 Interaction with Advice Of Charge (SS-AOC) **18**
7.8.16 Interaction with Recall (SS-RE) **18**
7.8.17 Interaction with Call Interception (ANF-CINT) **18**
7.8.18 Interaction with Transit Counter (ANF-TC) **18**
7.8.19 Interaction with Route Restriction Class (ANF-RRC) **18**
7.8.20 Interaction with Message Waiting Information (SS-MWI) **18**
7.8.21 Interaction with Wireless Terminal Location Registration (SS-WTLR) **18**
7.8.22 Interaction with Wireless Terminal information exchange (ANF-WTINFO) **18**
7.8.23 Interaction with Wireless Terminal Incoming Call (ANF-WTMI) **18**
7.8.24 Interaction with Wireless Terminal Outgoing Call (ANF-WTMO) **18**
7.8.25 Interaction with Authentication of the PISN (SS-WTAT) **18**

7.9 SS-WTAN parameter values (timers) **19**

7.9.1 Timer T4 **19**
7.9.2 Timer T5 **19**

Annexes

A - Protocol Implementation Conformance Statement (PICS) proforma **20**

B - Imported ASN.1 definitions **29**

C - Examples of message sequences **30**

D - Specification and Description Language (SDL) representation of procedures **35**

E - ASN.1 definitions according to ITU-T Recs. X.208 / X.209 **45**