

ISO/IEC 19500-2:2003-04 (E)

Information technology — Open Distributed Processing — Part 2: General Inter-ORB Protocol (GIOP)/Internet Inter-ORB Protocol (IIOP)

1	Scope	1
2	Normative references	1
2.1	Identical Recommendations International Standards	1
2.2	Other Specifications	2
3	Definitions	2
3.1	Recommendations International Standards	2
3.2	Other Specifications	3
3.2.1	adapter	3
3.2.2	Attribute	3
3.2.3	client	3
3.2.4	data type	3
3.2.5	domain	3
3.2.6	dynamic invocation	3
3.2.7	dynamic skeleton	3
3.2.8	implementation	3
3.2.9	interface repository	3
3.2.10	ORB core	3
3.2.11	repository	4
3.2.12	request	4
3.2.13	results	4
3.2.14	server	4
3.2.15	signature	4
3.2.16	skeleton	4
3.2.17	synchronous request	4
3.2.18	interface type	4
3.2.19	interoperability	4
3.2.20	language binding or mapping	4
3.2.21	method	4
3.2.22	object adapter	5
3.2.23	object implementation	5
3.2.24	object reference	5
3.2.25	objref	5
3.2.26	value	5
3.3	Abbreviations	5
4	Introduction to GIOP/IIOP	6
5	ORB Interoperability Architecture	6
5.1	Overview	6
5.1.1	Domains	6
5.1.2	Bridging Domains	7

5.2 ORBs and ORB Services	7
5.2.1 The Nature of ORB Services	7
5.2.2 ORB Services and Object Requests	8
5.2.3 Selection of ORB Services	8
5.3 Domains	9
5.3.1 Definition of a Domain	9
5.3.2 Mapping Between Domains: Bridging	10
5.4 Interoperability Between ORBs	10
5.4.1 ORB Services and Domains	10
5.4.2 ORBs and Domains	11
5.4.3 Interoperability Approaches	11
5.4.4 Policy-Mediated Bridging	13
5.4.5 Configurations of Bridges in Networks	13
5.5 Object Addressing	14
5.5.1 Domain-relative Object Referencing	14
5.5.2 Handling of Referencing Between Domains	15
5.6 An Information Model for Object References	16
5.6.1 What Information Do Bridges Need?	16
5.6.2 Interoperable Object References: IORs	16
5.6.3 Standard IOR Components	19
5.6.4 Profile and Component Composition in IORs	21
5.6.5 IOR Creation and Scope	22
5.6.6 Stringified Object References	22
5.6.7 Object Service Context	23
5.7 Code Set Conversion	27
5.7.1 Character Processing Terminology	27
5.7.2 Code Set Conversion Framework	29
5.7.3 Mapping to Generic Character Environments	35
5.8 Example of Generic Environment Mapping	37
5.8.1 Generic Mappings	37
5.8.2 Interoperation and Generic Mappings	37
5.9 Relevant OSFM Registry Interfaces	37
5.9.1 Character and Code Set Registry	37
5.9.2 Access Routines	38
6 General Inter-ORB Protocol	42
6.1 Goals of the General Inter-ORB Protocol	42
6.1.1 GIOP Overview	43
6.1.2 Common Data Representation (CDR)	43

6.1.3	GIOP Message Overview	44
6.1.4	GIOP Message Transfer	44
6.2	CDR Transfer Syntax	44
6.2.1	Primitive Types	45
6.2.2	OMG IDL Constructed Types	49
6.2.3	Value Types	52
6.2.4	Pseudo-Object Types	59
6.2.5	Object References	64
6.2.6	Abstract Interfaces	64
6.3	GIOP Message Formats	64
6.3.1	GIOP Message Header	65
6.3.2	Request Message	67
6.3.3	Reply Message	70
6.3.4	CancelRequest Message	73
6.3.5	LocateRequest Message	74
6.3.6	LocateReply Message	75
6.3.7	CloseConnection Message	77
6.3.8	MessageError Message	78
6.3.9	Fragment Message	78
6.4	GIOP Message Transport	79
6.4.1	Connection Management	79
6.4.2	Message Ordering	80
6.5	Object Location	81
6.6	Internet Inter-ORB Protocol (IIOP)	82
6.6.1	TCP/IP Connection Usage	82
6.6.2	IIOP IOR Profiles	83
6.6.3	IIOP IOR Profile Components	85
6.7	Bi-Directional GIOP	86
6.7.1	Bi-Directional IIOP	87
6.8	Bi-directional GIOP policy	88
6.9	OMG IDL	89
6.9.1	GIOP Module	89
6.9.2	IIOP Module	95
6.9.3	BiDirPolicy Module	96