

ISO/IEC 20117:2004-05 (E)

Information technology - Telecommunications and information exchange between systems - Private Integrated Services Network - Inter-exchange signalling protocol - Message centre monitoring and mailbox identification supplementary services

| Contents | | Page |
|---|--|-------------|
| Foreword | | v |
| Introduction | | vi |
| 1 | Scope | 1 |
| 2 | Conformance | 1 |
| 3 | Normative references | 2 |
| 4 | Terms and definitions | 3 |
| 4.1 | External definitions | 3 |
| 4.2 | Other definitions | 3 |
| 5 | Acronyms | 4 |
| 6 | Signalling protocol for the support of SS-MCM | 4 |
| 6.1 | SS-MCM description | 4 |
| 6.2 | SS-MCM operational requirements | 4 |
| 6.3 | SS-MCM coding requirements | 5 |
| 6.4 | SS-MCM state definitions | 13 |
| 6.5 | SS-MCM signalling procedures | 13 |
| 6.6 | SS-MCM impact of interworking with public ISDNs | 20 |
| 6.7 | SS-MCM impact of interworking with non-ISDNs | 21 |
| 6.8 | Protocol interactions between SS-MCM and other supplementary services and ANFs | 21 |
| 6.9 | SS-MCM parameter values (timers) | 24 |
| 7 | Signalling protocol for the support of SS-MID | 25 |
| 7.1 | SS-MID description | 25 |
| 7.2 | SS-MID operational requirements | 25 |
| 7.3 | SS-MID coding requirements | 26 |
| 7.4 | SS-MID state definitions | 28 |
| 7.5 | SS-MID signalling procedures | 29 |
| 7.6 | SS-MID impact of interworking with public ISDNs | 31 |
| 7.7 | SS-MID impact of interworking with non-ISDNs | 31 |
| 7.8 | Protocol interactions between SS-MID and other supplementary services and ANFs | 31 |
| 7.9 | SS-MID parameter values (timers) | 34 |
| Annex A (normative) Protocol Implementation Conformance Statement (PICS) Proforma | | 35 |
| A.1 | Introduction | 35 |
| A.2 | Instructions for completing the PICS proforma | 35 |
| A.3 | PICS proforma for SS-MCM | 37 |
| A.4 | PICS proforma for SS-MID | 41 |
| Annex B (informative) Examples of Message Sequences | | 44 |
| B.1 | Example message sequence for SS-MCM | 45 |
| B.2 | Example message sequences for interworking between for SS-MCM and SS-MWI | 53 |

| | | |
|------------------------------|--|-----------|
| B.3 | Example message sequence for SS-MID | 62 |
| Annex C (informative) | Specification and Description Language (SDL) Representation of Procedures | 64 |
| C.1 | SDL representation of SS-MCM at the Message Centre PINX | 65 |
| C.2 | SDL representation of SS-MCM at the Served User PINX | 72 |
| C.3 | SDL representation of SS-MID at the Message Centre PINX | 79 |
| C.4 | SDL representation of SS-MID at the Served User PINX | 82 |
| Annex D (informative) | List of Message Types | 84 |
| D.1 | Telephony Type Messages | 84 |
| D.2 | Data Type Messages | 84 |
| D.3 | Combination of Messages | 85 |
| D.4 | Additional Message Types | 85 |