

# ISO 8879: 1986-10(E)

## Information processing; Text and office systems; Standard Generalized Markup Language (SGML)

---

### Contents

<b>0 Introduction</b> .....	<b>1</b>
0.1 Background .....	1
0.2 Objectives .....	2
0.3 Organization .....	3
<b>1 Scope</b> .....	<b>4</b>
<b>2 Field of Application</b> .....	<b>4</b>
<b>3 References</b> .....	<b>5</b>
<b>4 Definitions</b> .....	<b>5</b>
<b>5 Notation</b> .....	<b>20</b>
5.1 Syntactic Tokens .....	21
5.2 Ordering and Selection Symbols .....	21
<b>6 Entity Structure</b> .....	<b>21</b>
6.1 SGML Document .....	21
6.2 SGML Entities .....	21
6.2.1 S Separator .....	22
6.2.2 Entity End .....	22
6.2.3 Implied SGML Declaration .....	22
6.3 Non-SGML Data Entity .....	22
<b>7 Element Structure</b> .....	<b>22</b>
7.1 Prolog .....	22
7.2 Document Element .....	22
7.2.1 Limits .....	22
7.3 Element .....	22
7.3.1 Omitted Tag Minimization .....	22
7.3.1.1 Start-tag Omission .....	22
7.3.1.2 End-tag Omission .....	23
7.3.2 Data Tag Minimization .....	23
7.3.3 Quantities .....	23
7.4 Start-tag .....	23
7.4.1 Minimization .....	23
7.4.1.1 Empty Start-tag .....	23
7.4.1.2 Unclosed Start-tag .....	24
7.4.1.3 NET-enabling Start-tag .....	24
7.4.2 Quantities .....	24
7.5 End-tag .....	24
7.5.1 Minimization .....	24
7.5.1.1 Empty End-tag .....	24
7.5.1.2 Unclosed End-tag .....	24
7.5.1.3 Null End-tag .....	24
7.6 Content .....	24
7.6.1 Record Boundaries .....	25
7.7 Document Type Specification .....	25
7.7.1 General Entity References .....	25
7.7.2 Parameter Entity References .....	25
7.8 Generic Identifier (GI) Specification .....	26
7.8.1 Rank Feature .....	26
7.8.1.1 Full Generic Identifier .....	26
7.8.1.2 Rank Stem .....	26
7.9 Attribute Specification List .....	26

7.9.1	Minimization	26
7.9.1.1	Omitted Attribute Specification	26
7.9.1.2	Omitted Attribute Name	26
7.9.2	Quantities	26
7.9.3	Attribute Value Specification	26
7.9.3.1	Minimization	27
7.9.4	Attribute Value	27
7.9.4.1	Syntactic Requirements	27
7.9.4.2	Fixed Attribute	27
7.9.4.3	General Entity Name	27
7.9.4.4	Notation	27
7.9.4.5	Quantities	27
<b>8</b>	<b>Processing Instruction</b>	<b>27</b>
8.1	Quantities	28
<b>9</b>	<b>Common Constructs</b>	<b>28</b>
9.1	Replaceable Character Data	28
9.2	Character Data	28
9.2.1	SGML Character	28
9.2.2	Function Character	28
9.3	Name	28
9.3.1	Quantities	28
9.4	Entity References	28
9.4.1	Quantities	28
9.4.2	Limits	28
9.4.3	Obfuscatory Entity References	29
9.4.4	Named Entity Reference	29
9.4.5	Reference End	29
9.4.6	Short Reference	29
9.4.6.1	Equivalent Reference String	29
9.5	Character Reference	30
9.6	Delimiter Recognition	30
9.6.1	Recognition Modes	30
9.6.2	Contextual Constraints	31
9.6.3	Order of Recognition	32
9.6.4	Delimiters Starting with the Same Character	32
9.6.5	Short References with Blank Sequences	32
9.6.5.1	Quantities	32
9.6.6	Name Characters	32
9.7	Markup Suppression	32
9.8	Capacity	32
<b>10</b>	<b>Markup Declarations: General</b>	<b>34</b>
10.1	Parts of Declarations	34
10.1.1	Parameter Separator	34
10.1.2	Parameter Literal	34
10.1.2.1	Quantities	34
10.1.3	Group	34
10.1.3.1	Quantities	34
10.1.4	Declaration Separator	34
10.1.5	Associated Element Type	35
10.1.6	External Identifier	35
10.1.6.1	Quantities	35
10.1.6.2	Capacities	35
10.1.7	Minimum Literal	35
10.1.7.1	Quantities	35
10.2	Formal Public Identifier	35
10.2.1	Owner Identifier	35
10.2.1.1	ISO Owner Identifier	35
10.2.1.2	Registered Owner Identifier	35

12.1.4.3	Simple Link	45
12.2	Link Set Declaration	45
12.2.1	Source Element Specification	46
12.2.2	Result Element Specification	46
12.3	Link Set Use Declaration	46
12.3.1	Use in Link Type Declaration	46
12.3.2	Use in Document Instance	46
12.3.3	Current Link Set	46
<b>13</b>	<b>SGML Declaration</b>	<b>47</b>
13.1	Document Character Set	47
13.1.1	Character Set Description	47
13.1.1.1	Base Character Set	47
13.1.1.2	Described Character Set Portion	47
13.1.2	Non-SGML Character Identification	48
13.2	Capacity Set	48
13.3	Concrete Syntax Scope	48
13.4	Concrete Syntax	49
13.4.1	Public Concrete Syntax	49
13.4.2	Shunned Character Number Identification	49
13.4.3	Syntax-reference Character Set	50
13.4.4	Function Character Identification	50
13.4.5	Naming Rules	50
13.4.6	Delimiter Set	51
13.4.6.1	General Delimiters	51
13.4.6.2	Short Reference Delimiters	51
13.4.7	Reserved Name Use	51
13.4.8	Quantity Set	51
13.5	Feature Use	52
13.5.1	Markup Minimization Features	52
13.5.2	Link Type Features	52
13.5.3	Other Features	52
13.6	Application-specific Information	53
<b>14</b>	<b>Reference and Core Concrete Syntaxes</b>	<b>53</b>
<b>15</b>	<b>Conformance</b>	<b>53</b>
15.1	Conforming SGML Document	53
15.1.1	Basic SGML Document	53
15.1.2	Minimal SGML Document	53
15.1.3	Variant Conforming SGML Document	53
15.2	Conforming SGML Application	53
15.2.1	Application Conventions	53
15.2.2	Conformance of Documents	53
15.2.3	Conformance of Documentation	53
15.3	Conforming SGML System	53
15.3.1	Conformance of Documentation	54
15.3.2	Conformance to System Declaration	54
15.3.3	Support for Reference Concrete Syntax	54
15.3.4	Support for Reference Capacity Set	55
15.3.5	Consistency of Parsing	55
15.3.6	Application Conventions	55
15.4	Validating SGML Parser	56
15.4.1	Error Recognition	56
15.4.2	Identification of SGML Messages	56
15.4.3	Content of SGML Messages	56
15.5	Documentation Requirements	56
15.5.1	Standard Identification	56
15.5.2	Identification of SGML Constructs	56
15.5.3	Terminology	57
15.5.4	Variant Concrete Syntax	57

12.1.4.3	Simple Link	45
12.2	Link Set Declaration	45
15.6	System Declaration	57
15.6.1	Concrete Syntaxes Supported	57
15.6.1.1	Concrete Syntax Changes	57
15.6.1.2	Character Set Translation	57
15.6.2	Validation Services	58

## Annexes

<b>A</b>	<b>Introduction to Generalized Markup</b>	<b>59</b>
A.1	The Markup Process	59
A.2	Descriptive Markup	60
A.3	Rigorous Markup	62
A.4	Conclusion	64
A.5	Acknowledgments	65
A.6	Bibliography	65
<b>B</b>	<b>Basic Concepts</b>	<b>66</b>
B.1	Documents, Document Type Definitions, and Procedures	66
B.1.1	Documents	66
B.1.2	Document Type Definitions	66
B.1.3	Procedures	67
B.2	Markup	67
B.3	Distinguishing Markup from Text	68
B.3.1	Descriptive Markup Tags	68
B.3.2	Other Markup	69
B.3.3	Record Boundaries	69
B.3.3.1	Record Boundaries in Data	70
B.3.3.2	Record Boundaries in Markup	70
B.4	Document Structure	70
B.4.1	Document Type Definitions	70
B.4.2	Element Declarations	71
B.4.2.1	Content Models	71
B.4.2.2	Connectors and Occurrence Indicators	71
B.4.2.3	Entity References in Models	72
B.4.2.4	Name Groups	72
B.4.2.5	Data Characters	73
B.4.2.6	Empty Content	73
B.4.2.7	Non-SGML Data	73
B.4.2.8	Summary of Model Delimiters	74
B.5	Attributes	74
B.5.1	Specifying Attributes	74
B.5.1.1	Names	74
B.5.1.2	Attribute Values	75
B.5.2	Declaring Attributes	75
B.5.2.1	Attribute Definition Syntax	75
B.5.2.2	Complex Attribute Values	76
B.5.2.3	Name Token Groups	77
B.5.2.4	Changing Default Values	77
B.6	Entities	78
B.6.1	Entity Reference Syntax	78
B.6.2	Declaring Entities	78
B.6.2.1	Processing Instructions	79
B.6.2.2	Entities with Entity References	79
B.6.2.3	External Entities	79
B.6.2.4	Public Entities	80
B.7	Characters	80

15.6	System Declaration	57
15.6.1	Concrete Syntaxes Supported	57
15.6.1.1	Concrete Syntax Changes	57
15.6.1.2	Character Set Translation	57
15.6.2	Validation Services	58

## Annexes

<b>A</b>	<b>Introduction to Generalized Markup</b>	<b>59</b>
A.1	The Markup Process	59
A.2	Descriptive Markup	60
A.3	Rigorous Markup	62
A.4	Conclusion	64
A.5	Acknowledgments	65
A.6	Bibliography	65
<b>B</b>	<b>Basic Concepts</b>	<b>66</b>
B.1	Documents, Document Type Definitions, and Procedures	66
B.1.1	Documents	66
B.1.2	Document Type Definitions	66
B.1.3	Procedures	67
B.2	Markup	67
B.3	Distinguishing Markup from Text	68
B.3.1	Descriptive Markup Tags	68
B.3.2	Other Markup	69
B.3.3	Record Boundaries	69
B.3.3.1	Record Boundaries in Data	70
B.3.3.2	Record Boundaries in Markup	70
B.4	Document Structure	70
B.4.1	Document Type Definitions	70
B.4.2	Element Declarations	71
B.4.2.1	Content Models	71
B.4.2.2	Connectors and Occurrence Indicators	71
B.4.2.3	Entity References in Models	72
B.4.2.4	Name Groups	72
B.4.2.5	Data Characters	73
B.4.2.6	Empty Content	73
B.4.2.7	Non-SGML Data	73
B.4.2.8	Summary of Model Delimiters	74
B.5	Attributes	74
B.5.1	Specifying Attributes	74
B.5.1.1	Names	74
B.5.1.2	Attribute Values	75
B.5.2	Declaring Attributes	75
B.5.2.1	Attribute Definition Syntax	75
B.5.2.2	Complex Attribute Values	76
B.5.2.3	Name Token Groups	77
B.5.2.4	Changing Default Values	77
B.6	Entities	78
B.6.1	Entity Reference Syntax	78
B.6.2	Declaring Entities	78
B.6.2.1	Processing Instructions	79
B.6.2.2	Entities with Entity References	79
B.6.2.3	External Entities	79
B.6.2.4	Public Entities	80
B.7	Characters	80

<b>B.7.1</b>	Character Classification	80
<b>B.7.2</b>	Character References	81
<b>B.7.3</b>	Using Delimiter Characters as Data	82
<b>B.8</b>	Marked Sections	83
<b>B.8.1</b>	Ignoring a Marked Section	83
<b>B.8.2</b>	Versions of a Single Document	84
<b>B.8.3</b>	Unparsable Sections	84
<b>B.8.4</b>	Temporary Sections	85
<b>B.8.5</b>	Keyword Specification	85
<b>B.8.6</b>	Defining a Marked Section as an Entity	85
<b>B.9</b>	Unique Identifier Attributes	86
<b>B.10</b>	Content Reference Attributes	86
<b>B.11</b>	Content Model Exceptions	87
<b>B.11.1</b>	Included Elements	87
<b>B.11.2</b>	Excluded Elements	87
<b>B.12</b>	Document Type Declaration	88
<b>B.13</b>	Data Content	88
<b>B.13.1</b>	Data Content Representations	89
<b>B.13.1.1</b>	Character Data (PCDATA, CDATA, and RCDATA)	89
<b>B.13.1.2</b>	Non-SGML Data (NDATA)	89
<b>B.13.2</b>	Data Content Notations	90
<b>B.13.2.1</b>	Notations for Character Data	90
<b>B.13.2.2</b>	Notations for Non-SGML Data	91
<b>B.13.2.3</b>	Specifying Data Content Notations	91
<b>B.14</b>	Customizing	92
<b>B.14.1</b>	The SGML Declaration	92
<b>B.14.1.1</b>	Optional Features	92
<b>B.14.1.2</b>	Variant Concrete Syntax	92
<b>B.14.2</b>	Impact of Customization	92
<b>B.15</b>	Conformance	93
<b>C</b>	<b>Additional Concepts</b>	<b>94</b>
<b>C.1</b>	Markup Minimization Features	94
<b>C.1.1</b>	SHORTTAG: Tags With Omitted Markup	94
<b>C.1.1.1</b>	Unclosed Short Tags	95
<b>C.1.1.2</b>	Empty Tags	95
<b>C.1.1.3</b>	Attribute Minimization	95
<b>C.1.2</b>	OMITTAG: Tags May be Omitted	96
<b>C.1.2.1</b>	Tag Omission Concepts	97
<b>C.1.2.2</b>	Specifying Minimization	97
<b>C.1.2.3</b>	End-tag Omission: Intruding Start-tag	98
<b>C.1.2.4</b>	End-tag Omission: End-tag of Containing Element	98
<b>C.1.2.5</b>	Start-tag Omission: Contextually Required Element	99
<b>C.1.2.6</b>	Combination with Short Tag Minimization	99
<b>C.1.2.7</b>	Markup Minimization Considerations	99
<b>C.1.3</b>	SHORTREF: Short Reference Delimiters May Replace Complete Entity References	100
<b>C.1.3.1</b>	Typewriter Keyboarding: Generalized WYSIWYG	100
<b>C.1.3.2</b>	Typewriter Keyboarding Example: Defining a Short Reference Map	100
<b>C.1.3.3</b>	Typewriter Keyboarding Example: Activating a Short Reference Map	101
<b>C.1.3.4</b>	Tabular Matter Example	102
<b>C.1.3.5</b>	Special Requirements	103
<b>C.1.4</b>	DATATAG: Data May Also be a Tag	103
<b>C.1.5</b>	RANK: Ranks May be Omitted from Tags	106
<b>C.2</b>	LINK Features: SIMPLE, IMPLICIT, and EXPLICIT	107
<b>C.2.1</b>	Link Process Definitions	108
<b>C.3</b>	Other Features	108

C.3.1	CONCUR: Document Instances May Occur Concurrently	108
C.3.2	SUBDOC: Nested Subdocument Entities May Occur	109
C.3.3	FORMAL: Public Identifiers are Formal	109
<b>D</b>	<b>Public Text</b>	<b>110</b>
D.1	Element Sets	110
D.1.1	Common Element Types	110
D.1.2	Pro Forma Element Types	110
D.2	Data Content Notations	110
D.3	Variant Concrete Syntaxes	111
D.3.1	Multicode Concrete Syntaxes	111
D.4	Entity Sets	111
D.4.1	General Considerations	112
D.4.1.1	Format of Declarations	112
D.4.1.2	Corresponding Display Entity Sets	113
D.4.1.3	Entity Names	113
D.4.1.4	Organization of Entity Sets	114
D.4.2	Alphabetic Characters	114
D.4.2.1	Latin	114
D.4.2.2	Greek Alphabetic Characters	117
D.4.2.3	Cyrillic Alphabetic Characters	119
D.4.3	General Use	121
D.4.3.1	Numeric and Special Graphic Characters	121
D.4.3.2	Diacritical Mark Characters	123
D.4.3.3	Publishing Characters	123
D.4.3.4	Box and Line Drawing Characters	125
D.4.4	Technical Use	126
D.4.4.1	General	126
D.4.4.2	Greek Symbols	128
D.4.4.3	Alternative Greek Symbols	129
D.4.5	Additional Mathematical Symbols	130
D.4.5.1	Ordinary Symbols	130
D.4.5.2	Binary and Large Operators	130
D.4.5.3	Relations	131
D.4.5.4	Negated Relations	133
D.4.5.5	Arrow Relations	134
D.4.5.6	Opening and Closing Delimiters	135
<b>E</b>	<b>Application Examples</b>	<b>136</b>
E.1	Document Type Definition	136
E.2	Computer Graphics Metafile	140
E.3	Device-Independent Code Extension	140
E.3.1	Code Extension Facilities	140
E.3.1.1	Avoiding False Delimiter Recognition	141
E.3.1.2	Eliminating Device and Code Dependencies	143
<b>F</b>	<b>Implementation Considerations</b>	<b>145</b>
F.1	A Model of SGML Parsing	145
F.1.1	Physical Input	145
F.1.1.1	Entities	145
F.1.1.2	Record Boundaries	145
F.1.2	Recognition Modes	145
F.1.3	Markup Minimization	146
F.1.4	Translation	147
F.1.5	Command Language Analogy	147

F.2	Initialization .....	147
F.2.1	Initial Procedure Mapping .....	147
F.2.2	Link Process Specification .....	147
F.2.3	Concurrent Document Instances .....	147
F.3	Dynamic Procedure Mapping .....	148
F.4	Error Handling .....	148
<b>G</b>	<b>Conformance Classification and Certification .....</b>	<b>149</b>
G.1	Classification Code .....	149
G.1.1	Feature Code .....	149
G.1.2	Validation Code .....	150
G.1.3	Syntax Code .....	151
G.2	Certification Considerations .....	151
<b>H</b>	<b>Theoretical Basis for the SGML Content Model .....</b>	<b>152</b>
H.1	Model Group Notation .....	152
H.2	Application of Automata Theory .....	152
H.3	Divergence from Automata Theory .....	153
<b>I</b>	<b>Nonconforming Variations .....</b>	<b>154</b>
I.1	Fixed-length Generic Identifiers .....	154
I.2	Single Delimiter .....	154

## Figures

1	Character Classes: Abstract Syntax .....	29
2	Character Classes: Concrete Syntax .....	30
3	Reference Delimiter Set: General .....	31
4	Reference Delimiter Set: Short References .....	33
5	Reference Capacity Set .....	49
6	Reference Quantity Set .....	52
7	Reference Concrete Syntax .....	54
8	Typical SGML Declaration for Basic SGML Document .....	55
9	Element Markup .....	69
10	Start-tag with 2 Attributes .....	75
11	Multicode Basic Concrete Syntax .....	112
12	Graphics Metafile Attributes (1 of 2): Encoding and View .....	141
13	Graphics Metafile Attributes (2 of 2): Size and Rotation .....	142
14	Function Characters for Device-Independent Multicode Concrete Syntaxes .....	143
15	FSV Conformance Classification .....	150