ISO/IEC 17342:2004-07 (E)

Information technology - 80 mm (1,46 Gbytes per side) and 120 mm (4,70 Gbytes per side) DVD re-recordable disk (DVD-RW)

Contents

Page

Foreword vii

Section 1 - General 1

1 Scope 1

2 Conformance 1
2.1 Optical Disk 1
2.2 Generating system 1
2.3 Receiving system 2

3 Normative references 2

4 Terms and definitions 2

5 Conventions and notations 4
5.1 Representation of numbers 4
5.2 Names 5

6 Acronyms 5

7 General description of the disk 6

8 General requirement 7
8.1 Environments 7
8.1.1 Test environment 7
8.1.2 Operating environment 7
8.1.3 Storage environment 7
8.1.4 Transportation 8
8.2 Safety requirements 8
8.3 Flammability 8

9 Reference measurement devices 8
9.1 Pick-Up Head (PUH) 8
9.1.1 PUH for measuring recorded disks 8
9.1.2 PUH for measuring unrecorded disks 9
9.2 Measurement conditions 11
9.2.1 Recorded and unrecorded disk 11
9.2.2 Recorded disk 11
9.2.3 Unrecorded disk 11
9.3 Normalized servo transfer function 11
9.4 Reference servo for axial tracking 11
9.5 Reference servo for radial tracking 12

Section 2 - Dimensional, mechanical and physical characteristics of the disk 13

10 Dimensional characteristics (figures 6, 7 and 8) 13
10.1 Overall dimensions (figure 6) 15
10.2 First transition area (figure 6) 15
10.3 Second transition area (figure 6) 15
10.4 Clamping Zone (figure 6) 16

10.5 Third transition area (figure 6) 16
10.6 R-Information Zone (figure 6) 16
10.6.1 Sub-divisions of the R-Information Zone 16
10.7 Information Zone (figure 6) 16
10.7.1 Sub-divisions of the Information zone 16
10.8 Track geometry 17
10.9 Channel bit length 17
10.10 Rim area (figure 7) 17
10.11 Remark on tolerances 18
10.12 Label 18

11 Mechanical parameters 18
11.1 Mass 18
11.2 Moment of inertia 18
11.3 Dynamic imbalance 18
11.4 Sense of rotation 19
11.5 Runout 19
11.5.1 Axial runout 19
11.5.2 Radial runout 19

12 Optical parameters 19
12.1 Recorded and unrecorded disk parameters 19
12.1.1 Index of refraction 19
12.1.2 Thickness of the transparent substrate 19
12.1.3 Angular deviation 20
12.1.4 Birefringence of the transparent substrate 20
12.2 Recorded disk reflectivity 20
12.3 Unrecorded disk parameters 21
12.3.1 Polarity of reflectivity modulation 21
12.3.2 Recording power sensitivity variation 21

Section 3 - Operational signals 21

13 Operational signals for recorded disk 21
13.1 Measurement conditions 21
13.2 Read conditions 21
13.3 Recorded disk high frequency (HF) signals 21
13.3.1 Modulated amplitude (figure 10) 21
13.3.2 Signal asymmetry 22
13.3.3 Cross-track signal 22
13.4 Quality of signals 22
13.4.1 Jitter 22
13.4.2 Random errors 22
13.4.3 Defects 22
13.5 Servo signals 23
13.5.1 Differential phase tracking error signal 23
13.5.2 Tangential push-pull signal 23
13.6 Groove wobble signal 25

14 Operational signals for the unrecorded disk 26
14.1 Measurement conditions 26
14.2 Recording conditions 26
14.3 Basic write strategy for media testing 26
14.4 Servo signals 27
14.4.1 Radial push-pull tracking error signal 27
14.4.2 Defects 28
14.5 Addressing signals 28
14.5.1 Land Pre-Pit signal 29
14.5.2 Groove wobble signal 30
14.5.3 Relation in phase between wobble and Land Pre-Pit 31

15 Operational signals for Embossed Zone 32

15.1 Operational signals from the Control data blocks 32
15.1.1 Measurement conditions 32
15.1.2 Read conditions 32
15.1.3 High frequency (HF) signals 32
15.1.4 Quality of signals 32
15.1.5 Servo signals 32
15.1.6 Groove wobble signal 33
15.2 Operational signals from the Servo Blocks 33
15.2.1 Measurement conditions 33
15.2.2 Read conditions 33
15.2.3 Servo signals 34
15.2.4 Addressing signals 34

Section 4 - Data format 35

16 General 35

17 Data Frames (figure 23) 35
17.1 Identification Data (ID) 36
17.2 ID Error Detection Code 36
17.3 RSV 37
17.4 Error Detection Code 37

18 Scrambled Frames 37

19 ECC Block configuration 38

20 Recording Frames 40

21 Modulation 41

22 Physical Sectors 41

23 Suppress control of the d.c. component 43

24 Linking scheme 44
24.1 Structure of linking 44
24.2 2K-Link and 32K-Link 44
24.3 Lossless-Link 45

Section 5 - Format of the Information Zone 47

25 General description of the Information Zone 47
25.1 Layout of the Information Zone 47
25.2 Physical Sector numbering 47

26 Lead-in and Lead-out Zone 48
26.1 Lead-in Zone 48
26.1.1 Initial Zone 49
26.1.2 Buffer Zone 0 49
26.1.3 RW-Physical Format Information Zone 49
26.1.4 Reference Code Zone 52
26.1.5 Buffer Zone 1 52
26.1.6 Control Data Zone 52
26.1.7 Extra Border Zone 56
26.2 Lead-out Zone 57

Section 6 - Format of the Unrecorded Zone 57

27 General description of the Unrecorded Zone 57
27.1 Layout of the Unrecorded Zone 57
27.2 ECC Block address 57

27.3 ECC Block numbering 58

28 Pre-pit Data format 58
28.1 General description 58
28.2 Pre-pit block structure 60
28.3 Pre-pit data block configuration 62
28.3.1 Relative address 63
28.3.2 ECC Block address data configuration 64
28.3.3 Parity A and Parity B 64
28.3.4 Field ID0 65
28.3.5 Field ID1 65
28.3.6 Field ID2 and ID5 67
28.3.7 Field ID3 and Field ID4 74

29 Data structure of R-Information Zone 75
29.1 Layout of Power Calibration Area and Recording Management Area 75
29.2 Structure of the Power Calibration Area 75
29.3 Data configuration of the Recording Management Area (RMA) 76
29.3.1 Sector format of the Recording Management Area (figure 62) 76
29.3.2 The data structure of RMA 78
29.3.3 Recording Management Data (RMD) 79

Annex A (normative) Measurement of the angular deviation 96

Annex B (normative) Measurement of birefringence 98

Annex C (normative) Measurement of the differential phase tracking error 101

Annex D (normative) Measurement of light reflectance 105

Annex E (normative) Tapered cone for disk clamping 107

Annex F (normative) Measurement of jitter 108

Annex G (normative) 8-to-16 Modulation with RLL (2,10) requirements 111

Annex H (normative) Optimum Power Control 121

Annex J (normative) Measurement of the groove wobble amplitude 124

Annex K (normative) Measurement methods for the operational signals for an unrecorded disk 126

Annex L (normative) NBCA Code 127

Annex M (normative) Border Zone 133

Annex N (normative) Write Strategy Options 143

Annex P (normative) Measurement method of the Land Pre-Pit signal 145

Annex Q (informative) Transportation 146

Annex R (informative) Erase operation and Format operation 147