

CONTENTS

	<i>Page</i>
1 Scope	1
2 References	1
2.1 Identical Recommendations International Standards	1
2.2 Additional references	1
3 Definitions	2
4 Abbreviations and symbols	6
4.1 Abbreviations	6
4.2 Symbols	7
5 General description	8
5.1 Purpose	8
5.2 Codestream	8
5.3 Coding principles	8
6 Encoder requirements	10
7 Decoder requirements	10
7.1 Codestream syntax requirements	10
7.2 Optional file format requirements	11
8 Implementation requirements	11
Annex A – Codestream syntax	12
A.1 Markers, marker segments, and headers	12
A.2 Information in the marker segments	14
A.3 Construction of the codestream	15
A.4 Delimiting markers and marker segments	19
A.5 Fixed information marker segment	20
A.6 Functional marker segments	22
A.7 Pointer marker segments	32
A.8 In-bit-stream marker and marker segments	38
A.9 Informational marker segments	39
A.10 Codestream restrictions conforming to this Recommendation International Standard	40
Annex B – Image and compressed image data ordering	42
B.1 Introduction to image data structure concepts	42
B.2 Component mapping to the reference grid	42
B.3 Image area division into tiles and tile-components	44
B.4 Example of the mapping of components to the reference grid (informative)	45
B.5 Transformed tile-component division into resolution levels and sub-bands	48
B.6 Division of resolution levels into precincts	49
B.7 Division of the sub-bands into code-blocks	50
B.8 Layers	51
B.9 Packets	52
B.10 Packet header information coding	54
B.11 Tile and tile-parts	59
B.12 Progression order	59
Annex C – Arithmetic entropy coding	64
C.1 Binary encoding (informative)	64
C.2 Description of the arithmetic encoder (informative)	65
C.3 Arithmetic decoding procedure	76

	<i>Page</i>
Annex D – Coefficient bit modeling.....	84
D.1 Code-block scan pattern within code-blocks.....	84
D.2 Coefficient bits and significance.....	84
D.3 Decoding passes over the bit-planes.....	85
D.4 Initializing and terminating.....	89
D.5 Error resilience segmentation symbol.....	90
D.6 Selective arithmetic coding bypass.....	90
D.7 Vertically causal context formation.....	92
D.8 Flow diagram of the code-block coding.....	92
Annex E – Quantization.....	95
E.1 Inverse quantization procedure.....	95
E.2 Scalar coefficient quantization (informative).....	97
Annex F – Discrete wavelet transformation of tile-components.....	98
F.1 Tile-component parameters.....	98
F.2 Discrete wavelet transformations.....	98
F.3 Inverse discrete wavelet transformation.....	98
F.4 Forward transformation (informative).....	110
Annex G – DC level shifting and multiple component transformations.....	120
G.1 DC level shifting of tile-components.....	120
G.2 Reversible multiple component transformation (RCT).....	121
G.3 Irreversible multiple component transformation (ICT).....	121
G.4 Chrominance component sub-sampling and the reference grid.....	122
Annex H – Coding of images with regions of interest.....	123
H.1 Decoding of ROI.....	123
H.2 Description of the Maxshift method.....	123
H.3 Remarks on region of interest coding (informative).....	124
Annex I – JP2 file format syntax.....	127
I.1 File format scope.....	127
I.2 Introduction to the JP2 file format.....	127
I.3 Greyscale/Colour/Palettized/multi-component specification architecture.....	129
I.4 Box definition.....	131
I.5 Defined boxes.....	133
I.6 Adding intellectual property rights information in JP2.....	148
I.7 Adding vendor-specific information to the JP2 file format.....	148
I.8 Dealing with unknown boxes.....	150
Annex J – Examples and guidelines.....	151
J.1 Software conventions adaptive entropy decoder.....	151
J.2 Selection of quantization step sizes for irreversible transformations.....	153
J.3 Filter impulse responses corresponding to lifting-based irreversible filtering procedures.....	153
J.4 Example of discrete wavelet transformation.....	154
J.5 Row-based wavelet transform.....	158
J.6 Scan-based coding.....	167
J.7 Error resilience.....	167
J.8 Compatibility requirement with JFIF/SPIFF files.....	168
J.9 Implementing the Restricted ICC method outside of a full ICC colour management engine.....	168
J.10 An example of the interpretation of multiple components.....	173
J.11 An example of decoding showing intermediate steps.....	173
J.12 Visual frequency weighting.....	177
J.13 Encoder sub-sampling of components.....	179
J.14 Rate control.....	180
J.15 Guidelines on handling YCC codestream.....	184

	<i>Page</i>
Annex K – Bibliography.....	186
K.1 General.....	186
K.2 Quantization and entropy coding.....	186
K.3 Wavelet transformation.....	186
K.4 Region of interest coding.....	187
K.5 Visual frequency weighting.....	187
K.6 Error resilience.....	187
K.7 Scan-based coding.....	188
K.8 Colour.....	188
Annex L – Patent statement.....	189
Index.....	190

LIST OF FIGURES

	<i>Page</i>
Figure 5-1 – Specification block diagram.....	9
Figure A.1 – Example of the marker segment description figures.....	13
Figure A.2 – Construction of the codestream	16
Figure A.3 – Construction of the main header.....	17
Figure A.4 – Construction of the first tile-part header of a given tile.....	18
Figure A.5 – Construction of a non-first tile-part header.....	18
Figure A.6 – Start of tile-part syntax	19
Figure A.7 – Image and tile size syntax.....	21
Figure A.8 – Coding style default syntax	23
Figure A.9 – Coding style parameter diagram of the SGcod and SPcod parameters.....	24
Figure A.10 – Coding style component syntax.....	26
Figure A.11 – Coding style parameter diagram of the SPcoc parameters	27
Figure A.12 – Region-of-interest syntax	27
Figure A.13 – Quantization default syntax	28
Figure A.14 – Quantization component syntax	30
Figure A.15 – Progression order change tile syntax	31
Figure A.16 – Tile-part lengths.....	32
Figure A.17 – Tile part length syntax	33
Figure A.18 – Packets length, main header syntax	34
Figure A.19 – Packet length, tile-part header syntax.....	35
Figure A.20 – Packed packet headers, main header syntax	36
Figure A.21 – Packed packed headers, tile-part header syntax.....	37
Figure A.22 – Start of packet syntax	38
Figure A.23 – Component registration syntax	39
Figure A.24 – Comment syntax.....	40
Figure B.1 – Reference grid diagram.....	43
Figure B.2 – Component sample locations on the reference grid for different XRsiz and YRsiz values	43
Figure B.3 – Example of upper left component sample locations	44
Figure B.4 – Tiling of the reference grid diagram	44
Figure B.5 – Reference grid example	46
Figure B.6 – Example tile sizes and locations for component 0.....	47
Figure B.7 – Example tile sizes and locations for component 1	48
Figure B.8 – Precincts of one reduced resolution	49

	<i>Page</i>
Figure B.9 – Code-blocks and precincts in sub-band b from four different tiles.....	51
Figure B.10 – Diagram of precincts of one resolution level of one component	52
Figure B.11 – Diagram of code-blocks within precincts at one resolution level	53
Figure B.12 – Example of a tag tree representation.....	54
Figure B.13 – Example of the information known to the encoder.....	57
Figure B.14 – Example of progression order volume in two dimensions.....	62
Figure B.15 – Example of the placement of POC marker segments.....	63
Figure C.1 – Arithmetic encoder inputs and outputs	64
Figure C.2 – Encoder for the MQ-coder.....	66
Figure C.3 – ENCODE procedure	67
Figure C.4 – CODE1 procedure	67
Figure C.5 – CODE0 procedure	68
Figure C.6 – CODELPS procedure with conditional MPS/LPS exchange.....	69
Figure C.7 – CODEMPS procedure with conditional MPS/LPS exchange.....	71
Figure C.8 – Encoder renormalization procedure.....	72
Figure C.9 – BYTEOUT procedure for encoder.....	73
Figure C.10 – Initialization of the encoder	74
Figure C.11 – FLUSH procedure.....	75
Figure C.12 – Setting the final bits in the C register.....	76
Figure C.13 – Arithmetic decoder inputs and outputs	76
Figure C.14 – Decoder for the MQ-coder.....	77
Figure C.15 – Decoding an MPS or an LPS	78
Figure C.16 – Decoder MPS path conditional exchange procedure	79
Figure C.17 – Decoder LPS path conditional exchange procedure	80
Figure C.18 – Decoder renormalization procedure.....	81
Figure C.19 – BYTEIN procedure for decoder.....	82
Figure C.20 – Initialization of the decoder	83
Figure D.1 – Example scan pattern of a code-block bit-plane.....	84
Figure D.2 – Neighbors states used to form the context.....	85
Figure D.3 – Flow chart for all coding passes on a code-block bit-plane.....	93
Figure F.1 – Inputs and outputs of the IDWT procedure.....	98
Figure F.2 – The IDWT ($N_L = 2$).....	99
Figure F.3 – The IDWT procedure	100
Figure F.4 – Inputs and outputs of the 2D_SR procedure.....	100
Figure F.5 – One level of reconstruction from four sub-bands (2D_SR procedure) into sub-bands	100
Figure F.6 – The 2D_SR procedure.....	101
Figure F.7 – Parameters of 2D_INTERLEAVE procedure	101
Figure F.8 – The 2D_INTERLEAVE procedure.....	102

	<i>Page</i>
Figure F.9 – Inputs and outputs of the HOR_SR procedure	103
Figure F.10 – The HOR_SR procedure	104
Figure F.11 – Inputs and outputs of the VER_SR procedure	105
Figure F.12 – The VER_SR procedure.....	105
Figure F.13 – Parameters of the 1D_SR procedure	106
Figure F.14 – The 1D_SR procedure.....	106
Figure F.15 – Periodic symmetric extension of signal.....	106
Figure F.16 – Parameters of the ID_FILTR procedure.....	107
Figure F.17 – Inputs and outputs of the FDWT procedure	110
Figure F.18 – The FDWT ($N_L = 2$).....	110
Figure F.19 – The FDWT procedure	111
Figure F.20 – Inputs and outputs of the 2D_SD procedure	111
Figure F.21 – One-level decomposition into four sub-bands (2D_SD procedure)	112
Figure F.22 – The 2D_SD procedure.....	112
Figure F.23 – Inputs and outputs of the VER_SD procedure	112
Figure F.24 – The VER_SD procedure.....	113
Figure F.25 – Inputs and outputs of the HOR_SD procedure.....	114
Figure F.26 – The HOR_SD procedure	114
Figure F.27 – Parameters of 2D_DEINTERLEAVE procedure.....	115
Figure F.28 – The 2D_DEINTERLEAVE procedure.....	116
Figure F.29 – Parameters of the 1D_SD procedure.....	117
Figure F.30 – The 1D_SD procedure.....	117
Figure F.31 – Parameters of the 1D_FILTD procedure.....	118
Figure G.1 – Placement of the DC level shifting with component transformation.....	120
Figure G.2 – Placement of the DC level shifting without component transformation.....	120
Figure H.1 – The inverse wavelet transformation with the 5-3 reversible filter	125
Figure H.2 – The inverse wavelet transformation with the 9-7 irreversible filter.....	125
Figure I.1 – Conceptual structure of a JP2 file	128
Figure I.2 – Example of the box description figures.....	131
Figure I.3 – Example of the superbox description figures.....	131
Figure I.4 – Organization of a box.....	131
Figure I.5 – Illustration of box lengths	132
Figure I.6 – Organization of the contents of a File Type box	134
Figure I.7 – Organization of the contents of a JP2 Header box	135
Figure I.8 – Organization of the contents of an Image Header box	136
Figure I.9 – Organization of the contents of a Bits Per Component box	137
Figure I.10 – Organization of the contents of a Colour Specification box	138
Figure I.11 – Organization of the contents of the Palette box	140

	<i>Page</i>
Figure I.12 – Organization of the contents of a Component Mapping box.....	141
Figure I.13 – Organization of the contents of a Channel Definition box.....	142
Figure I.14 – Organization of the contents of the Resolution box.....	145
Figure I.15 – Organization of the contents of the Capture Resolution box.....	145
Figure I.16 – Organization of the contents of the Default Display Resolution box.....	146
Figure I.17 – Organization of the contents of the Contiguous Codestream box.....	147
Figure I.18 – Organization of the contents of the XML box.....	148
Figure I.19 – Organization of the contents of the UUID box.....	148
Figure I.20 – Organization of the contents of a UUID Info box.....	149
Figure I.21 – Organization of the contents of a UUID List box.....	149
Figure I.22 – Organization of the contents of a Data Entry URL box.....	150
Figure J.1 – Initialization of the software-conventions decoder.....	151
Figure J.2 – Decoding an MPS or an LPS in the software-conventions decoder.....	152
Figure J.3 – Inserting a new byte into the C register in the software-conventions decoder.....	152
Figure J.4 – The FDWT_ROW procedure.....	159
Figure J.5 – The GET_ROW procedure.....	160
Figure J.6 – The INIT procedure.....	161
Figure J.7 – The START_VERT procedure.....	162
Figure J.8 – The RB_VERT_1 procedure.....	163
Figure J.9 – The RB_VERT_2 procedure.....	164
Figure J.10 – The END_1 procedure.....	165
Figure J.11 – The END_2 procedure.....	166
Figure J.12 – Illustration of code-block contributions to bit-stream layers.....	181
Figure J.13 – 4:2:2 format (co-sited).....	184
Figure J.14 – 4:2:2 format (centered).....	184
Figure J.15 – 4:2:0 format (co-sited).....	185
Figure J.16 – 4:2:0 format (centered).....	185

LIST OF TABLES

	<i>Page</i>
Table A.1 – Marker definitions.....	13
Table A.2 – List of markers and marker segments	14
Table A.3 – Information in the marker segments	15
Table A.4 – Start of codestream parameter values	19
Table A.5 – Start of tile-part parameter values	20
Table A.6 – Number of tile-parts, TNsot, parameter value	20
Table A.7 – Start of data parameter values	20
Table A.8 – End of codestream parameter values	20
Table A.9 – Image and tile size parameter values	22
Table A.10 – Capability Rsiz parameter.....	22
Table A.11 – Component Ssiz parameter	22
Table A.12 – Coding style default parameter values	23
Table A.13 – Coding style parameter values for the Scod parameter	24
Table A.14 – Coding style parameter values of the SGcod parameter	24
Table A.15 – Coding style parameter values of the SPcod and SPcoc parameters.....	24
Table A.16 – Progression order for the SGcod, SPcoc, and Ppoc parameters.....	25
Table A.17 – Multiple component transformation for the SGcod parameters.....	25
Table A.18 – Width or height exponent of the code-blocks for the SPcod and SPcoc parameters.....	25
Table A.19 – Code-block style for the SPcod and SPcoc parameters.....	25
Table A.20 – Transformation for the SPcod and SPcoc parameters.....	26
Table A.21 – Precinct width and height for the SPcod and SPcoc parameters.....	26
Table A.22 – Coding style component parameter values	27
Table A.23 – Coding style parameter values for the Scoc parameter	27
Table A.24 – Region-of-interest parameter values	28
Table A.25 – Region-of-interest parameter values for the Srgn parameter	28
Table A.26 – Region-of-interest values from SPRgn parameter (Srgn = 0)	28
Table A.27 – Quantization default parameter values.....	29
Table A.28 – Quantization default values for the Sqcd and Sqcc parameters	29
Table A.29 – Reversible step size values for the SPqcd and SPqcc parameters (reversible transform only)	29
Table A.30 – Quantization values for the SPqcd and SPqcc parameters (irreversible transformation only).....	30
Table A.31 – Quantization component parameter values	31
Table A.32 – Progression order change, tile parameter values.....	32
Table A.33 – Tile-part length parameter values	33

	<i>Page</i>
Table A.34 – Size parameters for Stlm.....	34
Table A.35 – Packets length, main header parameter values.....	35
Table A.36 – Iplm, Iplt list of packet lengths	35
Table A.37 – Packet length, tile-part headers parameter values	36
Table A.38 – Packed packet headers, main header parameter values.....	37
Table A.39 – Packet header, tile-part headers parameter values	37
Table A.40 – Start of packet parameter values	38
Table A.41 – End of packet header parameter values.....	39
Table A.42 – Component registration parameter values.....	39
Table A.43 – Comment parameter values.....	40
Table A.44 – Registration values for the Rcom parameter.....	40
Table A.45 – Codestream restrictions.....	41
Table B.1 – Quantities (x_{o_b}, y_{o_b}) for sub-band b	49
Table B.2 – Example of layer formation (only one component shown).....	52
Table B.3 – Example of packet formation.....	53
Table B.4 – Codewords for the number of coding passes for each code-block.....	56
Table B.5 – Example packet header bit stream.....	58
Table C.1 – Encoder register structures.....	66
Table C.2 – Q_e values and probability estimation.....	69
Table C.2 – Q_e values and probability estimation (<i>concluded</i>).....	70
Table C.3 – Decoder register structures.....	77
Table D.1 – Contexts for the significance propagation and cleanup coding passes.....	86
Table D.2 – Contributions of the vertical (and the horizontal) neighbors to the sign context	86
Table D.3 – Sign contexts from the vertical and horizontal contributions	87
Table D.4 – Contexts for the magnitude refinement coding passes.....	87
Table D.5 – Run-length decoder for cleanup passes.....	88
Table D.6 – Example of sub-bit-plane coding order and significance propagation.....	88
Table D.7 – Initial states for all contexts	89
Table D.8 – Arithmetic coder termination patterns	89
Table D.9 – Selective arithmetic coding bypass	91
Table D.10 – Decisions in the context model flow chart.....	94
Table D.11 – Decoding in the context model flow chart.....	94
Table E.1 – Sub-band gains	96
Table F.1 – Decomposition level n_b for sub-band b	99
Table F.2 – Extension to the left.....	107
Table F.3 – Extension to the right.....	107
Table F.4 – Definition of lifting parameters for the 9-7 irreversible filter.....	109
Table F.5 – Definition of coefficients g_n	109

Table F.6 – Intermediate expressions (r_0, r_1, s_0, t_0).....	109
Table F.7 – Intermediate expressions	110
Table F.8 – Extension to the left.....	117
Table F.9 – Extension to the right.....	118
Table I.1 – Binary structure of a box	132
Table I.2 – Defined boxes.....	133
Table I.3 – Legal Brand values.....	134
Table I.4 – Format of the contents of the File Type box.....	135
Table I.5 – Format of the contents of the Image Header box	137
Table I.6 – BPC values	137
Table I.7 – Format of the contents of the Bits Per Component box.....	138
Table I.8 – BPC ⁱ values	138
Table I.9 – Legal METH values	139
Table I.10 – Legal EnumCS values	139
Table I.11 – Format of the contents of the Colour Specification box.....	140
Table I.12 – Format of the contents of the Palette box	141
Table I.13 – B ⁱ values	141
Table I.14 – MTYP ⁱ field values.....	142
Table I.15 – Format of the contents of the Component Mapping box	142
Table I.16 – Typ ⁱ field values	143
Table I.17 – Assoc ⁱ field values	143
Table I.18 – Colours indicated by the Assoc ⁱ field.....	144
Table I.19 – Format of the Channel Definition box.....	145
Table I.20 – Format of the contents of the Capture Resolution box	146
Table I.21 – Format of the contents of the Default Display Resolution box	147
Table I.22 – Format of the contents of the Contiguous Codestream box.....	147
Table I.23 – Format of the contents of a UUID box.....	149
Table I.24 – UUID List box contents data structure values.....	149
Table I.25 – Data Entry URL box contents data structure values.....	150
Table J.1 – Definition of impulse responses for the 9-7 irreversible analysis filter bank.....	153
Table J.2 – Definition of impulse responses for the 9-7 irreversible synthesis filter band	154
Table J.3 – Source tile component samples	154
Table J.4 – 2LL sub-band coefficients (9-7 irreversible wavelet transformation).....	155
Table J.5 – 2HL sub-band coefficients (9-7 irreversible wavelet transformation).....	155
Table J.6 – 2LH sub-band coefficients (9-7 irreversible wavelet transformation).....	155
Table J.7 – 2HH sub-band coefficients (9-7 irreversible wavelet transformation)	155
Table J.8 – 1HL sub-band coefficients (9-7 irreversible wavelet transformation).....	155
Table J.9 – 1LH sub-band coefficients (9-7 irreversible wavelet transformation).....	156

	<i>Page</i>
Table J.10 – 1HH sub-band coefficients (9-7 irreversible wavelet transformation)	156
Table J.11 – 2LL sub-band coefficients (5-3 reversible wavelet transformation)	156
Table J.12 – 2HL sub-band coefficients (5-3 reversible wavelet transformation)	156
Table J.13 – 2LH sub-band coefficient (5-3 reversible wavelet transformation)	157
Table J.14 – 2HH sub-band coefficients (5-3 reversible wavelet transformation)	157
Table J.15 – 1HL sub-band coefficients (5-3 reversible wavelet transformation)	157
Table J.16 – 1LH sub-band coefficients (5-3 reversible wavelet transformation)	157
Table J.17 – 1HH sub-band coefficients (5-3 reversible wavelet transformation)	158
Table J.18 – Error resilience tools	167
Table J.19 – Processing tags used by a Restricted ICC profile	169
Table J.20 – Decoding first packet header	175
Table J.21 – Decoding second packet header	175
Table J.22 – Arithmetic decode of first code-block	176
Table J.23 – Arithmetic decode of second code-block	177
Table J.24 – Recommended frequency weighting	179
Table J.25 – Recommended frequency weighting for multiple component (colour) images	179
Table J.26 – CRG (Component registration) values	185
Table L.1 – Received intellectual property rights statements	189