

# ISO/IEC 23290:2004-10 (E)

## Information technology - Telecommunications and information exchange between systems - Private Integrated Services Network (PISN) - Mapping functions for the tunnelling of QSIG through H.323 networks

---

<b>Contents</b>		<b>Page</b>
Foreword .....		iv
Introduction .....		v
1	Scope .....	1
2	Conformance .....	1
3	Normative references .....	1
4	Terms and definitions .....	2
4.1	External definitions .....	2
4.2	Other definitions .....	2
4.2.1	Call .....	2
4.2.2	Channel .....	3
4.2.3	Inter-PINX Connection (IPC) .....	3
4.2.4	Inter-PINX Link (IPL) .....	3
4.2.5	PINX roles .....	3
5	List of acronyms .....	3
6	Introduction .....	4
6.1	Reference configuration .....	4
6.2	Specific scenarios .....	4
6.3	Relationship with H.323 gateways .....	5
7	Capabilities at the Q reference point .....	6
8	Capabilities at the C reference point .....	6
9	Mapping functions .....	7
9.1	General requirements .....	7
9.2	Mapping of the DQ-channel .....	7
9.3	Mapping of the UQ-channel(s) .....	7
9.3.1	On-demand scenario .....	7
9.3.2	Semi-permanent scenario .....	7
10	IPC control procedures .....	8
10.1	Protocol identification .....	8
10.2	Registration with gatekeeper .....	8
10.3	Systems without gatekeeper .....	8
10.4	H.323 call establishment .....	8
10.4.1	Call admission .....	8
10.4.2	Outgoing call establishment .....	9
10.4.3	Incoming call establishment .....	9
10.5	Transfer of inter-PINX signalling information .....	10
10.6	H.323 call clearing .....	10
11	Scenario specific procedures .....	10

11.1	On-demand scenario .....	10
11.2	Semi-permanent scenario .....	11
Annex A (normative) Implementation Conformance Statement (ICS) Proforma .....		13
Annex B (informative) Examples of message sequences .....		20