

ISO 8571-3:1988-10 (E)

Information processing systems; Open Systems Interconnection; file transfer, access and management; Part 3: File service definition

| Contents | | Page |
|--|--|-------------|
| 0 | Introduction..... | 1 |
| 1 | Scope and field of application | 1 |
| 2 | References | 1 |
| 3 | Definitions | 2 |
| 4 | Abbreviations..... | 2 |
| 5 | Conventions | 2 |
| Section one: General | | |
| 6 | Model of the file Service | 3 |
| 6.1 | File Service provider and file Service users | 3 |
| 6.2 | File Service levels..... | 3 |
| 6.3 | Regimes of the file Service..... | 4 |
| 7 | Services of the file Service | 4 |
| 7.1 | FTAM regime control | 4 |
| 7.2 | File store management | 4 |
| 7.3 | File selection regime control..... | 4 |
| 7.4 | File management | 5 |
| 7.5 | File open regime control..... | 5 |
| 7.6 | Grouping control | 5 |
| 7.7 | Access to file content | 5 |
| 7.8 | Bulk data transfer | 5 |
| 7.9 | Recovery | 5 |
| 7.10 | Checkpointing and restarting | 5 |
| 8 | Functional units and Service classes | 5 |
| 8.1 | Functional units..... | 5 |
| 8.2 | Service classes..... | 6 |
| 8.3 | Application Entity roles | 8 |
| 9 | Levels of file Service..... | 8 |
| 10 | Negotiation of Service class, FTAM QoS and functional units | 9 |
| 10.1 | Service Class | 9 |
| 10.2 | FTAM Quality of Service | 9 |
| 10.3 | Functional units..... | 9 |
| Section two : Definition of file service primitives | | |
| 11 | File Service primitives | 11 |
| 12 | Sequences of primitives | 11 |
| 12.1 | Normal sequences | 11 |
| 12.2 | Constraints on the issue of primitives..... | 11 |
| 12.3 | Conventions..... | 14 |

| | | |
|--|--|----|
| 12.4 | Confirmed Services | 20 |
| 13 | Common file Service parameters | 20 |
| 13.1 | State result | 20 |
| 13.2 | Action result | 20 |
| 13.3 | Account..... | 20 |
| 13.4 | Charging | 20 |
| 13.5 | Attributes | 20 |
| 13.6 | Requested access | 20 |
| 13.7 | Access Passwords | 21 |
| 13.8 | Concurrency Control..... | 21 |
| 13.9 | FADU Lock..... | 21 |
| 13.10 | Shared ASE Information | 21 |
| 13.11 | Activity Identifier..... | 21 |
| 13.12 | File Access Data Unit Identity | 21 |
| 13.13 | Diagnostic..... | 22 |
| 14 | FTAM regime control..... | 23 |
| 14.1 | FTAM regime establishment Service..... | 23 |
| 14.2 | FTAM regime termination service (orderly) | 26 |
| 14.3 | FTAM regime termination Service (abrupt)..... | 26 |
| 15 | File selection regime control | 27 |
| 15.1 | File selection Service | 27 |
| 15.2 | File deselection Service | 28 |
| 15.3 | File creation service | 28 |
| 15.4 | File deletion Service | 30 |
| 16 | File management | 31 |
| 16.1 | Read attribute service | 31 |
| 16.2 | Change attribute service..... | 31 |
| 17 | File open regime control | 31 |
| 17.1 | File open service..... | 32 |
| 17.2 | File dose service | 33 |
| 18 | Grouping control | 34 |
| 18.1 | Beginning of grouping Service | 34 |
| 18.2 | End of grouping Service | 35 |
| 19 | Recovery (Internal service only) | 35 |
| 19.1 | Regime recovery Service | 35 |
| 20 | Access to file contents..... | 36 |
| 20.1 | Bulk data transfer Service | 36 |
| 20.2 | Locate file access data unit service | 36 |
| 20.3 | Erase file access data unit service | 37 |
| Section three; Definition of bulk data transfer primitives | | |
| 21 | Bulk data transfer service primitives..... | 38 |
| 22 | Sequences of bulk data transfer primitives | 38 |
| 22.1 | Normal sequences | 38 |
| 22.2 | Constraints on issue of primitives..... | 38 |
| 23 | Common bulk data transfer parameters | 44 |
| 23.1 | Bulk Data Transfer Specification | 44 |
| 23.2 | Checkpoint Identifier | 44 |

| | | |
|------|--|----|
| 24 | Bulk data transfer | 44 |
| 24.1 | Read bulk data Service | 44 |
| 24.2 | Write bulk data Service | 44 |
| 24.3 | Data unit transfer service | 44 |
| 24.4 | End of data transfer service | 45 |
| 24.5 | End of transfer service | 45 |
| 24.6 | Cancel data transfer service | 45 |
| 24.7 | Sequence of primitives on write | 46 |
| 24.8 | Sequence of primitives on read | 46 |
| 25 | Checkpointing and restart (Internal BOT Service Only)..... | 46 |
| 25.1 | Checkpointing service | 46 |
| 25.2 | Restarting data transfer service | 47 |

Annexes

| | | |
|---|---|----|
| A | Diagnostic parameter values | 48 |
| B | Relation of attributes to primitives | 53 |
| C | File transfer with commitment control | 55 |
| D | Reference to FTAM control information | 58 |
| E | State transition diagrams | 59 |

Figures

| | | |
|----|---|----|
| 1 | Service Levels..... | 3 |
| 2 | File Service regimes and related primitives | 4 |
| 3 | Simplified State Diagram for successful activity (see Annex E) | 13 |
| 4 | Confirmed Service..... | 20 |
| 5 | F-U-ABORT Service..... | 27 |
| 6 | F-P-ABORT Service | 27 |
| 7 | F-P-ABORT collision | 27 |
| 8 | Simplified State Diagram for Bulk Data Transfer (see Annex E) | 39 |
| 9 | Sequence of primitives on write | 46 |
| 10 | Sequence of primitives on read | 47 |
| 11 | State Transition Diagram for Association Establishment (Initiator) | 60 |
| 12 | State Transition Diagram for Association Establishment (Responder) | 61 |
| 13 | State Transition Diagram of the File Regime Establishment Service (Initiator) | 62 |
| 14 | State Transition Diagram for Grouped Sequences (Initiator) | 63 |
| 15 | State Transition Diagram of the File Regime Establishment Service (Responder)..... | 64 |
| 18 | State Transition Diagram for Grouped Sequences (Responder) | 65 |

| | | |
|----|---|----|
| 17 | State Transition Diagram for the Bulk Data Transfer Service (Initiator) | 66 |
| 18 | State Transition Diagram for the Bulk Data Transfer Service (Responder) | 67 |

Tables

| | | |
|----|--|----|
| 1 | Services and functional units of the External File Service | 7 |
| 2 | Services and functional units of the Internal File Service..... | 7 |
| 3 | Functional units in the file services..... | 9 |
| 4 | Service Class Combinations | 9 |
| 5 | Service Class Negotiation..... | 10 |
| 6 | File Service primitives | 11 |
| 7 | Sequence of service primitives for FTAM regime establishment — Initiator | 15 |
| 8 | Sequence of service primitives for FTAM regime establishment — responder | 15 |
| 9 | Sequence of service primitives for file service regimes — Initiator | 16 |
| 10 | Sequence of service primitives for file service regimes — responder | 18 |
| 11 | F-INITIALIZE Parameters..... | 24 |
| 12 | F-TERMINATE parameters | 26 |
| 13 | F-U-ABORT parameters | 26 |
| 14 | F-P-ABORT parameters..... | 26 |
| 15 | F-SELECT parameters | 27 |
| 16 | F-DESELECT parameters..... | 28 |
| 17 | F-CREATE parameters | 29 |
| 18 | F-DELETE parameters | 30 |
| 19 | F-READ-ATTRIB parameters | 31 |
| 20 | F-CHANGE-ATTRIB parameters | 32 |
| 21 | F-OPEN parameters | 32 |
| 22 | F-CLOSE | 34 |
| 23 | F-BEGIN-GROUP parameters | 35 |
| 24 | F-RECOVER parameters | 35 |
| 25 | BDT read sub-parameters | 36 |
| 26 | BDT write sub-parameters | 36 |
| 27 | Access contexts | 36 |
| 28 | F-LCX5ATE parameters..... | 37 |

| | | |
|----|---|----|
| 29 | F-ERASE Parameters | 37 |
| 30 | Bulk data transfer service primitives | 38 |
| 31 | Sequence of service primitives for bulk data transfer — Initiator | 40 |
| 32 | Sequence of service primitives for bulk data transfer — responder | 42 |
| 33 | F-READ parameters | 44 |
| 34 | F-WRITE Parameters | 44 |
| 35 | F-DATA Parameters | 45 |
| 36 | F-DATA-END parameters | 45 |
| 37 | F-TRANSFER-END Parameters | 45 |
| 38 | F-CANCEL parameters | 46 |
| 39 | F-CHECK parameters | 47 |
| 40 | F-RESTART parameters | 47 |
| 41 | Error types | 48 |
| 42 | Sources and observers of errors | 48 |
| 43 | General FTAM diagnostics | 49 |
| 44 | Protocol and supporting service related diagnostics | 49 |
| 45 | Association related diagnostics | 50 |
| 46 | Selection related diagnostics | 50 |
| 47 | File management related diagnostics | 51 |
| 48 | Access related diagnostics | 51 |
| 49 | Recovery related diagnostics | 52 |
| 50 | File attributes | 53 |
| 51 | Activity attributes | 54 |
| 52 | File Service primitives associated with CCR primitives | 56 |
| 53 | FTAM Primitives with Shared ASE Information parameters | 56 |
| 54 | Composite FTAM actions | 57 |