ISO/IEC 19501 :2005-04 (E)

Information technology_- Open Distributed Processing_- Unified Modeling Language (UML) Version 1.4.2

1 Scope 1

2 Normative references 1
2.1 Identical Recommendations | International Standards 1

3 General Information 2
3.1 Description 2
3.2 Outside the Scope of the UML 3
3.2.1 Programming Languages 3
3.2.2 Tools 3
3.2.3 Process 3
3.3 Primary Artifacts of the UML 4
3.3.1 UML-defining Artifacts 4
3.3.2 Development Project Artifacts 4
3.4 Motivation to Define the UML 5
3.4.1 Why We Model 5
3.4.2 Industry Trends in Software 5
3.4.3 Prior to Industry Convergence 6
3.5 Goals of the UML 6
3.5.1 Comparing UML to Other Modeling Languages 8
3.5.2 Features of the UML 8
3.6 UML - Past, Present, and Future 10
3.6.1 UML 0.8 - 0.91 10
3.6.2 UML Partners 11
3.6.3 UML - Present and Future 11

4 UML Semantics 13

Part 1 - Background

4.1 Introduction 13
4.1.1 Purpose and Scope 13
4.1.2 Approach 13
4.2 Language Architecture 14
4.2.1 Four-Layer Metamodel Architecture 14
4.2.2 Package Structure 15
4.3 Language Formalism 17
4.3.1 Levels of Formalism 17
4.3.2 Package Specification Structure 18
4.3.3 Use of a Constraint Language 19
4.3.4 Use of Natural Language 19
4.3.5 Naming Conventions and Typography 20

Part 2 - Foundation

4.4 Foundation Package 20
4.5 Core 21
4.5.1 Overview 21
4.5.2 Abstract Syntax 21
4.5.3 Well-Formedness Rules 51
4.5.4 Detailed Semantics 63

4.6 Extension Mechanisms 69
4.6.1 Overview 69
4.6.2 Abstract Syntax 71
4.6.3 Well-Formedness Rules 74
4.6.4 Detailed Semantics 76
4.6.5 Notes 77
4.7 Data Types 78
4.7.1 Overview 78
4.7.2 Abstract Syntax 78

Part 3 - Behavioral Elements

4.8 Behavioral Elements Package 85
4.9 Common Behavior 85
4.9.1 Overview 85
4.9.2 Abstract Syntax 85
4.9.3 Well-Formedness Rules 96
4.9.4 Detailed Semantics 101
4.10 Collaborations 103
4.10.1 Overview 103
4.10.2 Abstract Syntax 104
4.10.3 Well-Formedness Rules 111
4.10.4 Detailed Semantics 115
4.10.5 Notes 118
4.11 Use Cases 119
4.11.1 Overview 119
4.11.2 Abstract Syntax 119
4.11.3 Well-Formedness Rules 122
4.11.4 Detailed Semantics 124
4.11.5 Notes 128
4.12 State Machines 128
4.12.1 Overview 128
4.12.2 Abstract Syntax 128
4.12.3 Well-FormednessRules 136
4.12.4 Detailed Semantics 140
4.12.5 Notes 148
4.13 Activity Graphs 152
4.13.1 Overview 152
4.13.2 Abstract Syntax 152
4.13.3 Well-Formedness Rules 156
4.13.4 Detailed Semantics 159
4.13.5 Notes 160

Part 4 - General Mechanisms

4.14 Model Management 161
4.14.1 Overview 161
4.14.2 Abstract Syntax 161
4.14.3 Well-Formedness Rules 165
4.14.4 Semantics 170
4.14.5 Notes 174

5 UML Notation Guide 177

Part 1 - Background

5.1 Introduction 177

Part 2 - Diagram Elements

5.2 Graphs and Their Contents 178
5.3 Drawing Paths 178
5.4 Invisible Hyperlinks and the Role of Tools 179
5.5 Background Information 179
5.5.1 Presentation Options 179
5.6 String 179
5.6.1 Semantics 179
5.6.2 Notation 179
5.6.3 Presentation Options 180
5.6.4 Examples 180
5.6.5 Mapping 180
5.7 Name 180
5.7.1 Semantics 180
5.7.2 Notation 180
5.7.3 Example 180
5.7.4 Mapping 181
5.8 Label 181
5.8.1 Semantics 181
5.8.2 Notation 181
5.8.3 Presentation Options 181
5.8.4 Example 181
5.9 Keywords 181
5.10 Expression 182
5.10.1 Semantics 182
5.10.2 Notation 182
5.10.3 Examples 182
5.10.4 Mapping 182
5.10.5 OCL Expressions 182
5.10.6 Selected OCL Notation 183
5.10.7 Examples 183
5.11 Note 183
5.11.1 Semantics 183
5.11.2 Notation 183
5.11.3 Presentation Options 183
5.11.4 Example 184
5.11.5 Mapping 184
5.12 Type-Instance Correspondence 184

Part 3 - Model Management

5.13 Package 186
5.13.1 Semantics 186
5.13.2 Notation 186

5.13.3 Presentation Options 186
5.13.4 Style Guidelines 187
5.13.5 Example 187
5.13.6 Mapping 188
5.14 Subsystem 188
5.14.1 Semantics 188
5.14.2 Notation 188
5.14.3 Presentation Options 189
5.14.4 Example 190
5.14.5 Mapping 193
5.15 Model 193
5.15.1 Semantics 193
5.15.2 Notation 193
5.15.3 Presentation Options 193
5.15.4 Example 194
5.15.5 Mapping 194

Part 4 - General Extension Mechanisms

5.16 Constraint and Comment 195
5.16.1 Semantics 195
5.16.2 Notation 195
5.16.3 Example 196
5.16.4 Mapping 196
5.17 Element Properties 197
5.17.1 Semantics 197
5.17.2 Notation 197
5.17.3 Presentation Options 198
5.17.4 Style Guidelines 198
5.17.5 Example 198
5.17.6 Mapping 198
5.18 Stereotypes 199
5.18.1 Semantics 199
5.18.2 Notation 199
5.18.3 Examples 200
5.18.4 Mapping 200

Part 5 - Static Structure Diagrams

5.19 Class Diagram 201
5.19.1 Semantics 201
5.19.2 Notation 201
5.19.3 Mapping 201
5.20 Object Diagram 201
5.21 Classifier 201
5.22 Class 202
5.22.1 Semantics 202
5.22.2 Basic Notation 202
5.22.3 Presentation Options 202
5.22.4 Style Guidelines 203
5.22.5 Example 203

5.22.6 Mapping 203
5.23 Name Compartment 204
5.23.1 Notation 204
5.23.2 Mapping 204
5.24 List Compartment 204
5.24.1 Notation 204
5.24.2 Presentation Options 205
5.24.3 Example 206
5.24.4 Mapping 206
5.25 Attribute 207
5.25.1 Semantics 207
5.25.2 Notation 207
5.25.3 Presentation Options 208
5.25.4 Style Guidelines 209
5.25.5 Example 209
5.25.6 Mapping 209
5.26 Operation 209
5.26.1 Semantics 209
5.26.2 Notation 209
5.26.3 Presentation Options 210
5.26.4 Style Guidelines 211
5.26.5 Example 211
5.26.6 Mapping 211
5.27 Nested Class Declarations 212
5.27.1 Semantics 212
5.27.2 Notation 212
5.27.3 Mapping 212
5.28 Type and Implementation Class 212
5.28.1 Semantics 212
5.28.2 Notation 213
5.28.3 Example 213
5.28.4 Mapping 213
5.29 Interfaces 214
5.29.1 Semantics 214
5.29.2 Notation 214
5.29.3 Example 214
5.29.4 Mapping 215
5.30 Parameterized Class (Template 215
5.30.1 Semantics 215
5.30.2 Notation 215
5.30.3 Presentation Options 216
5.30.4 Example 216
5.30.5 Mapping 216
5.31 Bound Element 217
5.31.1 Semantics 217
5.31.2 Notation 217
5.31.3 Style Guidelines 217
5.31.4 Example 217
5.31.5 Mapping 217
5.32 Utility 218

5.32.1 Semantics 218
5.32.2 Notation 218
5.32.3 Example 218
5.32.4 Mapping 218
5.33 Metaclass 218
5.33.1 Semantics 218
5.33.2 Notation 218
5.33.3 Mapping 219
5.34 Enumeration 219
5.34.1 Semantics 219
5.34.2 Notation 219
5.34.3 Mapping 219
5.35 Stereotype Declaration 219
5.35.1 Semantics 219
5.35.2 Notation 219
5.35.3 Mapping 222
5.36 Powertype 222
5.36.1 Semantics 222
5.36.2 Notation 222
5.36.3 Mapping 222
5.37 Class Pathnames 223
5.37.1 Notation 223
5.37.2 Example 223
5.37.3 Mapping 223
5.38 Accessing or Importing a Package 223
5.38.1 Semantics 223
5.38.2 Notation 224
5.38.3 Example 224
5.38.4 Mapping 224
5.39 Object 225
5.39.1 Semantics 225
5.39.2 Notation 225
5.39.3 Presentation Options 225
5.39.4 Style Guidelines 226
5.39.5 Variations 226
5.39.6 Example 226
5.39.7 Mapping 226
5.40 Composite Object 226
5.40.1 Semantics 226
5.40.2 Notation 227
5.40.3 Example 227
5.40.4 Mapping 227
5.41 Association 227
5.42 Binary Association 228
5.42.1 Semantics 228
5.42.2 Notation 228
5.42.3 Presentation Options 229
5.42.4 Style Guidelines 229
5.42.5 Options 229
5.42.6 Example 229

5.42.7 Mapping 230
5.43 Association End 230
5.43.1 Semantics 230
5.43.2 Notation 230
5.43.3 Presentation Options 232
5.43.4 Style Guidelines 232
5.43.5 Example 232
5.43.6 Mapping 233
5.44 Multiplicity 233
5.44.1 Semantics 233
5.44.2 Notation 233
5.44.3 Style Guidelines 233
5.44.4 Example 233
5.44.5 Mapping 234
5.45 Qualifier 234
5.45.1 Semantics 234
5.45.2 Notation 234
5.45.3 Presentation Options 234
5.45.4 Style Guidelines 234
5.45.5 Example 235
5.45.6 Mapping 235
5.46 Association Class 235
5.46.1 Semantics 235
5.46.2 Notation 235
5.46.3 Presentation Options 235
5.46.4 Style Guidelines 235
5.46.5 Example 236
5.46.6 Mapping 236
5.47 N-ary Association 236
5.47.1 Semantics 236
5.47.2 Notation 236
5.47.3 Style Guidelines 237
5.47.4 Example 237
5.47.5 Mapping 237
5.48 Composition 237
5.48.1 Semantics 237
5.48.2 Notation 238
5.48.3 Design Guidelines 238
5.48.4 Example 239
5.48.5 Mapping 240
5.49 Link 240
5.49.1 Semantics 240
5.49.2 Notation 240
5.49.3 Example 241
5.49.4 Mapping 241
5.50 Generalization 241
5.50.1 Semantics 241
5.50.2 Notation 241
5.50.3 Presentation Options 242
5.50.4 Mapping 244

5.51 Dependency 245
5.51.1 Semantics 245
5.51.2 Notation 245
5.51.3 Presentation Options 246
5.51.4 Example 246
5.51.5 Mapping 247
5.52 Derived Element 247
5.52.1 Semantics 247
5.52.2 Notation 247
5.52.3 Style Guidelines 247
5.53 InstanceOf 247
5.53.1 Semantics 247
5.53.2 Notation 248
5.53.3 Mapping 248

Part 6 - Use Case Diagrams

5.54 Use Case Diagram 248
5.54.1 Semantics 248
5.54.2 Notation 248
5.54.3 Example 249
5.54.4 Mapping 249
5.55 Use Case 249
5.55.1 Semantics 249
5.55.2 Notation 250
5.55.3 Presentation Options 250
5.55.4 Style Guidelines 250
5.55.5 Mapping 250
5.56 Actor 250
5.56.1 Semantics 250
5.56.2 Notation 250
5.56.3 Presentation Options 250
5.56.4 Style Guidelines 251
5.56.5 Mapping 251
5.57 Use Case Relationships 251
5.57.1 Semantics 251
5.57.2 Notation 251
5.57.3 Example 252
5.57.4 Mapping 252
5.58 Actor Relationships 252
5.58.1 Semantics 252
5.58.2 Notation 252
5.58.3 Example 253
5.58.4 Mapping 253

Part 7 - Interaction Diagrams

5.59 Collaboration 253
5.59.1 Semantics 253
5.60 Sequence Diagram 254
5.60.1 Semantics 254

5.60.2 Notation 254
5.60.3 Presentation Options 255
5.60.4 Example 256
5.60.5 Mapping 258
5.61 Object Lifeline 260
5.61.1 Semantics 260
5.61.2 Notation 260
5.61.3 Presentation Options 260
5.61.4 Example 261
5.61.5 Mapping 261
5.62 Activation 261
5.62.1 Semantics 261
5.62.2 Notation 261
5.62.3 Example 262
5.62.4 Mapping 262
5.63 Message and Stimulus 262
5.63.1 Semantics 262
5.63.2 Notation 262
5.63.3 Presentation options 262
5.63.4 Example 264
5.63.5 Mapping 264
5.64 Transition Times 264
5.64.1 Semantics 264
5.64.2 Notation 264
5.64.3 Presentation Options 264
5.64.4 Example 264
5.64.5 Mapping 264

Part 8 - Collaboration Diagrams

5.65 Collaboration Diagram 264
5.65.1 Semantics 264
5.65.2 Notation 265
5.65.3 Example 266
5.65.4 Mapping 267
5.66 Pattern Structure 267
5.66.1 Semantics 267
5.66.2 Notation 268
5.66.3 Mapping 270
5.67 Collaboration Contents 270
5.67.1 Semantics 271
5.67.2 Notation 271
5.67.3 Mapping 272
5.68 Interactions 272
5.68.1 Semantics 272
5.68.2 Notation 273
5.68.3 Mapping 273
5.68.4 Example 273
5.69 Collaboration Roles 273
5.69.1 Semantics 273
5.69.2 Notation 273

5.69.3 Presentation options 274
5.69.4 Example 275
5.69.5 Mapping 275
5.70 Multiobject 275
5.70.1 Semantics 275
5.70.2 Notation 275
5.70.3 Example 276
5.70.4 Mapping 276
5.71 Active object 276
5.71.1 Semantics 276
5.71.2 Notation 276
5.71.3 Example 277
5.71.4 Mapping 277
5.72 Message and Stimulus 277
5.72.1 Semantics 277
5.72.2 Notation 278
5.72.3 Presentation Options 280
5.72.4 Example 280
5.72.5 Mapping 280
5.73 Creation/Destruction Markers 281
5.73.1 Semantics 281
5.73.2 Notation 281
5.73.3 Presentation options 281
5.73.4 Example 281
5.73.5 Mapping 282

Part 9 - Statechart Diagrams

5.74 Statechart Diagram 282
5.74.1 Semantics 282
5.74.2 Notation 282
5.74.3 Mapping 283
5.75 State 283
5.75.1 Semantics 283
5.75.2 Notation 283
5.75.3 Mapping 285
5.76 Composite States 285
5.76.1 Semantics 285
5.76.2 Notation 285
5.76.3 Examples 286
5.76.4 Mapping 287
5.77 Events 287
5.77.1 Semantics 287
5.77.2 Notation 288
5.77.3 Example 289
5.77.4 Mapping 289
5.78 Simple Transitions 289
5.78.1 Semantics 289
5.78.2 Notation 290
5.78.3 Example 290
5.78.4 Mapping 290

5.79 Transitions to and from Concurrent States 291
5.79.1 Semantics 291
5.79.2 Notation 291
5.79.3 Example 291
5.79.4 Mapping 291
5.80 Transitions to and from Composite States 291
5.80.1 Semantics 291
5.80.2 Notation 292
5.80.3 Presentation Options 292
5.80.4 Example 292
5.80.5 Mapping 293
5.81 Factored Transition Paths 294
5.81.1 Semantics 294
5.81.2 Notation 294
5.81.3 Examples 294
5.82 Submachine States 295
5.82.1 Semantics 295
5.82.2 Notation 296
5.82.3 Example 296
5.82.4 Mapping 297
5.83 Synch States 297
5.83.1 Semantics 297
5.83.2 Notation 297
5.83.3 Example 297
5.83.4 Mapping 297

Part 10 - Activity Diagrams

5.84 Activity Diagram 298
5.84.1 Semantics 298
5.84.2 Notation 298
5.84.3 Example 299
5.84.4 Mapping 300
5.85 Action State 300
5.85.1 Semantics 300
5.85.2 Notation 300
5.85.3 Presentation options 300
5.85.4 Example 300
5.85.5 Mapping 300
5.86 Subactivity state 300
5.86.1 Semantics 300
5.86.2 Notation 301
5.86.3 Example 301
5.86.4 Mapping 301
5.87 Decisions 301
5.87.1 Semantics 301
5.87.2 Notation 301
5.87.3 Example 302
5.87.4 Mapping 302
5.88 Call States 302

5.88.1 Semantics 302
5.88.2 Notation 302
5.88.3 Example 302
5.88.4 Mapping 303
5.89 Swimlanes 303
5.89.1 Semantics 303
5.89.2 Notation 303
5.89.3 Example 304
5.89.4 Mapping 304
5.90 Action-Object Flow Relationships 304
5.90.1 Semantics 304
5.90.2 Notation 305
5.90.3 Example 306
5.90.4 Mapping 306
5.91 Control Icons 306
5.91.1 Notation 307
5.91.2 Mapping 308
5.92 Synch States 308
5.93 Dynamic Invocation 309
5.93.1 Semantics 309
5.93.2 Notation 309
5.93.3 Mapping 309
5.94 Conditional Forks 309

Part 11 - Implementation Diagrams

5.95 Component Diagram 310
5.95.1 Semantics 310
5.95.2 Notation 310
5.95.3 Example 311
5.95.4 Mapping 312
5.96 Deployment Diagram 312
5.96.1 Semantics 312
5.96.2 Notation 312
5.96.3 Example 313
5.96.4 Mapping 313
5.97 Node 313
5.97.1 Semantics 313
5.97.2 Notation 314
5.97.3 Example 314
5.97.4 Mapping 315
5.98 Component 315
5.98.1 Semantics 315
5.98.2 Notation 316
5.98.3 Example 316
5.98.4 Mapping 317

6 UML Example Profiles 319

6.1 Introduction 319
6.2 Summary of Profile 319
6.3 Stereotypes and Notation 320
6.3.1 Use Case Stereotypes 320
6.3.2 Analysis Stereotypes 321
6.3.3 Design Stereotypes 322
6.3.4 Implementation Stereotypes 323
6.3.5 Class Stereotypes 324
6.3.6 Association Stereotypes 325
6.4 Well-Formedness Rules 325
6.4.1 Generalization 326
6.4.2 Containment 326

Example 2 - UML Profile for Business Modeling

6.5 Introduction 326
6.6 Summary of Profile 326
6.7 Stereotypes and Notation 327
6.7.1 Use Case Stereotypes 327
6.7.2 Organization Stereotypes 328
6.7.3 Class Stereotypes 329
6.7.4 Association Stereotypes 331
6.8 Well-Formedness Rules 332
6.8.1 Generalization 332

7 UML Model Interchange 333
7.1 Overview 333
7.2 Model Interchange Using XMI 353
7.3 Model Interchange Using CORBA IDL 355

8 Object Constraint Language Specification 357
8.1 Overview 357
8.1.1 Why OCL? 357
8.1.2 Where to Use OCL 357
8.2 Introduction 358
8.2.1 Legend 358
8.2.2 Example Class Diagram 358
8.3 Relation to the UML Metamodel 359
8.3.1 Self 359
8.3.2 Specifying the UML context 359
8.3.3 Invariants 360
8.3.4 Pre- and Postconditions 360
8.3.5 Package context 361
8.3.6 General Expressions 361
8.4 Basic Values and Types 361
8.4.1 Types from the UML Model 362
8.4.2 Enumeration Types 362
8.4.3 Let Expressions and «definition» Constraints 362
8.4.4 Type Conformance 363
8.4.5 Re-typing or Casting 364

8.4.6 Precedence Rules 364
8.4.7 Use of Infix Operators 364
8.4.8 Keywords 365
8.4.9 Comment 365
8.4.10 Undefined Values 365
8.5 Objects and Properties 366
8.5.1 Properties 366
8.5.2 Properties: Attributes 366
8.5.3 Properties: Operations 366
8.5.4 Properties: Association Ends and Navigation 367
8.5.5 Navigation to Association Classes 368
8.5.6 Navigation from Association Classes 369
8.5.7 Navigation through Qualified Associations 370
8.5.8 Using Pathnames for Packages 370
8.5.9 Accessing overridden properties of supertypes 370
8.5.10 Predefined properties on All Objects 371
8.5.11 Features on Classes Themselves 372
8.5.12 Collections 373
8.5.13 Collections of Collections 374
8.5.14 Collection Type Hierarchy and Type Conformance Rules 374
8.5.15 Previous Values in Postconditions 374
8.6 Collection Operations 375
8.6.1 Select and Reject Operations 375
8.6.2 Collect Operation 377
8.6.3 ForAll Operation 378
8.6.4 Exists Operation 378
8.6.5 Iterate Operation 379
8.6.6 Iterators in Collection Operations 380
8.6.7 Resolving Properties 380
8.7 The Standard OCL Package 380
8.8 Predefined OCL Types 381
8.8.1 Basic Types 381