

# ISO/IEC 22533 :2005-07 (E)

Information technology\_ - Data interchange on 90\_mm optical disk cartridges\_ - Capacity: 2,3\_Gbytes per cartridge

---

## Contents

Page

Foreword.....	vii
Section 1 - General .....	1
1 Scope .....	1
2 Conformance.....	1
2.1 Optical disk Cartridge (ODC) .....	1
2.2 Generating system.....	1
2.3 Receiving system.....	2
2.4 Compatibility statement .....	2
3 Normative references .....	2
4 Terms and definitions.....	2
5 Conventions and notations .....	5
5.1 Representation of numbers .....	5
5.2 Names .....	5
6 Abbreviations and acronyms .....	5
7 General description of the optical disk cartridge.....	6
8 General requirements.....	6
8.1 Environments .....	6
8.2 Temperature shock.....	8
8.3 Safety requirements .....	8
8.4 Flammability .....	8
9 Reference Drive.....	8
9.1 Optical system .....	8
9.2 Optical beam .....	9
9.3 Read channels.....	10
9.4 Tracking .....	10
9.5 Rotation of the disk .....	10
Section 2 - Mechanical and physical characteristics.....	11
10 Dimensional and physical characteristics of the case .....	11
10.1 General description of the case (see Figure 2).....	11
10.2 Reference planes of the case .....	11
10.3 Dimensions of the case.....	11
10.4 Mechanical characteristics .....	18
11 Dimensional, mechanical and physical characteristics of the disk .....	31
11.1 General description of the disk .....	31
11.2 Reference axis and plane of the disk.....	31
11.3 Dimensions of the disk (see Figure 13).....	31
11.4 Mechanical characteristics .....	32
11.5 Optical Characteristics.....	34
12 Interface between cartridge and drive .....	36
12.1 Clamping method.....	36
12.2 Clamping force.....	36
12.3 Capture cylinder (see Figure 14) .....	36
12.4 Disk position in operating condition (see Figure 14).....	36

<b>Section 3 - Format of information.....</b>	<b>38</b>
13 Geometry of physical tracks .....	38
13.1 Physical track shape.....	38
13.2 Direction of track spiral .....	39
13.3 Physical track pitch .....	39
14 Track format.....	39
14.1 Logical Track number .....	39
14.2 Logical Track layout .....	39
14.3 Clock frequencies and periods.....	40
14.4 Radial alignment .....	40
14.5 Sector number .....	41
15 Sector format .....	41
15.1 Sector layout.....	41
15.2 Sector Mark (SM).....	42
15.3 VFO fields.....	42
15.4 Address Mark (AM) .....	43
15.5 ID fields .....	43
15.6 Postambles (PA).....	44
15.7 Gap .....	45
15.8 Sync .....	45
15.9 Data field .....	45
15.10 VCO lock pattern field (VLP) .....	46
15.11 Buffer field .....	46
16 Recording code .....	46
17 Format of the Information Zone.....	47
17.1 General description of the Information Zone .....	47
17.2 Division of the Information Zone .....	47
18 Format of the Data Zone .....	51
18.1 Buffer tracks and Test tracks in the Data Zone .....	51
18.2 Defect Management Areas (DMAs) .....	51
18.3 Disk Definition Structure (DDS) .....	55
18.4 Partitioning .....	55
18.5 Logical block address .....	55
19 Defect management .....	57
19.1 Initialization of the disk .....	57
19.2 Certification .....	57
19.3 Disks not certified .....	58
19.4 Write procedure.....	58
19.5 Primary Defect List (PDL).....	58
19.6 Secondary Defect List (SDL).....	59
<b>Section 4 - Characteristics of embossed information.....</b>	<b>60</b>
20 Method of testing .....	60
20.1 Environment .....	60
20.2 Use of the Reference Drive .....	60
20.3 Definition of signals .....	61
21 Signals from grooves .....	62
21.1 Divided push-pull signal.....	62
21.2 Phase depth .....	63
21.3 Track location .....	63
22 Signals from Headers .....	63
22.1 Sector Mark.....	64
22.2 VFO1 and VFO2 .....	64
22.3 Address Mark, ID field and Postamble.....	64
22.4 Timing jitter.....	64

22.5	Asymmetry .....	65
23	Signals from embossed Recording fields .....	65
23.1	Signal amplitude .....	65
23.2	Timing jitter .....	65
<b>Section 5 - Characteristics of the recording layer and user data .....</b>		<b>66</b>
24	Method of testing .....	66
24.1	Environment .....	66
24.2	Reference Drive .....	66
24.3	Write conditions .....	67
24.4	Erase conditions .....	69
24.5	Definition of signals .....	70
25	Magneto-optical characteristics .....	70
25.1	Figure of merit .....	70
25.2	Imbalance of the magneto-optical signal .....	70
26	Write characteristics .....	71
26.1	Resolution .....	71
26.2	Narrow-band signal-to-noise ratio (NBSNR) .....	72
26.3	Cross-talk ratio .....	73
26.4	Timing jitter .....	73
26.5	Media thermal interaction .....	73
27	Erase power determination .....	74
<b>Section 6 - Characteristics of user data .....</b>		<b>75</b>
28	Method of testing .....	75
28.1	Environment .....	75
28.2	Reference Drive .....	75
29	Minimum quality of a sector .....	76
29.1	Headers .....	76
29.2	User-written data .....	77
30	Data interchange requirements .....	77
30.1	Tracking .....	77
30.2	User-written data .....	77
30.3	Quality of disk .....	77
<b>Annex A (normative) Edge distortion test .....</b>		<b>78</b>
<b>Annex B (normative) Compliance test .....</b>		<b>79</b>
<b>Annex C (normative) CRC for ID fields .....</b>		<b>81</b>
<b>Annex D (normative) Interleave, CRC, ECC, Resync for the data field .....</b>		<b>82</b>
<b>Annex E (normative) Contents of the Control Zone .....</b>		<b>87</b>
<b>Annex F (normative) Determination of the Resync patterns .....</b>		<b>94</b>
<b>Annex G (normative) Measurement of the figure of merit .....</b>		<b>99</b>
<b>Annex H (normative) Read Channel for measuring NBSNR and jitter .....</b>		<b>100</b>
<b>Annex I (normative) Implementation Independent Mark Quality Determination (IIMQD) for the interchange of recorded media .....</b>		<b>103</b>
<b>Annex J (normative) Air cleanliness class 100 000 .....</b>		<b>104</b>
<b>Annex K (normative) Position of the cartridge relative to the reference planes .....</b>		<b>105</b>
<b>Annex L (normative) Relaxation by zones of the requirements for signals .....</b>		<b>106</b>
<b>Annex M (normative) Test method for measuring the adsorbent force of the hub .....</b>		<b>107</b>
<b>Annex N (informative) Track deviation measurement .....</b>		<b>109</b>

**Annex O (informative) Derivation of the operating climatic environment ..... 113**  
**Annex P (informative) Transportation ..... 118**  
**Annex Q (informative) Office environment ..... 119**  
**Annex R (informative) Values to be implemented in existing and future standards ..... 120**  
**Annex S (informative) Measurement of the vertical birefringence of the substrate ..... 121**  
**Annex T (informative) Sector retirement guidelines ..... 123**  
**Annex U (informative) Laser power calibration for evaluation of media power sensitivity ..... 124**