

ISO/IEC 19502:2005-11 (E)

Information technology - Meta Object Facility (MOF)

| Contents | | Page |
|--------------------|---|---------------------------|
| Foreword | | viii |
| Introduction | | ix |
| 1 | Scope | 1 |
| 2 | Normative references | 1 |
| 2.1 | Identical Recommendations | International Standards 1 |
| 2.2 | International Standards | 1 |
| 3 | Abbreviations and Conventions | 2 |
| 4 | List of Documents | 2 |
| 5 | MOF Usage Scenarios | 3 |
| 5.1 | Overview | 3 |
| 5.2 | Software Development Scenarios | 4 |
| 5.3 | Type Management Scenarios | 5 |
| 5.4 | Information Management Scenarios | 6 |
| 5.5 | Data Warehouse Management Scenarios | 7 |
| 6 | MOF Conceptual Overview | 9 |
| 6.1 | Overview | 9 |
| 6.2 | Metadata Architectures | 9 |
| 6.2.1 | Four Layer Metadata Architectures | 9 |
| 6.2.2 | The MOF etadata Architecture | 10 |
| 6.2.3 | MOF Metamodeling Terminology | 12 |
| 6.3 | The MOF Model - Metamodeling Constructs | 13 |
| 6.3.1 | Classes | 13 |
| 6.3.2 | Associations | 16 |
| 6.3.3 | Aggregation | 17 |
| 6.3.4 | References | 18 |
| 6.3.5 | DataTypes | 20 |
| 6.3.6 | Packages | 20 |
| 6.3.7 | Constraints and Consistency | 23 |
| 6.3.8 | Miscellaneous Metamodeling Constructs | 24 |
| 6.4 | Metamodels and Mappings | 25 |
| 6.4.1 | Abstract and Concrete Mappings | 25 |
| 6.4.2 | he MOF Metamodel IDL Mapping | 26 |
| 6.4.3 | he MOF Metamodel XML Mapping | 26 |
| 6.4.4 | Mappings of the MOF Model | 27 |
| 7 | MOF Model and Interfaces | 29 |
| 7.1 | Overview | 29 |
| 7.2 | How the MOF Model is Described | 29 |
| 7.2.1 | Classes | 30 |
| 7.2.2 | Associations | 34 |
| 7.2.3 | DataTypes | 35 |
| 7.2.4 | Exceptions | 35 |
| 7.2.5 | Constants | 36 |
| 7.2.6 | Constraints | 36 |
| 7.2.7 | UML Diagrams | 36 |

| | | |
|--------|--|---|
| 7.3 | The Structure of the MOF Model | 36 |
| 7.3.1 | The MOF Model Package | 36 |
| 7.3.2 | The MOF Model Service IDL | 38 |
| 7.3.3 | The MOF Model Structure | 38 |
| 7.3.4 | The MOF Model Containment Hierarchy | 40 |
| 7.4 | OF Model Classes | 41 |
| 7.4.1 | ModelElement | (abstract) 41 |
| 7.4.2 | Namespace | (abstract) 45 |
| 7.4.3 | GeneralizableElement | (abstract) 48 |
| 7.4.4 | TypedElement | (abstract) 52 |
| 7.4.5 | Classifier | (abstract) 53 |
| 7.4.6 | Class | 54 |
| 7.4.7 | DataType | (abstract) 55 |
| 7.4.8 | PrimitiveType | 56 |
| 7.4.9 | CollectionType | 57 |
| 7.4.10 | EnumerationType | 58 |
| 7.4.11 | AliasType | 59 |
| 7.4.12 | StructureType | 59 |
| 7.4.13 | StructureField | 60 |
| 7.4.14 | Feature | (abstract) 60 |
| 7.4.15 | StructuralFeature | (abstract) 62 |
| 7.4.16 | Attribute | (idl_substitute_name "MofAttribute") 63 |
| 7.4.17 | Reference | 64 |
| 7.4.18 | BehavioralFeature | (abstract) 66 |
| 7.4.19 | Operation | 67 |
| 7.4.20 | Exception | (idl_substitute_name "MofException") 68 |
| 7.4.21 | Association | 69 |
| 7.4.22 | AssociationEnd | 71 |
| 7.4.23 | Package | 74 |
| 7.4.24 | Import | 76 |
| 7.4.25 | Parameter | 78 |
| 7.4.26 | Constraint | 79 |
| 7.4.27 | Constant | 82 |
| 7.4.28 | Tag | 83 |
| 7.5 | MOF Model Associations | 85 |
| 7.5.1 | Contains | 85 |
| 7.5.2 | Generalizes | 86 |
| 7.5.3 | RefersTo | 87 |
| 7.5.4 | Exposes | (derived) 88 |
| 7.5.5 | IsOfType | 90 |
| 7.5.6 | CanRaise | 90 |
| 7.5.7 | Aliases | 91 |
| 7.5.8 | Constrains | 92 |
| 7.5.9 | DependsOn | (derived) 93 |
| 7.5.10 | AttachesTo | 95 |
| 7.6 | MOF Model Data Types | 96 |
| 7.6.1 | PrimitiveTypes used in the MOF Model | 96 |
| 7.6.2 | MultiplicityType | 96 |
| 7.6.3 | VisibilityKind | 97 |
| 7.6.4 | DirectionKind | 98 |
| 7.6.5 | ScopeKind | 98 |
| 7.6.6 | AggregationKind | 98 |
| 7.6.7 | EvaluationKind | 98 |
| 7.7 | MOF Model Exceptions | 99 |
| 7.7.1 | NameNotFound | 99 |
| 7.7.2 | NameNotResolved | 99 |
| 7.8 | MOF Model Constants | 99 |
| 7.8.1 | Unbounded | 100 |
| 7.8.2 | The Standard DependencyKinds | 100 |
| 7.9 | MOF Model Constraints | 101 |
| 7.9.1 | MOF Model Constraints and other M2 Level Semantics | 101 |
| 7.9.2 | Notational Conventions | 101 |

| | | |
|--------|--|-----|
| 7.9.3 | OCLE Usage in the MOF Model specification | 103 |
| 7.9.4 | The MOF Model Constraints | 105 |
| 7.9.5 | Semantic specifications for some Operations, derived Attributes and Derived Associations | 125 |
| 7.9.6 | OCLE Helper functions | 131 |
| 7.10 | The PrimitiveTypes Package | 134 |
| 7.10.1 | Boolean | 135 |
| 7.10.2 | Integer | 135 |
| 7.10.3 | Long | 135 |
| 7.10.4 | Float | 135 |
| 7.10.5 | Double | 135 |
| 7.10.6 | String | 135 |
| 7.10.7 | IDL for the PrimitiveTypes Package | 136 |
| 7.11 | Standard Technology Neutral Tags | 136 |
| 8 | The MOF Abstract Mapping | 139 |
| 8.1 | Overview | 139 |
| 8.2 | MOF Values | 139 |
| 8.3 | Semantics of Data Types | 139 |
| 8.4 | Semantics of Equality for MOF Values | 140 |
| 8.5 | Semantics of Class Instances | 141 |
| 8.6 | Semantics of Attributes | 141 |
| 8.6.1 | Attribute name and type | 142 |
| 8.6.2 | Multiplicity | 142 |
| 8.6.3 | Scope | 143 |
| 8.6.4 | Is_derived | 144 |
| 8.6.5 | Aggregation | 144 |
| 8.6.6 | Visibility and is_changeable | 144 |
| 8.7 | Package Composition | 144 |
| 8.7.1 | Package Nesting | 144 |
| 8.7.2 | Package Generalization | 145 |
| 8.7.3 | Package Importation | 145 |
| 8.7.4 | Package Clustering | 145 |
| 8.8 | Extents | 145 |
| 8.8.1 | The Purpose of Extents | 146 |
| 8.8.2 | Class Extents | 147 |
| 8.8.3 | Association Extents | 147 |
| 8.8.4 | Package Extents | 147 |
| 8.9 | Semantics of Associations | 149 |
| 8.9.1 | MOF Associations in UML notation | 149 |
| 8.9.2 | Core Association Semantics | 150 |
| 8.9.3 | AssociationEnd Changeability | 152 |
| 8.9.4 | Association Aggregation | 152 |
| 8.9.5 | Derived Associations | 152 |
| 8.10 | Aggregation Semantics | 152 |
| 8.10.1 | Aggregation "none" | 152 |
| 8.10.2 | Aggregation "composite" | 153 |
| 8.10.3 | Aggregation "shared" | 153 |
| 8.11 | Closure Rules | 153 |
| 8.11.1 | The Reference Closure Rule | 153 |
| 8.11.2 | The Composition Closure Rule | 155 |
| 8.12 | Recommended Copy Semantics | 156 |
| 8.13 | Computational Semantics | 157 |
| 8.13.1 | A Style Guide for Metadata Computational Semantics | 157 |
| 8.13.2 | Access operations should not change metadata | 158 |
| 8.13.3 | Update operations should only change the nominated metadata | 158 |
| 8.13.4 | Derived Elements should behave like non-derived Elements | 158 |
| 8.13.5 | Constraint evaluation should not have side-effects | 158 |
| 8.13.6 | Access operations should avoid raising Constraint exceptions | 159 |
| 9 | MOF to IDL Mapping | 161 |
| 9.1 | Overview | 161 |

| | | |
|--------|---|----------------|
| 9.2 | Meta Objects and Interfaces | 161 |
| 9.2.1 | Meta Object Type Overview | 161 |
| 9.2.2 | The Meta Object Interface Hierarchy | 163 |
| 9.3 | Computational Semantics for the IDL Mapping | 165 |
| 9.3.1 | The CORBAIDL Types Package | 165 |
| 9.3.2 | Mapping of MOF Data Types to CORBA IDL Types | 169 |
| 9.3.3 | Value Types and Equality in the IDL Mapping | 170 |
| 9.3.4 | Lifecycle Semantics for the IDL Mapping | 170 |
| 9.3.5 | Association Access and Update Semantics for the IDL Mapping | 173 |
| 9.3.6 | Link Addition Operations | 173 |
| 9.3.7 | Attribute Access and Update Semantics for the IDL Mapping | 176 |
| 9.3.8 | Reference Semantics for the IDL Mapping | 181 |
| 9.3.9 | Cluster Semantics for the IDL Mapping | 182 |
| 9.3.10 | Atomicity Semantics for the IDL Mapping | 182 |
| 9.3.11 | The Supertype Closure Rule | 182 |
| 9.3.12 | Copy Semantics for the IDL Mapping | 183 |
| 9.4 | Exception Framework | 183 |
| 9.4.1 | Error_kind string values | 185 |
| 9.4.2 | Structural Errors | 185 |
| 9.4.3 | Constraint Errors | 188 |
| 9.4.4 | Semantic Errors | 188 |
| 9.4.5 | Usage Errors | 189 |
| 9.4.6 | Reflective Errors | 190 |
| 9.5 | Preconditions for IDL Generation | 192 |
| 9.6 | Standard Tags for the IDL Mapping | 194 |
| 9.6.1 | Tags for Specifying IDL #pragma directives | 194 |
| 9.6.2 | Tags for Providing Substitute Identifiers | 195 |
| 9.6.3 | Tags for Specifying IDL Inheritance | 196 |
| 9.7 | Generated IDL Issues | 198 |
| 9.7.1 | Generated IDL Identifiers | 198 |
| 9.7.2 | Generation Rules for Synthesized Collection Types | 200 |
| 9.7.3 | IDL Identifier Qualification | 202 |
| 9.7.4 | File Organization and #include statements | 202 |
| 9.8 | IDL Mapping Templates | 202 |
| 9.8.1 | Template Notation | 203 |
| 9.8.2 | Package Module Template | 203 |
| 9.8.3 | Package Factory Template | 205 |
| 9.8.4 | Package Template | 206 |
| 9.8.5 | Class Forward Declaration Template | 209 |
| 9.8.6 | Class Template | 209 |
| 9.8.7 | Class Proxy Template | 210 |
| 9.8.8 | Instance Template | 212 |
| 9.8.9 | Class Create Template | 213 |
| 9.8.10 | Association Template | 214 |
| 9.8.11 | Attribute Template | 222 |
| 9.8.12 | Reference Template | 231 |
| 9.8.13 | Operation Template | 240 |
| 9.8.14 | Exception Template | 242 |
| 9.8.15 | DataType Template | 243 |
| 9.8.16 | Constraint Template | 245 |
| 9.8.17 | Annotation Template | 245 |
| 10 | The Reflective Module | 247 |
| 10.1 | Introduction | 247 |
| 10.2 | The Reflective Interfaces | 248 |
| 10.2.1 | Reflective Argument Encoding Patterns | 248 |
| 10.2.2 | Reflective::RefBaseObject | (abstract) 250 |
| 10.2.3 | Reflective::RefObject | (abstract) 254 |
| 10.2.4 | Reflective::RefAssociation | (abstract) 265 |
| 10.2.5 | Reflective::RefPackage | (abstract) 269 |
| 10.3 | The CORBA IDL for the Reflective Interfaces | 270 |
| 10.3.1 | Introduction | 270 |

10.3.2 Data Types271
Annex A (normative) Conformance Issues273
Annex B (normative) Legal Information275
INDEX279