

ISO/IEC 15444-9:2005-12 (E)

Information technology - JPEG 2000 image coding system: Interactivity tools, APIs and protocols

Contents

Page

Reference number INTERNATIONAL STANDARD 15444-9 First edition 2005-12-01 Information technology -- JPEG 2000 image coding system: Interactivity tools, APIs and protocols
Technologies de l'information -- Système de codage d'image JPEG 2000: Outils d'interactivité, API et protocoles PDF disclaimer This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area. Adobe is a trademark of Adobe Systems Incorporated. Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below. electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester. ISO copyright office Case postale 56 · CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org Published in Switzerland

CONTENTS 1 Scope	1
2 Normative references	1
3 Definitions	2
3.1 JPEG 2000 Part 1 definitions	2
3.2 HTTP definitions	2
3.3 JPIP definitions	2
3.4 Symbols	3
4 Abbreviations	5
5 Conventions	5
5.1 ABNF rules	5
5.2 File format ABNF rules	6
5.3 Key to graphical descriptions of boxes (informative)	6
6 General description	7
6.1 JPIP protocol	7
6.2 Purpose	8
7 Conformance	9
Annex A (normative) - The JPP-stream and JPT-stream media types	10
A.1 Introduction	10
A.2 Message header structure	11
A.3 Data-bins	13
A.4 Conventions for parsing and delivery of JPP-streams and JPT-streams (informative)	21
A.5 Conventions for JPP-stream or JPT-stream Interoperability (informative)	21
Annex B (normative) - Sessions, channels, cache model and model-sets	22

B.1	Requests within a session vs stateless requests	22
B.2	Channels and sessions	22
B.3	Cache model management	23
B.4	Interrogation and manipulation of model-sets	23
Annex C (normative) - Client request		24
C.1	Request syntax	24
C.2	Target identification fields	25
C.3	Fields for working with sessions and channels	27
C.4	View-window request fields	28
C.5	Metadata request fields	36
C.6	Data limiting request fields	39
C.7	Server control request fields	39
C.8	Cache management request fields	41
C.9	Upload request parameters	47
C.10	Client capability and preference request fields	47
Annex D (normative) - Server response signalling		53
D.1	Reply syntax	53
D.2	JPIP response headers	54
D.3	Response data	59
Annex E (normative) - Uploading images to the server		60
E.1	Introduction	60
E.2	Upload request	60
E.3	Server response	60
E.4	Merging data on the server	61
Annex F (normative) - Using JPIP over HTTP		63
F.1	Introduction	63
F.2	Requests	63
F.3	Session establishment	64
F.4	Responses	64
F.5	Additional HTTP features	65
F.6	HTTP and length request field (informative)	66
Annex G (normative) - Using JPIP with HTTP requests and TCP returns		67
G.1	Introduction	67
G.2	Client requests	67
G.3	Session establishment	67
G.4	Server responses	68
G.5	TCP and length request field (informative)	68
Annex H (informative) - Using JPIP with alternate transports		69
H.1	Introduction	69
H.2	Reliable requests with unreliable data	69
H.3	Unreliable requests with unreliable data	70
H.4	Request and response syntax	71
H.5	Session establishment	71
Annex I (normative) - Indexing JPEG 2000 files for JPIP		72
I.1	Introduction (informative)	72
I.2	Identifying the use of JPIP index boxes in the JPEG 2000 file format compatibility list	73
I.3	Defined boxes	73
I.4	Association of codestream indexes with codestreams	81

I.5	Placement restrictions (informative)	81
Annex J (normative) - Registration of extensions to this Recommendation		International Standard 82
J.1	Introduction to registration	82
J.2	Registration elements	82
J.3	Registration evaluation criteria	82
J.4	Items which can be extended by registration	82
J.5	Registration process	83
J.6	Timeframes for the registration process	83
Annex K (informative) - Application examples		84
K.1	Introduction	84
K.2	Use of JPIP with codestreams in other file formats	84
K.3	Tile-part implementation techniques	84
K.4	Precinct-based implementation techniques	85
K.5	JPIP protocol transcripts	86
K.6	Using JPIP with HTML	89
Annex L (informative) - JPIP ABNF collection		91
L.1	JPIP Request ABNF	91
L.2	JPIP Response BNF	98
Annex M (informative) - Patent statements		101
Annex N (informative) - Bibliography		102
FIGURES Figure 1 - Example of the box description figures		7
Figure 2 - Example of the superbox description figures		7
Figure 3 - JPIP protocol overview		8
Figure 4 - JPIP protocol stack		8
Figure A.1 - Examples of a JPEG 2000 file, JPIP data-bins and JPIP-stream relationships (after G.J. Colyer and R.A. Clark, IEEE Trans. Consumer Electronics, 49 (2003), pp 850-854)		10
Figure A.2 - VBAS structure		11
Figure A.3 - Bin-ID VBAS structure		11
Figure A.4 - Example precinct data-bin		14
Figure A.5 - Metadata-bin example colour scheme		15
Figure A.6 - A sample JP2 file		16
Figure A.7 - A sample JP2 file divided into three metadata-bins		16
Figure A.8 - A superbox with a referenced metadata-bin		17
Figure A.9 - An illegal division of the file into metadata-bins		18
Figure A.10 - Example of the use of stream equivalents		19
Figure A.11 - Placeholder box structure		19
Figure C.1 - Desired region within an image		29

Figure C.2 - Desired region with respect to the subsampled reference grid	29
Figure C.3 - Colourspace specification box selection procedure	50
Figure G.1 - Response data structure on http-tcp connection	68
Figure I.1 - Part of an example JPEG 2000 file containing JPIP index boxes	73
Figure I.2 - Organization of the contents of a Codestream Index box	74
Figure I.3 - Organization of the contents of a Codestream Finder box	75
Figure I.4 - Organization of the contents of a Manifest box	75
Figure I.5 - Organization of the contents of a Fragment Array Index box	76
Figure I.6 - Organization of the contents of a Header Index Table box	77
Figure I.7 - Organization of the contents of a Tile-part Index Table box	78
Figure I.8 - Organization of the contents of a Tile Header Index Table box	78
Figure I.9 - Organization of the contents of a Precinct Packet Index Table box	78
Figure I.10 - Organization of the contents of a Packet Header Index Table box	79
Figure I.11 - Organization of the contents of a File Index box	80
Figure I.12 - Organization of the contents of a File Finder box	80
Figure I.13 - Organization of the contents of a Proxy box	80
Figure I.14 - Organization of the contents of an Index Finder box	81
TABLES Table A.1 - Bin-ID additional VBAS indication	12
Table A.2 - Class identifiers for different data-bin message classes	12
Table A.3 - Legal values for the Flags field of a Placeholder box	20
Table C.1 - Round direction options	31
Table C.2 - Metadata request qualifier flags	39
Table C.3 - Alignment boundaries based on bin type	40
Table C.4 - Legal image return types	40
Table C.5 - Cache descriptor option summary	44
Table C.6 - Legal capabilities of the processing-capabilities element	47
Table C.7 - Legal values of the config-capability parameter	48
Table C.8 - View-window handling preferences	49
Table C.9 - Colourspace method client preferences	50
Table C.10 - Placeholder preferences	51
Table C.11 - Codestream sequencing preferences	52

Table D.1 - Legal values of transport-param	55
Table D.2 - Defined reason codes	59
Table I.1 - Defined boxes (Informative)	74
Table I.2 - Container type values	75
Table I.3 - Version values	77
Table K.1 - Example of the use of auxiliary fields in a simple case	85
Table K.2 - Example of the use of auxiliary fields in a more complicated case	85